

Centre for Entomological

Studies

Ankara

established in 1966

Information about the activities of the Cesa free irregular internet Issues

Announcements- General News - Expeditions-Publications - Visitors - Workshops - Seminars -

Nr.81 8 August 2012

> "Though hundreds of thousands had done their very best to disfigure the small piece of land on which they were crowded together, by paving the ground with stones, scraping away every vestige of vegetation, cutting down the trees, turning away birds and beasts, and filling the air with the smoke of naphtha and coal, still spring was spring, even in the town.

> The sun shone warm, the air was balmy; everywhere, where it did not get scraped away, the grass revived and sprang up between the paving-stones as well as on the narrow strips of lawn on the boulevards. The birches, the poplars, and the wild cherry unfolded their gummy and fragrant leaves, the limes were expanding their opening buds; crows, sparrows, and pigeons, filled with the joy of spring, were getting their nests ready; the flies were buzzing along the walls, warmed by the sunshine. All were glad, the plants, the birds, the insects, and the children. But men, grown-up men and women, did not leave off cheating and tormenting themselves and each other. It was not this spring morning men thought sacred and worthy of consideration not the beauty of God's world, given for a joy to all creatures, this beauty which inclines the heart to peace, to harmony, and to love, but only their own devices for enslaving one another..."

> > [Tolstoy, L., 1899, Resurrection; transl. L. Maude].



List of the two thousand species of pterygot insects in Van province (East Turkey)

(Results of the entomofauna project of Turkey - 7) 1

Ahmet Ömer Kocak Muhabbet Kemal

In the year of 2008, the Project "Entomofauna of Turkey" was begun privately. The main aim was to compile the hitherto recorded taxa of pterygot insects in Turkey. For this purpose, 24 pterygot orders in Turkey, their family -, genus – and species group taxa have been studying by the authors. Results of the fields studies have also been evaluating to some degree. Six reports of the temporary results were published so far. In these reports, not only the previously published information by other native or foreign authors were compiled, updated taxonomical or nomenclatural cases of the taxa, but also numerous new records to the provincial or country fauna were added. Unfortunately, there is no similar studying program, having such a perspective to the fauna of Turkey currently.

Total number of the pterygot insect species of Turkey was reported by the authors on 8 January 2011 as "17629". Whereas the current number reaches to **19492**. Van, from the faunistical standpoint, is one of the little studied provinces of Turkey. Several years ago, the total pterygot fauna of this province was less than thousand species. Today, exact number of the species reached to 2000 species; among them, several hundred records belong to the field studies of the present authors. Expected number of species is around 5000 in the province.

In the present paper, only the synonymical list of the species is given alphabetically together with their families, under the studied orders. Totally 16 orders are illustrated here representatively from various places of Van Province. These are as follows; Ephemeroptera, Plecoptera, Odonata, Mantodea, Dermaptera, Phasmida, Orthoptera, Hemiptera, Homoptera, Planipennia, Trichoptera, Mecoptera, Lepidoptera, Diptera, Hymenoptera and Coleoptera. Planned further faunistical studies in the province, such as Artos Mountain, Çatak, etc. will be published separately.

The symbol # denotes the unavailable names in the list below. All the species are identified by the authors, unless otherwise is stated. All the photographs are taken by the second author specially for this research and preserved in Cesa Archive. All the collected material are preserved in the Cesa Collection.

¹ Previous issues of this series are as follows: **Koçak,A.Ö. et al., 2008**, Entomofauna of Turkey. Report of the Entomofauna of Turkey. I. Cesa News 36: 13-25; **Koçak,A.Ö, Kemal,M., Özdemir,M. & I. Özdemir, 2008**, Report on the "Entomofauna of Turkey" 2-Index of the recorded species of the Pterygot Insects of Turkey. Cesa News 37: 2-41, 1 fig.; **Koçak,A.Ö., Kemal,M., Özkol,H. & L.Kayci, 2009**, Report on the "Entomofauna of Turkey" 3- Revised and expanded index of the recorded genera and species of the Pterygot Insects of Turkey. - Cesa News 40: 12-83, 1 fig.; **Koçak,A.Ö. & M.Kemal, 2009**, Report on the "Entomofauna of Turkey" 4-Revised and expanded index of the species of the Pterygot Insects of Turkey. - Cesa News 41: 4-46, 2 figs.; **Koçak,A.Ö. & M.Kemal, 2009**, Report on the "Entomofauna of Turkey" 5- Revised and expanded index of the species of the Pterygot Insects of Turkey. - Cesa News 42: 1-38, 9 figs.; **Koçak,A.Ö. & M.Kemal, 2009**, Results of the Entomofauna Projects of the Cesa 6- List of the 11132 pterygot insect species of Turkey hitherto recorded in the database of the Cesa. Cesa News 47: 47-197.

² http://www.cesa-tr.org/numbertr.htm

Ephemeroptera

For the time being, only some field observations have been made by the authors in the province, so far. Selected images (Figs. 1-3) are given below.



Figs. 1-3. Top from Başet Mountain (Van, Gürpınar) 24 6 2010; bottom left and right (nymph) from Çatak (Van), 1500m, 6 3 2010, M Kemal (Cesa)

Plecoptera

In Turkey totally 81 species have been recorded by the authors based upon the literary sources. Some field observations especially in the early spring have been realized or collected some specimens by the authors in the province **(Fig.4).** No specific identification has been made so far.



Fig. 4 - Adult stonefly from Van Province, north of Çatak 1700m, 6 3 2010, M Kemal (Cesa)

Odonata

Totally 114 species in Turkey have been reported by the authors. In the province, 25 species are listed below **(Fig.5)**.

- 1. Aeshna affinis Van Der Linden, 1820 (Aeshnidae) Synonym(s): affinis Van Der Linden, 1820
- 2. Aeshna serrata (Hagen, 1856) (Aeshnidae) Synonym(s): serrata Hagen, 1856
- 3. Anax imperator Leach, 1815 (Aeshnidae) Synonym(s): imperator Leach, 1815
- 4. Calopteryx intermedia Selys,1887 (Calopterygidae) Synonym(s): intermedia Selys,1887
- 5. Epallage fatime (Charpentier, 1840) (Calopterygidae) Synonym(s): fatime Charpentier, 1840
- 6. Coenagrion ornatum (Selys,1850) (Coenagrionidae) Synonym(s): ornatum Selys,1850
- 7. Coenagrion scitulum (Rambur, 1842) (Coenagrionidae) Synonym(s): scitulum Rambur, 1842
- 8. Coenagrion syriacum (Morton,1924) (Coenagrionidae) Synonym(s): syriacum Morton,1924
- 9. Enallagma cyathigerum (Charpentier,1840) (Coenagrionidae) Synonym(s): cyathigerum Charpentier,1840
- 10. Ischnura elegans (Van Der Linden, 1820) (Coenagrionidae) Synonym(s): elegans Van Der Linden, 1820
- 11. Ischnura pumilio (Charpentier, 1825) (Coenagrionidae) Synonym(s): pumilio Charpentier, 1825
- 12. Cordulegaster insignis Schneider,1845 (Cordulegasteridae) Synonym(s): insignis Schneider,1845; amasina Morton,1916
- 13. Lestes barbarus (Fabricius,1798) (Lestidae) Synonym(s): barbarus Fabricius,1798
- 14. Lestes dryas Kirby, 1890 (Lestidae) Synonym(s): dryas Kirby, 1890
- 15. Libellula depressa Linnaeus,1758 (Libellulidae) Synonym(s): depressa Linnaeus,1758
- 16. Libellula quadrimaculata Linnaeus,1758 (Libellulidae) Synonym(s): quadrimaculata Linnaeus,1758
- 17. Orthetrum albistylum (Selys,1848) (Libellulidae) Synonym(s): albistylum Selys,1848
- 18. Orthetrum brunneum (Fonscolombe,1837) (Libellulidae) Synonym(s): brunneum Fonscolombe,1837
- 19. Orthetrum anceps (Schneider,1845) (Libellulidae) Synonym(s): anceps Schneider,1845
- **20. Crocothemis erythraea (Brullé,1832)** (Libellulidae) Synonym(s): victoria Fourcroy,1785; erythraea Brullé,1832; coccinea Charpentier,1840; lorti Kirby,1896
- 21. Sympetrum flaveolum (Linnaeus,1758) (Libellulidae) Synonym(s): flaveolum Linnaeus,1758
- 22. Sympetrum fonscolombii (Selys,1840) (Libellulidae) Synonym(s): fonscolombii Selys,1840
- 23. Sympetrum meridionale (Selys,1841) (Libellulidae) Synonym(s): meridionale Selys,1841
- 24. Sympetrum pedemontanum (Allioni,1766) (Libellulidae) Synonym(s): pedemontanum Allioni,1766
- 25. Sympetrum striolatum (Charpentier, 1840) (Libellulidae) Synonym(s): striolatum Charpentier, 1840



Fig. 5 - Onychogomphus sp. (Gomphidae) from Van Prov., Zeve 1700m 7 6 2012 M Kemal (Cesa). It is not reported in the province so far.

Blattodea

Two anthropogen species have been recorded by the authors so far.

- 26. Blatta orientalis Linnaeus,1758 (Blattidae) Synonym(s): orientalis Linnaeus,1758
- 27. Polyphaga aegyptiaca (Linnaeus,1758) (Polyphagidae) Synonym(s): aegyptiaca Linnaeus,1758

Mantodea

Three species have been listed below.

- 28. Iris oratoria (Linnaeus,1758) (Irididae) Synonym(s): oratoria Linnaeus,1758; dentata Goeze,1778; bella Germar,1817; minima Charpentier,1825; fenestrata Brullé,1832
- 29. Ameles syriensis Giglio-Tos,1915 (Mantidae) Synonym(s): syriensis Giglio-Tos,1915 30. Bolivaria brachyptera (Pallas,1773) (Mantidae) (Fig. 6) Synonym(s): brachyptera Pallas,1773



Fig. 6 - Bolivaria brachyptera (Mantidae) from Van Prov., Gevaş, Artos Mt. 1950m, 9 7 2012 M Kemal (Cesa)

Four species have been listed below.

- **31.** Anechura bipunctata (Fabricius,1781) (Forficulidae) (Fig. 7) Synonym(s): bipunctata Fabricius,1781; asiatica Semenov,1903; fabricii Fieber,1854
- **32. Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): auricularia Linnaeus,1758; dentata Fabricius,1775
- 33. Forficula tomis (Kolenati, 1846) (Forficulidae) Synonym(s): tomis Kolenati, 1846; pomerantzevi Semenov, 1903
- 34. Labidura riparia (Pallas,1773) (Labiduridae) Synonym(s): riparia Pallas,1773; mongolica Rehn,1905



Fig. 7 - Anechura bipunctata (Forficulidae) from Van Prov., Kurubaş 2250m 8 6 2012 M Kemal (Cesa)

Phasmida

Two species, Clonaria kurda (Bingöl, Siirt) and Clonaria libanica (Hatay) are known in South Turkey from the family Diapheromeridae. One indetermined species in the genus Bacillus (Bacillidae) is reported from Hakkari and İstanbul.

Only some field observations have been made by the authors in Van province, so far. As a result of this member of this little known order has been found in Çatak district of the province (Fig. 8).



Fig. 8- Phasmid specimen (indet.) from Van Prov., Çatak 1500m, 29 7 2011, M. Kemal (Cesa)

Orthoptera

Totally, 45 species have been listed below (Figs. 9-11).

- **35. Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958
- 36. Acrotylus patruelis (Herrich-Schäffer,1838) (Acrididae) Synonym(s): patruelis Herrich-Schäffer,1838
- **37.** Arcyptera (Pararcyptera) microptera (Fischer de Waldheim,1833) (Acrididae) Synonym(s): microptera Fischer de Waldheim,1833
- **38. Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): barbarus Costa,1836; ictericus Audinet-Serville,1838; siculus Burmeister,1838; cephalotes Fischer von Waldheim,1846; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954
- **39. Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellis Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonigricans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952
- **40. Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): variabilis Pallas,1771; rhodoptilus Charpentier,1825; subcoerulipennis Charpentier,1825; #arbonarius Uvarov,1917
- 41. Chorthippus (s.str.) parallelus (Zetterstedt,1821) (Acrididae) Synonym(s): parallelus Zetterstedt,1821; pratorum Fieber,1852; explicatus Selys-Longchamps,1862; nigrolineatus Ivanov,1888; sylvestris Puschnig,1910; montana Chopard,1922; caffra Ramme,1923; fuliginosus Voroncovsky,1928; prasinolateralis Voroncovsky,1928; prasinosuperficies Voroncovsky,1928; prasinus Voroncovsky,1928; viridis Voroncovsky,1928; aemulus Mishchenko,1951; geriberti Harz,1962; caffer Harz,1975
- **42. Chorthippus (Glyptobothrus) brunneus (Thunberg,1815)** (Acrididae) Synonym(s): brunneus Thunberg,1815; bicolor Charpentier,1825; biguttula Stephens,1835; rhomboida Stephens,1835; varipes Stephens,1835; venusa Stephens,1835; vittata Stephens,1835; brunneri Werner,1902
- **43. Chorthippus** (Glyptobothrus) longicornis (Latreille,1804) (Acrididae) Synonym(s): longicornis Latreille,1804
- **44.** Chorthippus (Glyptobothrus) macrocerus (Fischer von Waldheim,1846) (Acrididae) Synonym(s): macrocerus Fischer von Waldheim,1846
- 45. Chorthippus (Glyptobothrus) vagans (Eversmann, 1848) (Acrididae) Synonym(s): vagans Eversmann, 1848
- **46. Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) Synonym(s): dichrous Eversmann,1859; australia Predtechenskii,1928
- **47. Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): loratus Fischer von Waldheim,1846; dorsatus Giglio-Tos,1894; brauneri Znojko,1928; dessyi Jannone,1936
- **48. Dociostaurus (Notostaurus) anatolicus Krauss, 1896** (Acrididae) Synonym(s): anatolicus Krauss, 1896; castaneopicta Krauss, 1896; castaneopictus Jacobson, 1905
- 49. Oedaleus decorus (Germar, 1817) (Acrididae) Synonym(s): decorus Germar, 1817
- **50. Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): caerulescens Linnaeus,1758; coeruleipenne De Geer,1773; fasciata Stal,1873
- **51.** Oedipoda miniata (Pallas,1771) (Acrididae) Synonym(s): miniata Pallas,1771; salinus Gmelin,1790; gratiosa Audinet-Serville,1838; perurbana Steinmann,1965
- 52. Oedipoda schochi Saussure,1884 (Acrididae) Synonym(s): schochi Saussure,1884; caucasica Saussure,1884
- **53. Pseudoceles oedipodioides Bolivar,1899** (Acrididae) Synonym(s): oedipodioides Bolivar,1899; arpatchai Dirsh,1949; uvarovi Dirsh,1949; lateritius Karabağ,1957; krahmeri Harz,1978
- **54. Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): armata Fischer von Waldheim,1820
- **55. Schistocerca gregaria (Forskal,1775)** (Acrididae) Synonym(s): gregaria Forskal,1775; tartaricum Latreille,1804; peregrina Olivier,1804; rufescens Thunberg,1815
- **56. Sphingonotus (s.str.) coerulipes Uvarov,1922** (Acrididae) Synonym(s): coerulipes Uvarov,1922; djakonovi Mishtshenko,1936; kurmanus Ramme,1951
- 57. Sphingonotus (s.str.) nebulosus (Fischer von Waldheim, 1846) (Acrididae) Synonym(s): nebulosus Fischer von Waldheim, 1846; persa Saussure, 1884; violascens Uvarov, 1926; anatolicus Uvarov, 1930; discolor Uvarov, 1922
- **58. Stauroderus scalaris (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): scalaris Fischer von Waldheim,1846; discoidalis Eversmann,1848; melanopterus Borck,1848; pyrenaicus Saulcy,1887
- 59. Truxalis robusta (Uvarov,1916) (Acrididae) Synonym(s): robusta Uvarov,1916
- **60. Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856
- **61.** Gryllotalpa gryllotalpa (Linnaeus,1758) (Gryllotalpidae) Synonym(s): gryllotalpa Linnaeus,1758; talpa Olivier,1791; vulgaris Latreille,1804
- 62. Eremopeza saussurei (Uvarov,1918) (Pamphagidae) Synonym(s): gibber Uvarov,1916; saussurei Uvarov,1918
- 63. Nocarodes aserbus Mistshenko,1951 (Pamphagidae) Synonym(s): aserbus Mistshenko,1951
- 64. Paranocaracris rimansonae (Uvarov,1918) (Pamphagidae) Synonym(s): rimansonae Uvarov,1918

- **65. Pyrgomorpha guentheri Burr,1899** (Pyrgomorphidae) Synonym(s): guentheri Burr,1899; brevipennis Bolivar,1904; predtetshenskii Bei-Bienko,1951; ozeki Karabağ,1953; turcica Karabağ,1961; #urfenensis Demirsoy,1977; #guantheri Demirsoy,1977; #predteshenskii Demirsoy,1977
- **66. Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): depressa Brisout,1848; acuminata Brisout,1850; charpentieri Fieber,1853; elevata Fieber,1853; rudis Walker,1971; turcicus Demirsoy,1977
- 67. Tetrix bolivari (Saulcy,1901) (Tetrigidae) Synonym(s): bolivari Saulcy,1901
- **68.** Acrometopa syriaca Brunner von Wattenwyl,1878 (Tettigoniidae) Synonym(s): syriaca Brunner von Wattenwyl,1878; festae Giglio-Tos,1893; elsae Werner,1937
- **69. Conocephalus (Xiphidion) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): fuscus Fabricius,1793; discolor Thunberg,1815; thoracicus Fischer von Waldheim,1846; concolor Bolivar,1878; ponticus Nedelkov,1907; turanicus Semenov,1916; dilatatus Ramme,1951
- **70. Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846
- 71. Metrioptera (Roeseliana) bispina (Bolivar,1899) (Tettigoniidae) Synonym(s): bispina Bolivar,1899
- **72. Pezodrymadusa indivisa Karabağ,1961** (Tettigoniidae) Synonym(s): kurmana sensu Karabağ,1958 nec Rme.,1939; indivisa Karabağ,1961
- 73. Platycleis (s.str.) intermedia (Audinet-Serville,[1839]) (Tettigoniidae) Synonym(s): intermedia Audinet-Serville,[1839]; tesselatus Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951
- **74. Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera Fischer von Waldheim,1846*
- **75. Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): caudata Charpentier,1845; kolenatii Fischer von Waldheim,1846; longicauda Eversmann,1848; prasina Fieber,1852; armeniaca Tarbinsky,1940
- 76. Tettigonia turcica Ramme,1951 (Tettigoniidae) Synonym(s): turcica Ramme,1951
- 77. Tylopsis lilifolia (Fabricius,1793) (Tettigoniidae) Synonym(s): lilifolia Fabricius,1793; thymifolia Petagna,1792; gracilis Germar,1817; marginepunctata Audinet-Serville,1838; praeusta Fischer von Waldheim,1846; spinosus Fischer von Waldheim,1846; #liliifolia Bolivar,1877
- 78. Uvarovistia (s.str.) satunini (Uvarov,1916) (Tettigoniidae) Synonym(s): satunini Uvarov,1916
- 79. Uvarovistia (s.str.) zebra (Uvarov,1916) (Tettigoniidae) Synonym(s): zebra Uvarov,1916



Fig. 9- Oedaleus decorus (Acrididae) from Van Prov., Kurubaş 2250m 20 7 2010 M Kemal (Cesa)




Fig. 10 - Acrometopa syriaca (Tettigoniidae) from Van Prov., Çatak, Yapılı mzr 2150m 20 7 2012 M Kemal (Cesa)



Fig. 11-Pezodrymadusa indivisa (Tettigoniidae) (🖒) (topotype!) Artos Mt. 1950m 15 7 2012 M Kemal (Cesa)

Hemiptera

Totally, 61 species have been listed below.

- 80. Anthocoris sibiricus Reuter, 1875 (Anthocoridae) Synonym(s): sibiricus Reuter, 1875
- 81. Orius minutus (Linnaeus,1758) (Anthocoridae) Synonym(s): minutus Linnaeus,1758
- 82. Orius niger (Wolff,1811) (Anthocoridae) Synonym(s): niger Wolff,1811
- 83. Aphelocheirus aestivalis (Fabricius,1794) (Aphelocheiridae) Synonym(s): aestivalis Fabricius,1794
- 84. Neides tipularius (Linnaeus, 1758) (Berytidae) Synonym(s): tipularius Linnaeus, 1758
- 85. Coreus marginatus (Linnaeus,1758) (Coreidae) Synonym(s): marginatus Linnaeus,1758
- 86. Coriomeris denticulatus (Scopoli,1763) (Coreidae) Synonym(s): denticulatus Scopoli,1763
- 87. Coriomeris hirticornis (Fabricius,1794) (Coreidae) Synonym(s): hirticornis Fabricius,1794
- 88. Enoplops disciger (Kolenati, 1845) (Coreidae) Synonym(s): disciger Kolenati, 1845
- 89. Syromastus rhombeus (Linnaeus,1767) (Coreidae) Synonym(s): rhombeus Linnaeus,1767
- 90. Phyllomorphus laciniatus (Villers,1789) (Coreidae) Synonym(s): laciniatus Villers,1789; montandon Zange,2005
- 91. Cymatia rogenhoferi (Fieber, 1864) (Corixidae) Synonym(s): rogenhoferi Fieber, 1864
- 92. Paracorixa concinna (Fieber,1848) (Corixidae) Synonym(s): concinna Fieber,1848
- 93. Sigara assimilis (Fieber, 1848) (Corixidae) Synonym(s): assimilis Fieber, 1848
- 94. Sigara lateralis Leach,1818 (Corixidae) Synonym(s): lateralis Leach,1818
- 95. Sigara nigrolineata (Fieber, 1848) (Corixidae) Synonym(s): nigrolineata Fieber, 1848
- 96. Rhyparochromus phoeniceus (Rossi,1794) (Lygaeidae) Synonym(s): phoeniceus Rossi,1794
- 97. Lygaeus equestris (Linnaeus,1758) (Lygaeidae) Synonym(s): equestris Linnaeus,1758
- 98. Spilostethus saxatilis (Scopoli,1763) (Lygaeidae) Synonym(s): saxatilis Scopoli,1763
- 99. Spilostethus pandurus (Scopoli,1763) (Lygaeidae) Synonym(s): pandurus Scopoli,1763
- **100. Geocoris pallidipennis (Costa,1843)** (Lygaeidae) Synonym(s): pallidipennis Costa,1843; angularis Fieber,1844; colon Fieber,1844
- **101.** Oxycarenus (Euoxycarenus) pallens (Herrich-Schäffer,1850) (Lygaeidae) Synonym(s): pallens Herrich-Schäffer,1850
- 102. Dicyphus alkannae Seidenstücker,1956 (Miridae) Synonym(s): alkannae Seidenstücker,1956
- 103. Grypocoris fieberi Douglas & Scott,1868 (Miridae) Synonym(s): fieberi Douglas & Scott,1868; blandus Puton,1881
- 104. Macrolophus caliginosus Wagner,1950 (Miridae) Synonym(s): caliginosus Wagner,1950
- 105. Nabis punctatus Costa,1847 (Nabidae) Synonym(s): punctatus Costa,1847
- 106. Nabis ferus (Linnaeus,1758) (Nabidae) Synonym(s): ferus Linnaeus,1758
- 107. Notonecta viridis Delcourt,1909 (Notonectidae) Synonym(s): viridis Delcourt,1909; mediterranea Hutchinson,1928
- 108. Rhombocoris regularis (Herrich-Schaeffer,1851) (Pentatomidae) Synonym(s): regularis Herrich-Schaeffer,1851
- 109. Raphigaster nebulosa (Poda,1761) (Pentatomidae) Synonym(s): nebulosa Poda,1761
- 110. Mustha spinosula (Lefebvre,1831) (Pentatomidae) Synonym(s): spinosula Lefebvre,1831
- 111. Sciocoris (Aposciocoris) macrocephalus Fieber,1851 (Pentatomidae) Synonym(s): macrocephalus Fieber,1851
- 112. Sciocoris (s.str.) deltocephalus Fieber,1861 (Pentatomidae) Synonym(s): deltocephalus Fieber,1861
- 113. Sciocoris ochraceus Fieber,1861 (Pentatomidae) Synonym(s): ochraceus Fieber,1861; #ochraseus Önder et al.,2006
- 114. Tarisa osmanica Hoberlandt,1955 (Pentatomidae) Synonym(s): osmanica Hoberlandt,1955
- 115. Stagonomus amoenus (Brullé,1832) (Pentatomidae) Synonym(s): amoenus Brullé,1832
- 116. Carpocoris coreanus Distant, 1899 (Pentatomidae) Synonym(s): coreanus Distant, 1899; iranus Tamanini, 1958
- 117. Carpocoris fuscispinus (Boheman, 1851) (Pentatomidae) Synonym(s): fuscispinus Boheman, 1851
- **118. Cnephosa flavomarginata Jakovlev,1880** (Pentatomidae) Synonym(s): *flavomarginata Jakovlev,1880*
- 119. Codophila lunulata (Goeze,1778) (Pentatomidae) Synonym(s): lunulata Goeze,1778
- 120. Dolycoris baccarum (Linnaeus,1758) (Pentatomidae) Synonym(s): baccarum Linnaeus,1758
- 121. Eurydema ventralis Kolenati,1846 (Pentatomidae) Synonym(s): ventralis Kolenati,1846
- 122. Holcostethus vernalis (Wolff,1804) (Pentatomidae) Synonym(s): vernalis Wolff,1804
- 123. Graphosoma (s.str.) lineatum (Linnaeus,1758) (Pentatomidae) Synonym(s): lineatum Linnaeus,1758; italicus Müller,1766; nigrolineatus Fabricius,1781; shangini Gebler,1817; reductum Horvath,1901; ochraceum Royer,1925; obscurum Stepanek,1926; soosi Halaszfy,1953; nigriscutellatum Halaszfy,1955; flavolineatum Halaszfy,1955
- **124.** Piesma (Parapiesma) kolenatii (Fieber,1861) (Piesmatidae) Synonym(s): laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973
- **125. Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829*
- **126.** Coranus aegypticus (Fabricius,1775) (Reduviidae) Synonym(s): aegypticus Fabricius,1775
- 127. Nagusta goedeli (Kolenati,1856) (Reduviidae) Synonym(s): goedeli Kolenati,1856
- **128.** Peirates hybridus (Scopoli,1763) (Reduviidae) Synonym(s): hybridus Scopoli,1763
- **129.** Phymata (s.str.) crassipes (Fabricius,1775) (Reduviidae) Synonym(s): crassipes Fabricius,1775

- **130. Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) Synonym(s): *flavolimbatus Jakovlev,1889;* #descampsi Dispons & Villiers,1967
- **131.** Reduvius personatus (Linnaeus,1758) (Reduviidae) Synonym(s): personatus Linnaeus,1758; ater Poda,1761
- **132. Reduvius pallipes (Klug,1830)** (Reduviidae) Synonym(s): pallipes Klug,1830; thoracicus Stal,1855; testaceus Fieber
- 133. Vachiria deserta (Becker,1867) (Reduviidae) Synonym(s): deserta Becker,1867
- **134.** Corizus hyoscyami (Linnaeus,1758) (Rhopalidae) Synonym(s): hyoscyami Linnaeus,1758; #hyosciami Kuyak et al.,2004
- 135. Corizus fenestella Horvath,1917 (Rhopalidae) Synonym(s): fenestella Horvath,1917
- 136. Stictopleurus riveti Royer,1923 (Rhopalidae) Synonym(s): riveti Royer,1923
- 137. Odontoscelis fuliginosa (Linnaeus,1761) (Scutelleridae) Synonym(s): fuliginosa Linnaeus,1761
- **138. Odontotarsus purpureolineatus (Rossi,1790)** (Scutelleridae) Synonym(s): *purpureolineatus Rossi,1790; lutescens Fieber,1861; rugicollis Jakovlev,1884; insignis Jakovlev,1908; #confluens Hoberlandt,1944*
- **139. Catoplatus brevicornis Akramovskaya & Golub,1973** (Tingidae) Synonym(s): *brevicornis Akramovskaya & Golub,1973*
- 140. Monosteira lobulifera Reuter, 1888 (Tingidae) Synonym(s): lobulifera Reuter, 1888



Fig.12 Brachycoleus sp. (Miridae) Van Prov., Kuzgunkıran 2200m 28 6 2010 M Kemal (Cesa). This genus is represented by five species in Turkey.



Fig.13 - Rhynocoris sp. (Reduviidae) attached to a chrysomelid bettle, from Van Prov. Artos 1950m 27 7 2011 M Kemal (Cesa). The genus is represented in Turkey by ten species.

Homoptera

Totally 106 species have been listed below.

- 141. Hyalopterus pruni (Geoffroy,1762) (Aphididae) Synonym(s): pruni Geoffroy,1762
- 142. Dysaphis devecta (Walker, 1849) (Aphididae) Synonym(s): devecta Walker, 1849
- **143. Dysaphis (Pomaphis) pyri (Boyer de Fonscolombe,1841)** (Aphididae) Synonym(s): *pyri Boyer de Fonscolombe,1841*
- 144. Uroleucon (Uromelan) jaceae (Linnaeus,1758) (Aphididae) Synonym(s): jaceae Linnaeus,1758
- **145. Aphis fabae Scopoli,1763** (Aphididae) Synonym(s): fabae Scopoli,1763; cirsiiacanthoidis Scopoli,1763; solanella Theobald,1914; mordvilkoi Börner & Janich,1922
- 146. Aphis craccivora Koch,1854 (Aphididae) Synonym(s): craccivora Koch,1854
- 147. Aphis avicularis (Hille Ris Lambers,1931) (Aphididae) Synonym(s): avicularis Hille Ris Lambers,1931
- 148. Aphis chloris Koch, 1854 (Aphididae) Synonym(s): chloris Koch, 1854
- **149.** Cercopis intermedia Kirschbaum,1868 (Cercopidae) Synonym(s): intermedia Kirschbaum,1868; obliterata Kirschbaum,1868; nigra Royer,1906; simulans Peneau,1912; turkestanica Lindberg,1923
- **150. Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): campestris Fallén,1805; parvula Vismara,1877; fasciatus Ferrari,1882; obsoletus Ferrari,1882; bimaculata Rey,1894; brunnifrons Rey,1894
- **151.** Neophilaenus lineatus (Linnaeus,1758) (Cercopidae) Synonym(s): lineatus Linnaeus,1758; abbreviata Fabricius,1787; capitata Fabricius,1794; aterrimus Sahlberg,1871; pulchellus Sahlberg,1871; fusca Haupt,1912; pallida Haupt,1917; danicus Wagner,1935; fulva Gyllensvard,1965
- **152. Paraphilaenus notatus (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus Mulsant & Rey,1855; centroasiaticus Dlabola,1961*
- **153. Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): spumarius Linnaeus,1758; leucophthalma Linnaeus,1758; lateralis Linnaeus,1758; leucocephala Linnaeus,1758
- 154. Agallia bispinata (Dlabola,1957) (Cicadellidae) Synonym(s): bispinata Dlabola,1957
- 155. Aphrodes bicinctus (Schrank,1776) (Cicadellidae) Synonym(s): striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schrank,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966
- 156. Aphrodes elongatus (Lethierry, 1876) (Cicadellidae) Synonym(s): elongatus Lethierry, 1876
- **157.** Artianus manderstjernii (Kirschbaum,1868) (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868
- **158.** Balclutha pellucens Horvath,1909 (Cicadellidae) Synonym(s): pellucens Horvath,1909; viridella Lindberg,1941
- 159. Balclutha rhenana Wagner,1939 (Cicadellidae) Synonym(s): rhenana Wagner,1939
- **160.** Batracomorphus irroratus Lewis,1834 (Cicadellidae) Synonym(s): irroratus Lewis,1834; microcephalus Herrich-Schäffer,1838; punctulatus Forel,1858; punctuosus Kirschbaum,1868; verrucosa Haupt,1917
- 161. Chlorita vana Dlabola,1971 (Cicadellidae) Synonym(s): vana Dlabola,1971
- 162. Circulifer haematoceps (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): haematoceps Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948; interibilis Lindberg,1948
- 163. Doratura homophyla (Flor,1861) (Cicadellidae) Synonym(s): homophyla Flor,1861
- **164.** Doratura impudica Horvath, 1897 (Cicadellidae) Synonym(s): impudica Horvath, 1897
- **165. Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928*
- **166.** Ebarrius cognatus (Fieber, 1869) (Cicadellidae) Synonym(s): cognatus Fieber, 1869
- **167.** Edwardsiana flavescens (Fabricius,1794) (Cicadellidae) Synonym(s): flavescens Fabricius,1794; fratercula Edwards,1908; sororcula Ossiannilsson,1936
- **168.** Empoasca solani (Curtis,1846) (Cicadellidae) Synonym(s): solani Curtis,1846; pteridis Dahlbom,1850; solanituberosi Kollar,1852; roseiventris Rey,1894; tullgreni Ribaut,1933; dlabolae Lindberg,1960
- **169. Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum Hardy,1850*; *curtisii Flor,1861*; *catenata Rey,1894*; *confluens Rey,1894*; *continua Cerutti,1939*
- 170. Eupteryx taborskyi Dlabola,1957 (Cicadellidae) Synonym(s): taborskyi Dlabola,1957
- 171. Euscelidius mundus (Haupt,1927) (Cicadellidae) Synonym(s): mundus Haupt,1927; orientalis Dlabola,1957
- 172. Euscelis alsius Ribaut,1952 (Cicadellidae) Synonym(s): alsius Ribaut,1952
- **173. Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus Herrich-Schäffer,1835; palaestinensis Linnavuori,1962*
- 174. Idiocerus herrichii Kirschbaum,1868 (Cicadellidae) Synonym(s): herrichii Kirschbaum,1868
- 175. Populicerus sharifi Dlabola,1977 (Cicadellidae) Synonym(s): sharifi Dlabola,1977
- 176. Kybos candelabricus Dlabola,1958 (Cicadellidae) Synonym(s): candelabricus Dlabola,1958
- 177. Kybos virgator (Ribaut,1933) (Cicadellidae) Synonym(s): virgator Ribaut,1933; saageri Wagner,1935
- 178. Laburrus handlirschi (Matsumura,1908) (Cicadellidae) Synonym(s): artemisiae Matsumura,1900 (praeocc.); handlirschi Matsumura,1908; maculosus Vilbaste,1965

- Centre for Entomological Studies Ankara
- 179. Laburrus abrotani Emelyanov,1962 (Cicadellidae) Synonym(s): abrotani Emelyanov,1962
- **180.** Limotettix striola (Fallén,1806) (Cicadellidae) Synonym(s): striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966
- **181.** Macropsis graminea (Fabricius,1798) (Cicadellidae) Synonym(s): graminea Fabricius,1798; populi Edwards,1919
- **182.** Macropsis scutellata (Boheman,1845) (Cicadellidae) Synonym(s): scutellata Boheman,1845; tibialis Scott,1874
- **183.** Macrosteles fieberi (Edwards,1889) (Cicadellidae) Synonym(s): frontalis Fieber,1885 nec Sctt.,1875; fieberi Edwards,1889
- **184.** Macrosteles forficula (Ribaut,1927) (Cicadellidae) Synonym(s): forficula Ribaut,1927
- **185.** Macrosteles laevis (Ribaut,1927) (Cicadellidae) Synonym(s): laevis Ribaut,1927; mannerheimi Kontkanen,1935; nubila Ossiannilsson,1936
- **186.** Macrosteles quadripunctulatus (Kirschbaum, 1868) (Cicadellidae) Synonym(s): quadripunctulatus Kirschbaum, 1868; ramigera Zachvatkin, 1933
- 187. Macrosteles sexnotatus (Fallén,1806) (Cicadellidae) Synonym(s): sexnotatus Fallén,1806; devastans Guérin-Méneville,1852; didymus Mulsant & Rey,1855; diminuta Lethierry,1876; binotata Rey,1894; submaculata Rey,1894
- **188.** Micantulina (Mulsantina) acuticeps (Linnavuori,1962) (Cicadellidae) Synonym(s): acuticeps Linnavuori,1962
- **189. Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): stigmatipennis Mulsant & Rey,1855; quadripunctata Kirschbaum,1868; pulcherrimus Hovarth,1884
- 190. Mocuellus deminutus Dlabola,1981 (Cicadellidae) Synonym(s): deminutus Dlabola,1981
- 191. Mogangella secundaria Dlabola,1958 (Cicadellidae) Synonym(s): secundaria Dlabola,1958
- 192. Mogangella straminea Dlabola,1957 (Cicadellidae) Synonym(s): straminea Dlabola,1957
- 193. Neoaliturus fenestratus (Herrich-Schäffer,1834) (Cicadellidae) Synonym(s): fenestratus Herrich-Schäffer,1834
- 194. Opsius cypriacus Lindberg,1958 (Cicadellidae) Synonym(s): cypriacus Lindberg,1958
- 195. Phlepsius ornatus (Perris, 1857) (Cicadellidae) Synonym(s): ornatus Perris, 1857; maculatus Fieber, 1866; asiaticus Zachvatkin, 1945; angorensis Zachvatkin, 1945
- **196. Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958*
- 197. Platymetopius shirazicus Dlabola,1974 (Cicadellidae) Synonym(s): shirazicus Dlabola,1974
- **198. Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): alienus Dahlbom,1850; breviceps Kirschbaum,1868; flavidus Fieber,1869; karafutonis Matsumura,1914
- 199. Psammotettix cephalotes (Herrich-Schäffer,1834) (Cicadellidae) Synonym(s): cephalotes Herrich-Schäffer,1834; citrinellus Kirschbaum,1868; sulphurellus Kirschbaum,1868; tristis Kirschbaum,1868; normani Scott 1881
- 200. Psammotettix comitans Emelyanov,1964 (Cicadellidae) Synonym(s): comitans Emelyanov,1964
- **201. Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): confinis Dahlbom,1850; eurylobus Kirschbaum,1868; heydeni Fieber,1872; thenii Edwards,1915; spathifer Ribaut,1925
- 202. Psammotettix ornaticeps (Horvath, 1897) (Cicadellidae) Synonym(s): ornaticeps Horvath, 1897
- **203. Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis Kirschbaum,1868; fasciatus Fieber,1869*
- 204. Psammotettix provincialis (Ribaut,1925) (Cicadellidae) Synonym(s): provincialis Ribaut,1925
- 205. Rhoananus hypochlorus (Fieber, 1869) (Cicadellidae) Synonym(s): hypochlorus Fieber, 1869
- **206.** Rhytidodus nobilis (Fieber,1868) (Cicadellidae) Synonym(s): nobilis Fieber,1868; trifasciatus Kirschbaum,1868
- 207. Selenocephalus armeniacus Lindberg,1960 (Cicadellidae) Synonym(s): armeniacus Lindberg,1960
- 208. Selenocephalus sirvadi Dlabola,1965 (Cicadellidae) Synonym(s): sirvadi Dlabola,1965
- **209.** Stenometopiellus angorensis Zachvatkin,1946 (Cicadellidae) Synonym(s): angorensis Zachvatkin,1946; tesquorum Emeljanov,1964
- 210. Tamaricella ribauti (Zachvatkin,1947) (Cicadellidae) Synonym(s): ribauti Zachvatkin,1947
- **211.** Tamaricella tamaricis (Puton,1872) (Cicadellidae) Synonym(s): tamaricis Puton,1872; subpunctata Vilbaste,1961
- **212. Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus Kirschbaum,1868; socialis Fieber,1868; variegata Ribaut,1952*
- **213. Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): poecilus Herrich-Schäffer,1835; falciger Boheman,1845; discolor Flor,1861; venustus Scott,1874
- 214. Verdanus gazelicornis (Dlabola,1980) (Cicadellidae) Synonym(s): gazelicornis Dlabola,1980
- 215. Verdanus pazoukii (Dlabola,1980) (Cicadellidae) Synonym(s): pazoukii Dlabola,1980
- **216.** Zyginidia (s.str.) sohrab Zachvatkin,1947 (Cicadellidae) Synonym(s): sohrab Zachvatkin,1947; coacta Ribaut,1948
- **217. Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina Fabricius,1798; geodesma Kolenati,1857; taurica Fieber,1876; virens Fieber,1876; burriana Horvath,1912; viridis Haupt,1917; discrepans Schumacher,1923; rossica Schumacher,1923*
- 218. Cicadatra persica Kirkaldy,1909 (Cicadidae) Synonym(s): lineola Hagen,1856 (praeocc.); persica Kirkaldy,1909
- 219. Tibicina serhadensis Koçak & Kemal,2010 (Cicadidae) Synonym(s): serhadensis Koçak & Kemal,2010

- **220. Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus Signoret,1865*; *albolimbatus Kirschbaum,1868*; *flavovarius Kusnezov,1935*
- 221. Hyalesthes ponticorum Hoch & Remane,1985 (Cixiidae) Synonym(s): ponticorum Hoch & Remane,1985
- 222. Hyalesthes veyseli Hoch,1985 (Cixiidae) Synonym(s): veyseli Hoch,1985
- **223. Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus Germar,1825*
- **224. Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major Kirschbaum,1868*; *opalinus Fieber,1876*; *interjectus Linnavuori,1957*; *atratus Dlabola,1958*
- **225. Reptalus (Trepalus) rufocarinatus (Kusnezov,1937)** (Cixiidae) Synonym(s): *rufocarinatus Kusnezov,1937; bitinctus Dlabola,1961*
- **226. Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): quinquecostatus Dufour,1833; pallidus Kusnezov,1937; flavidus Kusnezov,1937; rufocarinatus Kusnezov,1937
- **227. Setapius bitinctus (Dlabola,1961)** (Cixiidae) Synonym(s): *bitinctus Dlabola,1961*
- 228. Tachycixius logvinenkovae Dlabola,1974 (Cixiidae) Synonym(s): logvinenkovae Dlabola,1974
- **229.** Javesella obscurella (Boheman,1847) (Delphacidae) Synonym(s): obscurella Boheman,1847; discreta Edwards,1888; fuscotestacea Metcalf,1943
- **230. Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; variicollis Rey,1894
- 231. Kelisia ribauti Wagner,1938 (Delphacidae) Synonym(s): guttula Ribaut,1934 nec Germ.,1818; ribauti Wagner,1938
- **232.** Muirodelphax aubei (Perris,1857) (Delphacidae) Synonym(s): aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965
- 233. Ribautodelphax pallens (Stål,1854) (Delphacidae) Synonym(s): pallens Stål,1854
- **234. Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977
- 235. Dictyophara asiatica Melichar,1912 (Dictyopharidae) Synonym(s): asiatica Melichar,1912
- **236.** Dictyophara europaea (Linnaeus,1767) (Dictyopharidae) Synonym(s): europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942
- **237. Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): *multireticulata Mulsant & Rey,1855*; heydenii Kirschbaum,1868; curvata Matsumura,1910; nemourensis Matsumura,1910; oertzeni Matsumura,1910
- **238. Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): flavescens Olivier,1791; grylloides Fabricius,1794; liliimacula O.Costa,1834; bifasciatus O.Costa,1834; smyrnensis Spinola,1839; dufouri Spinola,1839; sicula O.Costa,1840; zelleri Kirschbaum,1868
- 239. Mycterodus goricus (Dlabola,1958) (Issidae) Synonym(s): goricus Dlabola,1958
- 240. Tshurtshurnella trifasciata (Linnavuori,1965) (Issidae) Synonym(s): trifasciata Linnavuori,1965
- **241. Centrotus cornutus (Linnaeus,1758)** (Membracidae) **(Fig.14)** Synonym(s): cornutus Linnaeus,1758; gallicus Kirschbaum,1868; italicus Kirschbaum,1868; turcicus Kirschbaum,1868; abbreviatus Kirschbaum,1868 (praeocc.); depressus Fieber,1876; obtusus Fieber,1876; rugosus Buckton,1903; kirschbaumi Metcalf,1955
- **242.** Ricania hedenborgi Stal,1865 (Ricaniidae) Synonym(s): hedenborgi Stal,1865
- **243. Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): macrocephalus Fieber,1865; longiceps Signoret,1866; concolor Fieber,1876 (praeocc.); contaminatus Metcalf,1932
- **244. Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876
- **245. Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea Mulsant-Rey,1855*; *mendax Horvath,1888*; *scutellaris Horvath,1903*
- **246. Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens Panzer,1799;* dorsalis Latreille,1804
- 247. Tettigometra vitellina Fieber, 1865 (Tettigometridae) Synonym(s): vitellina Fieber, 1865





Fig.14- Centrotus cornutus (Membracidae) from Van prov., Çatak 1360m 19 5 2012 M Kemal (Cesa)

Planipennia

Totally 18 species have been listed below.

- 248. Bubopsis hamata (Klug,1834) (Ascalaphidae) Synonym(s): hamatus Klug,1834
- Deleproctophylla dusmeti Navas,1914 (Ascalaphidae) Synonym(s): dusmeti Navas,1914 249.
- 250. Deleproctophylla variegata (Klug,1834) (Ascalaphidae) Synonym(s): variegata Klug,1834
- Iranoidricerus iranensis (Kimmins,1938) (Ascalaphidae) Synonym(s): iranensis Kimmins,1938 251.
- Libelloides macaronius (Scopoli,1763) (Ascalaphidae) (Fig.16) Synonym(s): macaronius Scopoli,1763 252.
- Ptyngidricerus albardanus (McLachlan,1891) (Ascalaphidae) Synonym(s): albardanus McLachlan,1891 253. Anisochrysa (Chrysoperla) carnea (Stephens,1836) (Chrysopidae) Synonym(s): carnea Stephens,1836 254.
- Perlamantispa perla (Pallas,1772) (Mantispidae) Synonym(s): **255**. perla Pallas,1772; christiana Charpentier, 1825; victorii Guérin-Méneville, 1845
- Acanthaclisis occitanica (Villers,1789) (Myrmeleonidae) Synonym(s): occitanicum Villers,1789; pisanus 256. Rossi,1790; georgianum Fischer v. Waldheim,1846.
- Palpares libelluloides (Linnaeus,1764) (Myrmeleonidae) Synonym(s): libelluloides Linnaeus,1764; **25**7. nordmanni Kolenati,1846
- 258. Palpares turcicus Koçak,1976 (Myrmeleonidae) (Fig.17) Synonym(s): turcicus Koçak,1976
- Macronemurus bilineatus Brauer, 1868 (Myrmeleonidae) Synonym(s): bilineatus Brauer, 1868 259.
- 260. Myrmecaelurus maior McLachlan, 1875 (Myrmeleonidae) Synonym(s): maior McLachlan, 1875
- 261. Myrmecaelurus trigrammus (Pallas,1781) (Myrmeleonidae) Synonym(s): trigrammus Pallas,1781; pictum Fabricius,1798; flavus Rambur,1842
- **262.** Lertha extensa (Olivier,1811) (Nemopteridae) Synonym(s): extensa Olivier,1811
- 263. Lertha palmonii Tjeder,1970 (Nemopteridae) Synonym(s): palmonii Tjeder,1970
- 264. Nemoptera sinuata Olivier, 1811 (Nemopteridae) Synonym(s): sinuata Olivier, 1811
- Osmylus multiguttatus McLachlan, 1870 (Osmylidae) Synonym(s): multiguttatus McLachlan, 1870 265.



Fig.15- Bubopsis sp. (Ascalaphidae) from Van Prov., Ermişler 1675m 3 8 2012 M Kemal (Cesa)



Fig.16 - Libelloides macaronius (Ascalaphidae) from Van Prov., Artos Mountain 1950m 5 7 2012 M Kemal (Cesa)



Fig. 17- Palpares turcicus (Myrmeleonidae) from Van Prov., Gevaş, Artos Mt. 1950m 15 7 2012 M Kemal (Cesa)

Trichoptera

Only some field observations have been made by the authors in the province, so far (Fig.18).



Fig. 18 - Resting adult of a trichopter from Van Prov., Çaldıran, Tendürek pass 2500m 16 6 2012 M Kemal (Cesa)

Mecoptera

A single species, Panorpa tatvana, has been listed below. The species is locally found in the province (Çatak and Kuzgunkıran pass) (Fig.19).

266. Panorpa tatvana Willmann,1974 (Panorpidae) Synonym(s): tatvana Willmann,1974



Fig.19 – Panorpa tatvana (Panorpidae) from Kuzgunkıran pass 2000m 1 7 2007, M.Kemal (Cesa)

Lepidoptera

1179 species have been listed from the province (Figs. 20-26).

- **267.** Nemophora eretna Kemal & Koçak,2006 (Adelidae) Synonym(s): eretna Kemal & Koçak,2006
- **268.** Nemophora fasciella (Fabricius,1775) (Adelidae) Synonym(s): fasciella Fabricius,1775; schiffermillerella [Denis & Schiffermüller],1775; fascia Haworth,1828; schiffermuellerella Treitschke,1833; annae Zeller,1853; purpureus Stainton,1867
- **269.** Alucita klimeschi Scholz,1997 (Alucitidae) Synonym(s): klimeschi Scholz,1997
- 270. Arctia (Epicallia) marchandi De Freina,1983 (Arctiidae) Synonym(s): marchandi De Freina,1983.
- **271.** Arctia (Eucharia) festiva (Hufnagel,1766) (Arctiidae) Synonym(s): festiva Hufnagel,1766; hebe Linnaeus,1767; interrogationis Ménétriés,1863; sartha Staudinger,1886; nivea O.Bang-Haas,1927; ragusai Stauder,1928.
- **272. Arctia (s.str.) caja (Linnaeus,1758)** (Arctiidae) Synonym(s): caja Linnaeus,1758; erinacea Retzius,1783; phantasma Niepelt,1905; lusitanica Spuler,1906; confluens Rebel,1910 nec Rom.,1884; rebeli Wnukowsky,1929.
- 273. Chelis reticulata (Christoph, 1887) (Arctiidae) Synonym(s): reticulata Christoph, 1887
- **274. Cymbalophora rivularis (Ménétriés,1832)** (Arctiidae) Synonym(s): *rivularis Ménétriés,1832; dannehli Dannehl,1929.*
- **275. Diaphora mendica (Linnaeus,1761)** (Arctiidae) Synonym(s): #mendica Clerck,1759; mendica Linnaeus,1761; rustica Hübner,[1791]
- **276. Euplagia quadripunctaria (Poda,1761)** (Arctiidae) Synonym(s): quadripunctaria Poda,1761; hera Linnaeus,1767; magna Spuler,1910 nec Hol.,1897; latefasciata Bubacek,1915.
- **277. Euplagia splendidior (Tams,1922)** (Arctiidae) Synonym(s): *splendidior Tams,1922; tkatshukovi Sheljuzhko,1935*.
- **278.** Lacydes spectabilis (Tauscher,1806) (Arctiidae) Synonym(s): spectabilis Tauscher,1806; intercissa Freyer,1842.
- 279. Andala semiramis (Staudinger, 1892) (Arctiidae) Synonym(s): semiramis Staudinger, 1892
- **280.** Ocnogyna (Somatotrichia) anatolica Witt,1980 (Arctiidae) Synonym(s): anatolica Witt,1980
- **281.** Ocnogyna (s.str.) loewii (Zeller,1846) (Arctiidae) Synonym(s): loewii Zeller,1846; clathrata Lederer,1855; andresi Draudt,1931.
- **282. Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) Synonym(s): fuliginosa Linnaeus,1758; fervida Staudinger,1871 nec Walk.,1855; lurida Rothschild,1910; monticola Daniel,1970 nec Reiss.,1934
- 283. Phragmatobia placida (Frivaldsky,1835) (Arctiidae) Synonym(s): placida Frivaldsky,1835
- **284.** Rhyparia purpurata (Linnaeus,1758) (Arctiidae) Synonym(s): purpurata Linnaeus,1758; purpurea Linnaeus,1767; uralensis Spuler,1906; barteli Krulikowsky,1909.
- **285.** Tyria jacobaeae (Linnaeus,1758) (Arctiidae) Synonym(s): jacobaeae Linnaeus,1758; senecionis Godart,1823; confluens Schultz,1908.
- **286. Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): pulchella Linnaeus,1758; pulchra [Denis & Schiffermüller],1775; thyter Butler,1877; shyama Bhattacherjee & Gupta,1969; menoni Bhattacherjee & Gupta,1969.
- **287.** Aglais urticae (Linnaeus,1758) (Argynnidae) Synonym(s): urticae Linnaeus,1758; opima Verity,1919; variegata Querci,1932; strandi Verity,1936.
- 288. Argynnis (Fabriciana) niobe (Linnaeus,1758) (Argynnidae) Synonym(s): niobe Linnaeus,1758.
- **289.** Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775) (Argynnidae) Synonym(s): pandora [Denis & Schiffermüller],1775; maja Cramer,1775 nec Fabricius,1775; cynara Fabricius,1777; cyrnea Schwerda,1926; transcaucasica Moucha,1967; deserticola Gross & Ebert,1975.
- **290.** Argynnis (Speyeria) aglaja (Linnaeus,1758) (Argynnidae) Synonym(s): aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroletta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.
- **291. Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnidae) Synonym(s): paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950.
- **292. Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): hecate [Denis & Schiffermüller],1775; harmothoe Fruhstorfer,1917; florida Verity,1919; stricta Verity,1933.
- 293. Brenthis mofidii Wyatt,1968 (Argynnidae) Synonym(s): mofidii Wyatt,1968
- **294.** Vanessa (Cynthia) cardui (Linnaeus,1758) (Argynnidae) Synonym(s): cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; universa Verity,1919; takesakiana Kato,1925.
- **295. Euapatura mirza Ebert,1971** (Argynnidae) Synonym(s): *mirza Ebert,1971*; *iwasei Igarashi,1971*.
- **296. Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnidae) Synonym(s): aurinia Rottemburg,1775; artemis [Denis & Schiffermüller],1775; lye Bergsträβer,[1779]; koloswarensis Piller & Mitterpacher,1783; scotica Robson,1880; signifera Kane,1893; anglicana Fruhstorfer,1917; acedia Fruhstorfer,1917.
- **297.** Issoria lathonia (Linnaeus,1758) (Argynnidae) Synonym(s): lathonia Linnaeus,1758; saturata Röber,1897; hungarica Aigner-Abafi,1906; florens Verity,1916; emiflorens Verity,1919; attenuata Sagarra,1926; nigroprivata Verity,1933.
- 298. Limenitis (Azuritis) reducta Staudinger,1901 (Argynnidae) Synonym(s): reducta Staudinger,1901.

- **299. Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnidae) Synonym(s): #phoebe [Denis & Schiffermüller],1775; phoebe Goeze,1779; paedotropos Bergsträßer,[1780]; tremulae Piller & Mitterpacher,1783.
- 300. Melitaea (Cinclidia) (phoebe) punica Oberthür,1876 (Argynnidae) Synonym(s): punica Oberthür,1876
- 301. Melitaea (Cinclidia) collina Lederer,1861 (Argynnidae) Synonym(s): collina Lederer,1861
- **302. Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidae) Synonym(s): *didyma Esper,[1779]*; *armoricana Oberthür,1909*.
- **303. Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnidae) Synonym(s): #trivia Denis & Schiffermüller,1775; iphigenia Esper,1782 (praeoc.); #fascelis Esper,1783; fascelis Fabricius,1787; cleo Latreille,1803
- 304. Melitaea (Didymaeformis) persea Kollar,[1849] (Argynnidae) Synonym(s): persea Kollar,[1849]; caucasica Staudinger,1861; magnacasta Verity,1929; araratica Verity,1929; sargon Hemming,1932; tauricus Belter,1934; caucasicola Bryk,1940; hafiz Higgins,1941; gina Higgins,1941; darius Gross & Ebert,1975; pfeifferi Gross & Ebert,1975 (praeocc.); wernickei Gross & Ebert,1975; elbursicola Gross & Ebert,1975; safawides Gross & Ebert,1975.
- **305. Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidae) Synonym(s): *arduinna Fabricius,1787; rhodopensis Freyer,[1836]; uralensis Eversmann,1844.*
- **306. Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidae) Synonym(s): *cinxia Linnaeus,1758; abacus Retzius,1783; fulla Quensel,1791.*
- **307.** Nymphalis polychloros (Linnaeus,1758) (Argynnidae) Synonym(s): polychloros Linnaeus,1758; testudo Esper.1781; pyrrhomelaena Hübner.1824; pyromelas Freyer.1834; fervida Standfuss.1896.
- **308.** Polygonia (Comma) c-album (Linnaeus,1758) (Argynnidae) Synonym(s): c-album Linnaeus,1758; g-album Fourcroy,1785.
- **309.** Polygonia (Comma) egea (Cramer,[1775]) (Argynnidae) Synonym(s): egea Cramer,[1775] (junior homonym); vaualbum Esper,1780; l-album Esper,1789; triangulum Fabricius,1793; autumnalis Stefanelli,1873; #balucha Evans,1932; #pallida Evans,1932.
- **310.** Thaleropis ionia (Eversmann,1851) (Argynnidae) Synonym(s): ionia Eversmann,1851; ammonia Herrich-Schäffer,1851.
- **311. Vanessa (s.str.) atalanta (Linnaeus,1758)** (Argynnidae) Synonym(s): atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewiczi Schille,1896; #klimene Fischer,1896; italica Stichel,1900.
- **312. Hecestoptera kyra Gozmany,1961** (Autostichidae) Synonym(s): *kyra Gozmany,1961*
- **313. Holcopogon bubulcellus (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus Staudinger,1859; pulverulellus Constant,1865; barbata Walsingham,1900.*
- **314. Brachodes appendiculata (Esper,[1783])** (Brachodidae) Synonym(s): appendiculata Esper,[1783]; vahliana Fabricius,1787; saldonana Fabricius,1787; chimaera Hübner,1796; lucida Lederer,1853; powelli Oberthür,1922; gerassimovii Kozhantschikov,1923
- 315. Brachodes candefacta (Lederer,1858) (Brachodidae) Synonym(s): candefacta Lederer,1858; diacona Lederer,1858
- 316. Brahmaea (s.str.) christophi Staudinger,1879 (Brahmaeidae) Synonym(s): christophi Staudinger,1879
- 317. Brahmaea (s.str.) ledereri Rogenhofer,1873 (Brahmaeidae) Synonym(s): ledereri Rogenhofer,1873
- **318.** Choreutis muhabbet Koçak,2008 (Choreutidae) Synonym(s): muhabbet Koçak,2008
- 319. Axia (Epicimelia) theresiae (Korb,1900) (Cimeliidae) Synonym(s): theresiae Korb,1900
- **320.** Coleophora armeniae Baldizzone & Patzak,1991 (Coleophoridae) Synonym(s): armeniae Baldizzone & Patzak,1991
- **321.** Coleophora bagorella (Falkovitsh,1977) (Coleophoridae) Synonym(s): bagorella Falkovitsh,1977; capusiella Nemes,2003
- 322. Azygophleps regia (Staudinger,1892) (Cossidae) Synonym(s): regia Staudinger,1892
- **323.** Cossulus argentatus (Staudinger,1887) (Cossidae) Synonym(s): argentatus Staudinger,1887; araxes De Freina,1982
- **324. Cossus cossus (Linnaeus,1758)** (Cossidae) Synonym(s): cossus Linnaeus,1758; unguiculatus Fabricius,1794; ligniperda Fabricius,1794
- **325. Dyspessacossus fereidun Groum-Grshimailo,1895** (Cossidae) Synonym(s): *fereidun Groum-Grshimailo,1895*; *firdusi Wagner,1937*.
- **326.** Isoceras huberi Eitschberger & Ströhle,1987 (Cossidae) Synonym(s): huberi Eitschberger & Ströhle,1987
- **327. Paracossulus thrips (Hübner,[1818])** (Cossidae) Synonym(s): thrips Hübner,[1818]; fuchsiana Eversmann,1832; kindermanni Freyer,1836.
- 328. Phragmacossia albida (Erschoff,1874) (Cossidae) Synonym(s): albida Erschoff,1874
- 329. Semagystia cuhensis De Freina,1994 (Cossidae) Synonym(s): cuhensis De Freina,1994
- **330. Zeuzera pyrina (Linnaeus,1761)** (Cossidae) Synonym(s): pyrina Linnaeus,1761; hypocastani Poda,1761; aesuli Linnaeus,1767; hilaris Fourcroy,1785; octopunctata Boisduval,1832; decipiens Kirby,1892
- 331. Amata hakkariana (De Freina,1982) (Ctenuchidae) Synonym(s): hakkariana De Freina,1982
- **332. Dysauxes (s.str.) famula (Freyer,1836)** (Ctenuchidae) Synonym(s): famula Freyer,1836; hyalina Freyer,1845; ragusaria Zickert,1904; herthina Stauder,1921; burgeffi Draudt,1931; taurica Draudt,1931; pseudoservula Naufock,1933; pontica Friese,1959; sofiata De Laever,1983; lucana De Laever,1983.
- 333. Tinagma anchusellum (Benander,1936) (Douglasiidae) Synonym(s): anchusellum Benander,1936
- **334.** Cilix asiatica A.Bang-Haas,1907 (Drepanidae) Synonym(s): asiatica A.Bang-Haas,1907; depalpata Strand,1913
- **335. Watsonalla binaria (Hufnagel,1767)** (Drepanidae) Synonym(s): binaria Hufnagel,1767; falcata Fabricius,1775; falculataria Villers,1789; falcatalis Haworth,1802; uncula Hübner,[1802]

Centre for Entomological Studies Ankara

- 336. Elachista pollutella (Duponchel,1844) (Elachistidae) Synonym(s): pollutella Duponchel,1844
- **337. Epermenia (Calotripis) insecurella (Stainton,1849)** (Epermeniidae) Synonym(s): insecurella Stainton,1849; dentosella Stainton,1851; iniquellus Wocke,1867; plumbeella Rebel,1915; kruegerella Schawerda,1921.
- **338.** Ethmia amasina (Staudinger,1879) (Ethmiidae) Synonym(s): amasina Staudinger,1879
- **339.** Ethmia aurifluella (Hübner,[1810]) (Ethmiidae) Synonym(s): aurifluella Hübner,[1810]; albarracinella Ragonot,1882.
- **340.** Ethmia candidella (Alpheraky,1908) (Ethmiidae) Synonym(s): candidella Alpheraky,1908; orientella Caradja,1931.
- **341.** Ethmia chrysopyga (Zeller,1844) (Ethmiidae) Synonym(s): chrysopyga Zeller,1844; callidella Walsingham,1910.
- **342.** Ethmia pseudoscythrella (Rebel,1902) (Ethmiidae) Synonym(s): pseudoscythrella Rebel,1902
- **343.** Ethmia similis Sattler,1967 (Ethmiidae) Synonym(s): similis Sattler,1967
- 344. Ethmia tripunctella (Staudinger, 1879) (Ethmiidae) Synonym(s): tripunctella Staudinger, 1879
- 345. Dirhinosia arnoldiella (Rebel,1905) (Gelechiidae) Synonym(s): arnoldiella Rebel,1905
- **346.** Harpagidia magnetella (Staudinger,[1871]) (Gelechiidae) Synonym(s): magnetella Staudinger,[1871]; pallidibasella Ragonot,1895
- 347. Isophrictis anthemidella (Wocke,1871) (Gelechiidae) Synonym(s): anthemidella Wocke,1871
- 348. Stomopteryx detersella (Zeller,1847) (Gelechiidae) Synonym(s): detersella Zeller,1847
- **349. Alsophila hirsutaria (Fabricius,1781)** (Geometridae) Synonym(s): #aescularia [Denis & Schiffermüller],1775; hirtaria Fabricius,[1776] nec Linn.,1761; hirsutaria Fabricius,1781; murinaria Borkhausen,1794.
- 350. Amorphogynia necessaria (Zeller,1849) (Geometridae) Synonym(s): necessaria Zeller,1849
- **351. Aplasta ononaria (Fuessly,1783)** (Geometridae) Synonym(s): ononaria Fuessly,1783; rubellata Villers,1789; rubicapraria Hübner,1793; sudataria Hübner,[1817]; ononata Bellier,1861
- **352. Aplocera annexata (Freyer,[1830])** (Geometridae) Synonym(s): annexata Freyer,[1830]; boisduvaliata Duponchel,1831
- 353. Aplocera guneyi Riemis,1992 (Geometridae) Synonym(s): guneyi Riemis,1992
- **354. Docirava mundulata (Guenée,[1858])** (Geometridae) Synonym(s): *mundulata Guenée,[1858]; submundulata Staudinger,1892*
- **355. Aplocera obsitaria (Lederer,1853)** (Geometridae) Synonym(s): *obsitaria Lederer,1853*; *pseudopallidata Bytinski-Salz & Brandt,1937*
- **356.** Aplocera opificata (Lederer,1870) (Geometridae) Synonym(s): opificata Lederer,1870; kawrigini Christoph,1885.
- **357. Aplocera plagiata (Linnaeus,1758)** (Geometridae) Synonym(s): *plagiata Linnaeus,1758*; *pallidata Staudinger,1879*.
- 358. Apochima diaphanaria (Püngeler,1904) (Geometridae) Synonym(s): diaphanaria Püngeler,1904
- **359.** Campaea margaritaria (Linnaeus,1761) (Geometridae) Synonym(s): margaritaria Linnaeus,1761; margaritata Linnaeus,1767; vernaria Hufnagel,1767; sesquistriaria Knoch,1781; straminea Retzius,1783; nayas Fourcroy,1785; vitriolata Cyrilli,1787; straminearia Villers,1789; rubrociliata Schawerda,1932
- **360.** Camptogramma bilineatum (Linnaeus,1758) (Geometridae) Synonym(s): bilineata Linnaeus,1758; brocatella Fourcroy,1785; dumetata Schrank,1802; bilinearia Boisduval,1840; musauria Freyer,1846; testaceolata Staudinger,1871
- **361.** Catarhoe permixtaria (Guenée,[1858]) (Geometridae) Synonym(s): #permixtaria Herrich-Schäffer,1851; permixtaria Guenée,[1858]
- **362.** Catarhoe putridaria (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): putridaria Herrich-Schäffer,[1852]; bulgariata Millière,1868
- **363.** Catarhoe rubidata ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): rubidata [Denis & Schiffermüller],1775
- **364.** Chiasmia (Godonela) aestimaria (Hübner,[1809]) (Geometridae) Synonym(s): aestimaria Hübner,[1809]; contemptata Guenée,[1858]; aestimata Herrich-Schäffer,1861; tunesella Lucas,1949.
- **365.** Chiasmia (Godonela) cesa sp.n. (Geometridae) Synonym(s):
- **366.** Chiasmia clathrata (Linnaeus,1758) (Geometridae) Synonym(s): clathrata Linnaeus,1758; almacola Wehrli,1934.
- **367.** Chlorissa asphaleia Wiltshire,1966 (Geometridae) Synonym(s): asphaleia Wiltshire,1966; #esphaleia Scoble,1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].
- **368.** Chloroclysta miata (Linnaeus,1758) (Geometridae) Synonym(s): miata Linnaeus,1758; miaria [Denis & Schiffermüller],1775; viridifasciaria Goeze,1781; virgata Fourcroy,1785 nec Hufn.,1767; coraciata Hübner,[1799]; viridulata Zetterstedt,1839; coraciaria La Harpe,1853
- **369.** Chloroclysta siterata (Hufnagel,1767) (Geometridae) Synonym(s): siterata Hufnagel,1767; psittacata [Denis & Schiffermüller],1775; rubroviridata Donovan,1810; psittacaria Boisduval,1840
- 370. Cidaria fulvata (Forster,1771) (Geometridae) Synonym(s): fulvata Forster,1771; cuspidata Thunberg,1784
- 371. Crocallis (s.str.) elinguaria (Linnaeus,1758) (Geometridae) Synonym(s): elinguaria Linnaeus,1758; trapezaria Boisduval,1840
- **372. Cyclophora quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): quercimontaria Bastelberger,1897; nigrosparsaria Scoble,1999; privataria Scoble,1999
- 373. Dasycorsa modesta (Staudinger, 1879) (Geometridae) Synonym(s): modesta Staudinger, 1879

- Centre for Entomological Studies Ankara
- 374. Dyscia (Calodyscia) innocentaria (Christoph,1885) (Geometridae) Synonym(s): innocentaria Christoph,1885; sicanaria Oberthür,1923; sicula Reisser,1940; #innocentana Pugaev & Zolotuhin,2006
- 375. Dyscia (s.str.) conspersaria ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): conspersaria [Denis & Schiffermüller],1775; cuniculina Hübner,1790; cunicularia Esper,1803; turturaria Boisduval,1840; #conspersana Pugaev & Zolotuhin,2006
- **376.** Dyscia (s.str.) lentiscaria (Donzel,1837) (Geometridae) Synonym(s): lentiscaria Donzel,1837; agacles Oberthür,1923
- 377. Eilicrinia cordiaria (Hübner,1790) (Geometridae) Synonym(s): cordiaria Hübner,1790
- 378. Eilicrinia subcordaria (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): tritomata Fischer de Waldheim,1840; subcordaria Herrich-Schäffer,[1852]; anicularia Eversmann,1852; freitagaria Möschler,1854; subcordata Herrich-Schäffer,1861.
- **379.** Enanthyperythra legataria (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): legataria Herrich-Schäffer,[1852]
- 380. Euphyia scopulata (Brandt,1938) (Geometridae) Synonym(s): scopulata Brandt,1938
- **381.** Eupithecia breviculata (Donzel,1837) (Geometridae) Synonym(s): breviculata Donzel,1837; anatolica Schwingenschuss,1939; georgica Vojnits,1977.
- **382.** Eupithecia distinctaria Herrich-Schäffer,[1848] (Geometridae) Synonym(s): distinctaria Herrich-Schäffer,[1848]; constrictata Guenée,[1858]; sextiata Dardoin & Millière,1867; piemonticola Schwingenschuss,1954
- **383.** Eupithecia extremata (Fabricius,1787) (Geometridae) Synonym(s): extremata Fabricius,1787; glaucomictata Mann,1855; hangayi Vojnits,1977.
- **384. Eupithecia gratiosata Herrich-Schäffer,1861** (Geometridae) Synonym(s): gratiosata Herrich-Schäffer,1861; subseparata Christoph,1885
- **385.** Eupithecia gueneata Millière,1862 (Geometridae) Synonym(s): gueneata Millière,1862; busambraria Ragusa,1889
- **386.** Eupithecia icterata (Villers,1789) (Geometridae) Synonym(s): icterata Villers,1789; oxydata Treitschke,1828; cognata Stephens,1831; ligustigata Donzel,1838; ferrugata Duponchel,1842; #ligusticata Dietze,1910
- **387.** Eupithecia oblongata (Thunberg,1784) (Geometridae) Synonym(s): #centaureata [Denis & Schiffermüller],1775; oblongata Thunberg,1784; boloniensis Fourcroy,1875; centralisata Staudinger,1892; chinae Vojnits,1977.
- **388.** Eupithecia silenicolata Mabille,1867 (Geometridae) Synonym(s): silenicolata Mabille,1867
- **389.** Eupithecia venosata (Fabricius,1787) (Geometridae) Synonym(s): venosata Fabricius,1787; insignata Hübner,1789; decussata Donovan,1799; comparanda Vojnits,1981
- **390.** Eupithecia vulgata (Haworth,[1809]) (Geometridae) Synonym(s): vulgata Haworth,[1809]; pygmaeata Borkhausen,1794; clusterata Hübner,[1813]; austeraria Herrich-Schäffer,1848; atropicta Dietze,1910; cyrneata Schawerda 1933
- 391. Gnopharmia rubraria Staudinger,1892 (Geometridae) Synonym(s): rubraria Staudinger,1892
- 392. Gnophos (Dicrognophos) snelleni Christoph,1887 (Geometridae) Synonym(s): snelleni Christoph,1887
- **393.** Gnophos (Organognophos) wanensis Wehrli,1936 (Geometridae) Synonym(s): wanensis Wehrli,1936
- **394. Heliomata glarearia (Brahm,1791)** (Geometridae) Synonym(s): #glarearia [Denis & Schiffermüller],1775; glarearia Brahm,1791.
- 395. Holoterpna pruinosata (Staudinger, 1898) (Geometridae) Synonym(s): pruinosata Staudinger, 1898
- 396. Hyposcotis (?) mutilata (Staudinger, 1879) (Geometridae) Synonym(s): mutilata Staudinger, 1879
- **397. Hyposcotis (Euchrognophos) nannodes (Wehrli,1936)** (Geometridae) Synonym(s): *nannodes Wehrli,1936*
- **398. Hyposcotis (Euchrognophos) variegata (Duponchel,1830)** (Geometridae) Synonym(s): *variegatus Duponchel,1830; #subtaurica Wehrli,1932*.
- **399. Hyposcotis (Kemtrognophos) zeitunaria (Staudinger,1901)** (Geometridae) Synonym(s): *zeitunaria Staudinger,1901*
- **400.** Idaea aversata (Linnaeus,1758) (Geometridae) Synonym(s): aversata Linnaeus,1758; remutata Linnaeus,1758; lividata Clerck,1759; trilineata Hufnagel,1767; grisata Fabricius,[1776]; murinata Fabricius,1794; aversaria Hübner,[1799]; fuliginata Haworth,1809; latifasciaria Heydenreich,1851.
- **401. Idaea degeneraria (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria Hübner,[1799]*; *degenerata Treitschke,1828*; *floridaria Turati,1913*
- **402.** Idaea filicata (Hübner,[1799]) (Geometridae) Synonym(s): filicata Hübner,[1799]; filicaria Duponchel,1830; levequei Leraut,2003
- **403. Idaea humiliata (Hufnagel,1767)** (Geometridae) Synonym(s): humiliata Hufnagel,1767; osseata [Denis & Schiffermüller],1775; ossearia Hübner,[1799]
- **404.** Idaea ochrata (Scopoli,1763) (Geometridae) Synonym(s): ochrata Scopoli,1763; #ochreata [Denis & Schiffermüller],1775; corrigata Fabricius,1781; ochrearia Schrank,1802 nec Ross.,1794; sicula Zeller,1847; accretata Fuchs,1901
- 405. Idaea ossiculata (Lederer,1871) (Geometridae) Synonym(s): ossiculata Lederer,1871
- **406.** Idaea rufaria (Hübner,[1799]) (Geometridae) Synonym(s): rufaria Hübner,[1799]; ochridana Silbernagel.1944
- **407. Idaea sylvestraria (Hübner,[1799])** (Geometridae) Synonym(s): sylvestraria Hübner,[1799]; marginepunctata Stephens,1831 nec Gz.,1781; straminata Treitschke,1835 nec Bkh.,1794; grammicaria Boisduval,1840; circellata Guenée,1858; folognearia Staudinger,1863; graciliata Mann,1867; shiskensis Matsumura,1925; minuta Heydemann,1933

- **408.** Idaea trigeminata (Haworth,[1809]) (Geometridae) Synonym(s): trigeminata Haworth,[1809]; reversata Treitschke,1828; reversaria Duponchel,1830.
- **409.** Larerannis marginaria (Fabricius,1777) (Geometridae) Synonym(s): marginaria Fabricius,1777; testacea Retzius,1783; testacearia Villers,1789; progemmaria Hübner,[1799]; capreolaria Esper,1801 nec [Den. & Schiff.],1775; luctuaria Haworth,1809; connectaria Haworth,1809; stictaria Haworth,1809
- **410.** Lithostege farinata (Hufnagel,1767) (Geometridae) Synonym(s): farinata Hufnagel,1767; illibata [Denis & Schiffermüller],1775; nivearia Hübner,[1799]; albaria Turton,1802; bachmutensis L.B.Prout,1938
- 411. Lithostege flavicornata (Zeller,1847) (Geometridae) Synonym(s): flavicornata Zeller,1847
- 412. Lomaspilis opis (Butler, 1878) (Geometridae) Synonym(s): opis Butler, 1878
- **413.** Lythria cruentaria (Hufnagel,1767) (Geometridae) Synonym(s): purpurata Linnaeus,1761 nec Linn.,1758; cruentaria Hufnagel,1767; rotaria Fabricius,1798; sordidaria Zetterstedt,1839.
- **414.** Neognopharmia stevenaria (Boisduval,1840) (Geometridae) Synonym(s): stevenaria Boisduval,1840; lapidisaria Freyer,1841
- **415.** Nychiodes (Eunychiodes) variabila Brandt,1938 (Geometridae) Synonym(s): variabila Brandt,1938; #variabilis auct.
- 416. Nychiodes (Fritzwagneria) rayatica Wiltshire,1957 (Geometridae) Synonym(s): rayatica Wiltshire,1957
- **417. Nychiodes (s.str.) obscuraria (Villers,1789)** (Geometridae) Synonym(s): *obscuraria Villers,1789; obscurata Borkhausen,1794; lividaria Hübner,[1799]*
- **418. Odezia atrata (Linnaeus,1758)** (Geometridae) Synonym(s): atrata Linnaeus,1758; chaerophyllata Linnaeus,1767; chaerophyllaria Boisduval,1840; pyrenaica Gumppenberg,1887; meridionalis Reisser,1935
- **419. Opisthograptis luteolata (Linnaeus,1758)** (Geometridae) Synonym(s): luteolata Linnaeus,1758; crataegata Linnaeus,1761; crataegaria Hübner,[1823]; #emaculata Graeser,1892; impunctata Osthelder,1931.
- 420. Orthonama obstipata (Fabricius,1794) (Geometridae) Synonym(s): obstipata Fabricius,1794; fluviata Hübner,[1799]; gemmata Hübner,1799; albicinctata Haworth,1809; angustata Haworth,1809; quaerendaria Costa,1850; baccata Guenée,[1858]; lapillata Guenée,[1858]; contrariata Walker,1862; exagitata Walker,1862; intrusata Walker,1862; peracutata Walker,1862; signataria Walker,1863; obruptata Walker,1863; pigrata Walker,1866; plemyrata R.Felder & Rogenhofer,1875; inconspicua Warren,1896; brunneipennis Hulst,1896; discata Warren,1905
- 421. Orthostixis calcularia Lederer, 1853 (Geometridae) Synonym(s): calcularia Lederer, 1853
- 422. Orthostixis cribraria (Hübner,[1799]) (Geometridae) Synonym(s): cribraria Hübner,[1799].
- **423. Oulobophora externata Freyer,1846** (Geometridae) Synonym(s): #externata Herrich-Schäffer,1843; externata Freyer,1846; turcosyrica Wehrli,1934.
- **424. Ourapteryx malatyensis Wehrli,1936** (Geometridae) Synonym(s): *malatyensis Wehrli,1936*; #malatyana Wherli,1936 [Tafel II].
- **425. Pasiphila rectangulata (Linnaeus,1758)** (Geometridae) Synonym(s): rectangulata Linnaeus,1758; viridulata Hufnagel,1767; cydoniata Borkhausen,1794; mediana Panzer,1804; nigrocericeata Haworth,1809; sericeata Haworth,1809; subaerata Hübner,[1817]; rectangularia Boisduval,1840
- **426. Pellonia vibicaria (Linnaeus,1761)** (Geometridae) Synonym(s): #vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; artriosa Fourcroy,1785; cruentaria Villers,1789.
- **427. Peribatodes rhomboidarius [Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): #rhomboidaria [Denis & Schiffermüller],1775; inaequalis Goeze,1781; gemmaria Brahm,1791; ichnusaria Ghiliani,1852; corsicaria Schawerda,1931; saerdabensis Wehrli,1943
- **428. Peribatodes umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): *umbraria Hübner,[1809];* vaucheri Thierry-Mieg,1916
- **429. Phaiogramma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria Zeller,1849*; *pulmentaria Guenée,[1858]*; *palaestinensis Fuchs,1903*.
- **430. Phaselia serrularia (Eversmann,1847)** (Geometridae) Synonym(s): serrularia Eversmann,1847; phaeoleucaria Lederer,1855.
- **431. Philereme transversata (Hufnagel,1767)** (Geometridae) Synonym(s): transversata Hufnagel,1767; rhamnata [Denis & Schiffermüller],1775.
- **432. Proutictis artesiaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): artesiaria [Denis & Schiffermüller],1775
- **433. Pseudopanthera syriacata (Guenée,1852)** (Geometridae) Synonym(s): *syriacata Guenée,1852;* #syriacaria Wiltshire,1958
- **434. Pydna badiaria (Freyer,[1841])** (Geometridae) Synonym(s): badiaria Freyer,[1841]; telaria Herrich-Schäffer,[1847]; cervinaria Herrich-Schäffer,[1847]; praecanaria Eversmann,1847; pollenaria Freyer,1854.
- **435.** Pydna bahara (Brandt,1938) (Geometridae) Synonym(s): bahara Brandt,1938
- 436. Rhodometra sacraria (Linnaeus,1767) (Geometridae) Synonym(s): sacraria Linnaeus,1767; labda Cramer,1777; sacralis Thunberg,1784; fulvaria Fabricius,1794; sanguinaria Esper,1801; minervae Gistl,1856; labdaria Guenée,[1858];
- 437. Rhodostrophia auctata (Staudinger, 1879) (Geometridae) Synonym(s): auctata Staudinger, 1879
- **438. Rhodostrophia cuprinaria (Christoph,1876)** (Geometridae) Synonym(s): *cuprinaria Christoph,1876; phaenicearia Hampson,1907.*
- **439.** Rhodostrophia discopunctata Amsel,1935 (Geometridae) Synonym(s): tabidaria auct. nec Zell.,1847; discopunctata Amsel,1935
- 440. Rhodostrophia sieversi (Christoph,1882) (Geometridae) Synonym(s): sieversi Christoph,1882
- **441. Rhodostrophia sp.n.** (Geometridae) Synonym(s):
- 442. Scopula beckeraria (Lederer, 1853) (Geometridae) Synonym(s): beckeraria Lederer, 1853

- **43. Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): decorata [Denis & Schiffermüller],1775; cinerata Fabricius,1781; violata Thunberg,1784; caerulata Gmelin,1790; decoraria
- Hübner,[1799]; ornataria Esper,[1806].

 444. Scopula immistaria (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): #elisabetharia Heydenreich,1851; immistaria Herrich-Schäffer,[1852]
- **445. Scopula incanata (Linnaeus,1758)** (Geometridae) Synonym(s): incanata Linnaeus,1758; variegata Scopoli,1763; mediata Fabricius,1777; planata Villers,1789; incanaria Hübner,[1825]; mutata Treitschke,1828; mutataria Duponchel,1830; adjunctaria Boisduval,1840; demutaria Bruand,1846
- **446. Scopula marginepunctata (Goeze,1781)** (Geometridae) Synonym(s): marginepunctata Goeze,1781; conjugata Borkhausen,1794; aniculosata Rambur,1829; puellaria Boisduval,1840; mutaria Heydenreich,1851; promutata Guenée,[1858]; promutaria Morris,1861; apertaria Walker,[1863]; madoniata Fuchs,1901; pastoraria De Joannis,1891
- 447. Scopula ochraceata (Staudinger,1901) (Geometridae) Synonym(s): ochraceata Staudinger,1901
- 448. Scopula orientalis (Alpheraky, 1876) (Geometridae) Synonym(s): orientalis Alpheraky, 1876
- **449. Scopula ornata (Scopoli,1763)** (Geometridae) Synonym(s): ornata Scopoli,1763; instilata Hufnagel,1767; paludata Linnaeus,1767; institata Rottemburg,1777; interrupta Goeze,1781; intersecta Fourcroy,1785.
- **450. Scopula tessellaria (Boisduval,1840)** (Geometridae) Synonym(s): tessellaria Boisduval,1840; pulverulentaria Selys-Longchamps,1844; tabianaria Turati,1905; proutiana Sheljuzhko,1955
- **451. Scotopteryx chenopodiata (Linnaeus,1758)** (Geometridae) Synonym(s): *chenopodiata Linnaeus,1758*; *limitata Scopoli,1763*; *zonata Hufnagel,1767*; *olivaceofasciata Retzius,1783*; *chenopodiaria Haworth,1809*; *mensuraria sensu Duponchel,1829*
- 452. Scotopteryx kuznetzovi (Vardikjan,1957) (Geometridae) Synonym(s): kuznetzovi Vardikjan,1957
- **453.** Scotopteryx vicinaria (Duponchel,1830) (Geometridae) Synonym(s): vicinaria Duponchel,1830; zumsteinaria Harpe,1862; illyriacaria Schawerda,1919
- **454. Selenia lunularia (Hübner,1788)** (Geometridae) Synonym(s): lunaria [Denis & Schiffermüller],1775 nec Fabr.,1775; lunularia Hübner,1788; delunaria Hübner,[1799]; sublunaria Stephens,1831
- **455. Selidosema plumarium ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): #plumaria [Denis & Schiffermüller],1775; limbata Rambur,1829.
- **456. Siona lineata (Scopoli,1763)** (Geometridae) Synonym(s): lineata Scopoli,1763; dealbata Linnaeus,1767; duplicata Fourcroy,1785 nec Fabr.,1775; dealbaria Hübner,[1799]
- **457. Stegania dilectaria (Hübner,1790)** (Geometridae) Synonym(s): *dilectaria Hübner,1790*; *commutataria Hübner,[1819]*; *commutata Freyer,[1832]*
- **458. Synopsia sociaria (Hübner,[1799])** (Geometridae) Synonym(s): *sociaria Hübner,[1799]*; *staudingeraria Martorell,1874*; *acuta Wehrli,1926*
- **459. Tephrina sp.n.** (Geometridae) Synonym(s):
- **460. Tephrina hopfferaria (Staudinger,1879)** (Geometridae) Synonym(s): hopfferaria Staudinger,1879
- **461. Tephrina murinaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): murinaria [Denis & Schiffermüller],1775; nubecularia Villers,1789; myosaria Esper,[1806]; cineraria Duponchel,1829; buffonaria Millière,1855
- **462. Thalera fimbrialis (Scopoli,1763)** (Geometridae) Synonym(s): *fimbrialis Scopoli,1763*; thymiaria Linnaeus,1767; bupleuraria [Denis & Schiffermüller]1,775; albaria Esper,[1801]; magnata Fuchs,1903
- 463. Thetidia persica Hausmann,1996 (Geometridae) Synonym(s): persica Hausmann,1996
- 464. Thetidia smaragdaria (Fabricius,1787) (Geometridae) Synonym(s): smaragdaria Fabricius,1787
- 465. Triphosa dubitata (Linnaeus,1758) (Geometridae) Synonym(s): dubitata Linnaeus,1758
- **466. Xanthorhoe fluctuata (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata Linnaeus,1758; fibulata Hufnagel,1767; cinerata Fourcroy,1785 nec Fabr.,1781; costovata Haworth,1809; fluctuaria Boisduval,1840*
- 467. Heliodines roesella (Linnaeus,1758) (Heliodinidae) Synonym(s): roesella Linnaeus,1758
- 468. Triodia amasina (Herrich-Schäffer,[1851]) (Hepialidae) Synonym(s): amasina Herrich-Schäffer,[1851]
- **469.** Carcharodus (Lavatheria) lavatherae (Esper,[1783]) (Hesperiidae) Synonym(s): lavatherae Esper,[1783]; australior Verity,1919; pyrenaicus Ricard,1948.
- 470. Carcharodus (Lavatheria) stauderi Reverdin,1913 (Hesperiidae) Synonym(s): stauderi Reverdin,1913.
- **471.** Carcharodus (Reverdinus) flocciferus (Zeller,1847) (Hesperiidae) Synonym(s): flocciferus Zeller,1847; altheae Hübner,[1803] nec Esp.,[1783]; imperator Hemming,1934; alchymillae Hemming,1936; autumnalis Veritu.1940.
- **472.** Carcharodus (Reverdinus) orientalis Reverdin,1913 (Hesperiidae) Synonym(s): orientalis Reverdin,1913; centralanatolica Pfeiffer,1927; #aestatis Graves,1928; aestatis Verity,1928; postorientalis Verity,1928; maccabaeus Hemming,1932.
- **473.** Carcharodus (s.str.) alceae (Esper,[1780]) (Hesperiidae) Synonym(s): alceae Esper,[1780]; malvaee Hufnagel,1766 nec Linn.,1758; malvarum Hoffmannsegg,1804; magnaustralis Verity,1924; corsicus Picard,1948.
- 474. Eogenes alcides Herrich-Schäffer,[1852] (Hesperiidae) Synonym(s): alcides Herrich-Schäffer,[1852]
- **475.** Erynnis (Hesperopegasus) marloyi (Boisduval,[1834]) (Hesperiidae) Synonym(s): marloyi Boisduval,[1834]; sericea Freyer,1838; rustan Kollar,[1849].
- **476.** Erynnis (s.str.) tages (Linnaeus,1758) (Hesperiidae) Synonym(s): tages Linnaeus,1758; morio Scopoli,1763; geryon Rottemburg,1775; subclarus Verity,1921.
- **477. Hesperia comma (Linnaeus,1758)** (Hesperiidae) Synonym(s): comma Linnaeus,1758; virgula Retzius,1783; alpina Bath,1896; galliaemeridiei Verity,1928; alpapennina Verity,1928; alpiumflava Verity,1928; macrocomma Verity,1928; superalpina Verity,1928; atralpina Verity,1928.
- 478. Muschampia poggei (Lederer, 1858) (Hesperiidae) Synonym(s): poggei Lederer, 1858

- **479. Muschampia proteides (F.Wagner,1929)** (Hesperiidae) Synonym(s): proteides F.Wagner,1929; lycaonius F.Wagner,1929; sovietica Sichel,1964; lycaonius Benjamini & Avni,2001 [misident.]; #lycaomius Benjamini & Avni,2001
- 480. Muschampia tersa Evans,1949 (Hesperiidae) Synonym(s): tersa Evans,1949
- 481. Ochlodes venatus (Bremer & Grey,[1852]) (Hesperiidae) Synonym(s): venatus Bremer & Grey,[1852]
- **482.** Pyrgus armoricanus (Oberthür,1910) (Hesperiidae) Synonym(s): armoricanus Oberthür,1910; petheri Romei,1927.
- **483.** Pyrgus cinarae (Rambur,[1839]) (Hesperiidae) Synonym(s): cinarae Rambur,[1839]; cynarae Boisduval,1840
- 484. Pyrgus cirsii (Rambur,[1839]) (Hesperiidae) Synonym(s): cirsii Rambur,[1839]; turcivola De Lattin,1950.
- **485. Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis Duponchel,[1834]; hypoleucos Lederer,1853; jordana Hemming,1932.*
- **486. Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) Synonym(s): serratulae Rambur,[1839]; caecus Freyer,1846; occidentalis Lucas,1910 nec Skinn.,1906; planorum Verity,1925; magnagallica Verity,1931; plurisignata Silbernagel,1946; arvernensis Picard,1948.
- **487. Pyrgus sidae (Esper,[1784])** (Hesperiidae) Synonym(s): *sidae Esper,[1784]*
- **488.** Spialia (Neospialia) orbifer (Hübner,[1823]) (Hesperiidae) Synonym(s): orbifer Hübner,[1823]; tesselloides Herrich-Schäffer,[1845].
- **489. Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis Herrich-Schäffer,[1845]*; eupator Hemming,1932; kiki Higgins,1974.
- **490.** Thymelicus acteon (Rottemburg,1775) (Hesperiidae) Synonym(s): acteon Rottemburg,1775; heydeni Plötz,1884; clara-obsoleta Tutt,1920; phoenix Graves,1925; aurescens Verity,1948.
- **491.** Thymelicus hyrax (Lederer,1861) (Hesperiidae) Synonym(s): hyrax Lederer,1861; pfeifferi Bytinski-Salz & Brandt.1937.
- **492.** Thymelicus lineolus (Ochsenheimer,1808) (Hesperiidae) Synonym(s): lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabille,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934
- 493. Thymelicus novus (Reverdin,1916) (Hesperiidae) Synonym(s): novus Reverdin,1916
- **494.** Thymelicus sylvestris (Poda,1761) (Hesperiidae) Synonym(s): sylvestris Poda,1761; flava Brünnich,1763; linea Müller,1764; thaumas Hufnagel,1766; divaricatus Fourcroy,1785; venula Hübner,[1813]; obscura Veritu,1905
- **495.** Chondrostega pastranum Lederer,1858 (Lasiocampidae) Synonym(s): pastranum Lederer,1858; hyrcanum Staudinger,1871
- **496.** Lasiocampa eversmanni (Kindermann,1843) (Lasiocampidae) Synonym(s): eversmanni Kindermann,1843; eversmanni Freyer,1844; attrita Stshetkin,1960.
- **497. Malacosoma alpicola Staudinger,1870** /**primum Staudinger,1887** (Lasiocampidae) Synonym(s): alpicola Staudinger,1870
- **498. Malacosoma castrensis (Linnaeus,1758)** (Lasiocampidae) Synonym(s): castrensis Linnaeus,1758; ksiezopolskii Sheljuzhko,1943
- **499.** Malacosoma franconicum ([Denis & Schiffermüller],1775) /prima Staudinger,1887 (Lasiocampidae) Synonym(s): #franconica [Denis & Schiffermüller],1775; grandiella Boisduval,1840
- **500.** Malacosoma neustrium (Linnaeus,1758) (Lasiocampidae) Synonym(s): neustria Linnaeus,1758; annularis Fourcroy,1785; unicolor Cyrilli,1787; bilineatus Haworth,1803
- **501.** Phyllodesma (s.str.) tremulifolium (Hübner,[1810]) (Lasiocampidae) Synonym(s): betulifolium Ochsenheimer,1810 nec Esp.,1782; tremulifolium Hübner,[1810]; danieli De Lajonquière,1963; #tremulifolium De Freing 1000
- 502. Odites (Gozmaniola) kollarella (Costa,[1836]) (Lecithoceridae) Synonym(s): kollarella Costa,[1836]
- 503. Libythea (s.str.) celtis (Laicharting,1782) (Libytheidae) Synonym(s): celtis Laicharting,1782
- **504.** Callophrys danchenkoi Zhdanko,1998 (Lycaenidae) Synonym(s): danchenkoi Zhdanko,1998
- **505.** Callophrys mystaphia Miller,1913 (Lycaenidae) Synonym(s): mystaphia Miller,1913
- **506.** Callophrys paulae Pfeiffer, 1932 (Lycaenidae) Synonym(s): paulae Pfeiffer, 1932; ?alpicola Koçak, 1989
- 507. Callophrys herculeana Pfeiffer,1927 (Lycaenidae) Synonym(s): herculeana Pfeiffer,1927
- 508. Celastrina argiolus (Linnaeus,1758) (Lycaenidae) Synonym(s): argiolus Linnaeus,1758; cleobis Sulzer,1776; thersanon Bergsträßer,1779; argyphontes Bergsträßer,1779; argalus Bergsträßer,1779; marginatus Retzius,1783; acis Fabricius,1787 nec Dru.,[1773]; #parvipuncta Fuchs,1880; calidogenita Verity,1919; britanna Veritu,1919.
- 509. Chilades (Freyeria) trochylus (Freyer,[1843]) (Lycaenidae) Synonym(s): trochylus Freyer,[1843]; #trochilus Herrich-Schäffer,[1845]; parva Murray,1874; persa Bytinski-Salz & Brandt,1937; #supraradiata Wagner,1931
- **510.** Cigaritis acamas (Klug,1834) (Lycaenidae) Synonym(s): acamas Klug,1834; obscurata Staudinger,1901; #düldüli Pfeiffer,1932; dueldueli Pfeiffer,1932
- **511.** Cigaritis uighurica Kemal & Koçak,2005 (Lycaenidae) Synonym(s): maxima Staudinger,1901 nec Elw.,1892; uighurica Kemal & Koçak,2005
- **512.** Cupido (s.str.) minimus (Fuessly,1775) (Lycaenidae) Synonym(s): minimus Fuessly,1775; alsus [Denis & Schiffermüller],1775; pseudolus Bersträβer,[1779]; puer Schrank,1801.
- **513.** Cupido (s.str.) osiris (Meigen,[1829]) (Lycaenidae) Synonym(s): osiris Meigen,[1829]; saportae Dupnchel,1832; violacea Verity,1911; sebrus Boisduval,[1833].
- 514. Cupido (s.str.) staudingeri (Christoph,1873) (Lycaenidae) Synonym(s): staudingeri Christoph,1873

- 515. Glaucopsyche (s.str.) alexis (Poda,1761) (Lycaenidae) Synonym(s): alexis Poda,1761; damaetas [Denis &
- Schiffermüller,1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976.

 516. Glaucopsyche (Iolana) lessei Bernardi,1964 (Lycaenidae) Synonym(s): lessei Bernardi,1964; christinae
 Betti,1977; cappadocia Betti,1977
- **517.** Lampides boeticus (Linnaeus,1767) (Lycaenidae) Synonym(s): boeticus Linnaeus,1767; damoetes Fabricius,1775; coluteae Fuessly,1775; pisorum Fourcroy,1785; boedicus Borkhausen,1788; #baeticus Latreille,1809; armeniensis Gerhard,1886; bagus Distant,1886
- **518.** Leptotes pirithous (Linnaeus,1767) (Lycaenidae) Synonym(s): pirithous Linnaeus,1767; telicanus Lang,1789 tetrica Sagarra,1925.
- **519.** Lycaena (Alciphronia) alciphron (Rottemburg,1775) (Lycaenidae) Synonym(s): alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787.
- **520.** Lycaena (Heodes) virgaureae (Linnaeus,1758) (Lycaenidae) Synonym(s): virgaureae Linnaeus,1758; armeniaca A.Bang-Haas,1906; chrysorhoas Fruhstorfer,1917; balcanicola Graves,1928.
- **521. Lycaena (Loweia) tityrus (Poda,1761)** (Lycaenidae) Synonym(s): *tityrus Poda,1761; acrion* [Brünnich],1763; orientalis Staudinger,1881; argentifex Balint,1990.
- **522.** Lycaena (Margelycaena) euphratica (Eckweiler,1989) (Lycaenidae) Synonym(s): euphratica Eckweiler,1989
- **523.** Lycaena (Palaeochrysophanus) candens (Herrich-Schäffer,[1845]) (Lycaenidae) Synonym(s): candens Herrich-Schäffer,[1845]
- **524.** Lycaena (Thersamonia) asabinus (Gerhard,[1850]) (Lycaenidae) Synonym(s): #helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852].
- **525.** Lycaena (Thersamonia) kefersteinii (Gerhard,[1850]) (Lycaenidae) Synonym(s): kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852].
- 526. Lycaena (Thersamonia) kurdistanicus (Riley,1921) (Lycaenidae) Synonym(s): kurdistanica Riley,1921
- **527.** Lycaena (Thersamonia) lampon (Lederer,1870) (Lycaenidae) Synonym(s): lampon Lederer,1870
- **528.** Lycaena (Thersamonia) thetis (Klug,1834) (Lycaenidae) Synonym(s): thetis Klug,1834.
- **529.** Lycaena (s.str.) phlaeas (Linnaeus,1761) (Lycaenidae) Synonym(s): phlaeas Linnaeus,1761; virgaureae Fourcroy,1785 nec Linn.,1758; eleus Fabricius,1798; aestivus Zeller,1850; schmidtii Gerhard,1853
- 530. Phengaris arion (Linnaeus,1758) (Lycaenidae) Synonym(s): arion Linnaeus,1758; telegone Bergsträßer,1779; telegones Bergsträßer,1779; mamers Bergsträßer,1779; arctophoni Bergsträßer,1779; arcina Fruhstorfer,1910; eutyphron Fruhstorfer,1915; microchroa Verity,1948; gelriae Lempke,1956
- **531.** Phengaris rebeli (Hirschke,1904) (Lycaenidae) Synonym(s): rebeli Hirschke,1904; coerulea Vorbrodt,1912; latimargo Courvoisier,1913; alpicola Beuret,1949; cruciata Beuret,1949; gadmensis Beuret,1949; magnalpicola Beuret,1949.
- **532. Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) Synonym(s): carmon Gerhard,[1851, November]; eurypilus Freyer,[1851,December].
- **533.** Plebejus (Lycaeides) idas (Linnaeus,1761) (Lycaenidae) Synonym(s): idas Linnaeus,1761; leodorus Esper,1782; acreon Fabricius,1787; amphion Fabricius,1793.
- 534. Plebejus (Plebejides) nichollae (Elwes,1901) (Lycaenidae) Synonym(s): nichollae Elwes,1901
- **535. Plebejus (Plebejides) zephyrinus (Christoph,1884)** (Lycaenidae) Synonym(s): *zephyrinus Christoph,1884*
- **536. Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) Synonym(s): argus Linnaeus,1758; aegon Denis & Schiffermiller,1775; plouharnelensis Oberthür,1926; pulchraphilonome Verity,1931.
- **537. Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) Synonym(s): *pyrenaicus Boisduval,1840*; #pyrenicus Naderi,2003
- 538. Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847) (Lycaenidae) Synonym(s): loewii Zeller,1847; empyrea Gerhard,[1851]; gigas Staudinger,1871; #robusta Turati & Fiori,1930; germaniciae Pfeiffer,1932; dzhegamati Sheljuzhko,1934.
- **539.** Polyommatus (Albulina (Plebejidea)) rosei (Eckweiler,1989) (Lycaenidae) Synonym(s): rosei Eckweiler,1989
- **540. Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877)** (Lycaenidae) Synonym(s): *alcedo Christoph,1877*
- **541.** Polyommatus (Albulina (Vacciniina)) morgianus (Kirby,1871) (Lycaenidae) Synonym(s): hyrcana Lederer,1869 nec Feld.,1860; morgiana Kirby,1871.
- **542. Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) Synonym(s): *chiron Rottemburg,1775 nec Fabr.,1775; eumedon Esper,[1780]; osiris O.Bang-Haas,1927 nec Hopff.,1855; rumeliensis Eitschberger & Stein.,1975; jeanensis Eitschberger & Stein.,1975; kagizmanensis Koçak,1980.*
- **543. Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) Synonym(s): crassipunctus Christoph,1893; #crassipunctata Seitz,1909.
- **544.** Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): medon Hufnagel,1766 nec Linn.,1763; alexis Rottemburg,1775 nec Poda,1761; agestis [Denis & Schiffermüller],1775; astrarche Bergsträβer,[1779].
- **545. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) Synonym(s): artaxerxes Fabricius,1793.
- **546.** Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960) (Lycaenidae) Synonym(s): pseudactis Forster,1960; vaspurakani Lukhtanov & Dantchenko,2003
- 547. Polyommatus (s.str. (Agrodiaetus (Actisia))) haigi (Dantchenko & Lukhtanov,2002) (Lycaenidae) Synonym(s): haigi Dantchenko & Lukhtanov,2002

- Centre for Entomological Studies Ankara
- **548. Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) Synonym(s): alcestis Zerny,1932; ahmadi Carbonell,2001; karacetinae Lukhtanov & Dantchenko,2002.
- 549. Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003) (Lycaenidae) Synonym(s): dantchenkoi Lukhtanov, Wiemers & Meusemann,2003
- **550. Polyommatus** (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938) (Lycaenidae) Synonym(s): demavendi Pfeiffer,1938; #demaventi de Lesse,1960
- 551. Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960) (Lycaenidae) Synonym(s): eriwanensis Forster,1960
- **552. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) Synonym(s): ripartii Freyer,[1830].
- **553.** Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901) (Lycaenidae) Synonym(s): antidolus Rebel,1901
- **554. Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus (Forster,1961)** (Lycaenidae) Synonym(s): *kurdistanicus Forster,1961*
- **555. Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) Synonym(s): menalcas Freyer,[1837]; epidolus Boisduval,1840; #amasina Neuburger,1900.
- **556.** Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878) (Lycaenidae) Synonym(s): mithridates Staudinger,1878
- **557.** Polyommatus (s.str. (Agrodiaetus (Damaia))) hopfferi (Gerhard,[1851]) (Lycaenidae) Synonym(s): #hopferi Herrich-Schäffer,[August,1851] (uninominal); hopfferi Gerhard,[November,1851]; hopfferi Herrich-Schaffer,31.December,1851]); hadjina Heyne,[1895]; malatiae Forster,1961.
- **558. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) Synonym(s): wagneri Forster,1956
- **559. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycaenidae) Synonym(s): baytopi De Lesse,1959
- **560. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *igisizilim Koçak & Kemal,2001*
- **561.** Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847]) (Lycaenidae) Synonym(s): iphigenia Herrich-Schäffer,[1847]
- **562.** Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957) (Lycaenidae) Synonym(s): vanensis De Lesse,1957
- **563. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) anticarmon (Koçak,1983)** (Lycaenidae) Synonym(s): *anticarmon Koçak,1983; charmieuxi Pagés,1994*
- **564. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) zapvadi (Carbonell,1993)** (Lycaenidae) Synonym(s): *zapvadi Carbonell,1993*
- **565.** Polyommatus (s.str. (Agrodiaetus (Transcaspius))) huberti (Carbonell,1993) (Lycaenidae) Synonym(s): huberti Carbonell,1993
- **566.** Polyommatus (s.str. (Agrodiaetus (Transcaspius))) ninae (Forster,1956) (Lycaenidae) Synonym(s): ninae Forster,1956
- **Folyommatus (s.str. (Agrodiaetus (Transcaspius))) pierceae (Lukhtanov & Dantchenko,2002)** (Lycaenidae) Synonym(s): pierceae Lukhtanov & Dantchenko,2002; #rierceae Lukhtanov & Dantchenko,2002
- 568. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) surakovi Dantchenko & Lukhtanov,1994 (Lycaenidae) Synonym(s): surakovi Dantchenko & Lukhtanov,1994; sekercioglui Dantchenko & Lukhtanov,2002
- **569. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) turcicola (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicola Koçak,1977*; *#turcicolus Kandul et al.,2004*
- **570. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) turcicus (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicus Koçak,1977*
- **571. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae) Synonym(s): *cyaneus Staudinger,1899; pseudocyaneus Forster,1956.*
- **572.** Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli (Dantchenko & Lukhtanov,2002) (Lycaenidae) Synonym(s): kanduli Dantchenko & Lukhtanov,2002
- 573. Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842]) (Lycaenidae) Synonym(s): bellis Freyer,[1842]
- **574. Polyommatus (s.str. (Cyaniris)) antiochenus (Lederer,1861)** (Lycaenidae) Synonym(s): *antiochena Lederer,1861*
- 575. Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775) (Lycaenidae) Synonym(s): bellargus Rottemburg,1775; thetis Rottemburg,1775 nec Dru.,1773; adonis Denis & Schiffermüller,[1775]; salacia Bergsträβer,1779; venilia Bergsträβer,1779; hyacinthus Lewin,1795; urania Gerhard,[1851]; persemagna Verity,1937; arentissima Verity,1937; arens Verity,1937; arentior Verity,1937; antearentior Verity,1937; parabellargus Verity,1939; shakla Higgins,1958
- **576. Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): corydonius Herrich-Schäffer,[1852]
- 577. Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909.
- **578.** Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843) (Lycaenidae) Synonym(s): coelestinus Eversmann,1843
- **579. Polyommatus (s.str. (Neolysandra)) fatima Eckweiler & Schurian,1980** (Lycaenidae) Synonym(s): fatima Eckweiler & Schurian,1980

- Ç
- **580. Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792*
- **581.** Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877) (Lycaenidae) Synonym(s): aedon Christoph,1877
- **582. Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites Canterer,[1835]*; *chapmani Ball,1914*; *meridiana Verity,1919*.
- 583. Polyommatus (s.str.) buzulmavi Carbonell,1991 (Lycaenidae) Synonym(s): buzulmavi Carbonell,1991
- 584. Polyommatus (s.str.) icarus (Rottemburg,1775) (Lycaenidae) Synonym(s): argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fusciolus Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851; neglectus Stradomsky & Arzanov,1999
- 585. Pseudophilotes vicrama (Moore, 1865) (Lycaenidae) Synonym(s): vicrama Moore, 1865
- **586.** Quercusia quercus (Linnaeus,1758) (Lycaenidae) Synonym(s): quercus Linnaeus,1758; longicauda Riley,1921
- 587. Rubrapterus bavius (Eversmann, 1832) (Lycaenidae) Synonym(s): bavius Eversmann, 1832
- **588.** Satyrium (Nordmannia) abdominalis (Gerhard,[1850]) (Lycaenidae) Synonym(s): abdominalis Gerhard,[1850]; gerhardi Staudinger,[1895]; alboabdominalis Pfeiffer,1938; persica Riley,1939; #gerhardti Wiltshire,1943; elta Higgins,1964.
- 589. Satyrium (Nordmannia) armenum (Rebel,1901) (Lycaenidae) Synonym(s): armenum Rebel,1901
- 590. Satyrium (Nordmannia) marcidum (Riley,1921) (Lycaenidae) Synonym(s): marcidum Riley,1921
- **591.** Satyrium (Nordmannia) zabni Oorschot & Brink,1991 (Lycaenidae) Synonym(s): #zabni Higgins,1964; zabni Oorschot & Brink,1991.
- **592. Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) Synonym(s): #spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950.
- **593.** Satyrium (Strymonidia) w-album (Knoch,1782) (Lycaenidae) Synonym(s): w-album Knoch,1782; cerasi Fabricius.1787; majuscula Jachontov.1911.
- 594. Satyrium (Superflua) ledereri (Boisduval, 1848) (Lycaenidae) Synonym(s): ledereri Boisduval, 1848
- 595. Tarucus (s.str.) balkanicus (Freyer,[1843]) (Lycaenidae) Synonym(s): balkanicus Freyer,[1843]
- **596.** Tomares callimachus (Eversmann, 1848) (Lycaenidae) Synonym(s): callimachus Eversmann, 1848
- **597. Tomares desinens Nekrutenko & Effendi,1980** (Lycaenidae) Synonym(s): desinens Nekrutenko & Effendi,1980
- **598.** Tomares romanovi (Christoph,1882) (Lycaenidae) Synonym(s): romanovi Christoph,1882
- 599. Turanana cytis (Christoph,1877) (Lycaenidae) Synonym(s): cytis Christoph,1876
- 600. Turanana endymion (Freyer,[1850]) (Lycaenidae) Synonym(s): endymion Freyer,[1850]
- **601.** Euproctis chrysorrhoea (Linnaeus,1758) (Lymantriidae) Synonym(s): chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803
- **602. Euproctis melania (Staudinger,1892)** (Lymantriidae) Synonym(s): *melania Staudinger,1892*; *melaniodes Strand,1910*; *#melaina De Freina,1999*.
- **603.** Leucoma salicis (Linnaeus,1758) (Lymantriidae) Synonym(s): salicis Linnaeus,1758; apparens Retzius,1783; salicinus Haworth,1803; xanthocampa Dyar,1905; coreacola Matsumura,1933; sjoequisti Bryk,1942; variabilis Bryk,1949
- **604.** Lymantria dispar (Linnaeus,1758) (Lymantriidae) Synonym(s): dispar Linnaeus,1758; disparina Müller,1802; japonica Motschulsky,1860; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926
- 605. Ocnerogyia amanda Staudinger,[1892] (Lymantriidae) Synonym(s): amanda Staudinger,[1892]
- **606.** Orgyia dubia (Tauscher,1806) (Lymantriidae) Synonym(s): dubia Tauscher,1806
- 607. Parocneria terebinthi (Freyer,[1838]) (Lymantriidae) Synonym(s): terebinthi Freyer,[1838]
- 608. Parocneria terebynthina (Staudinger,[1895]) (Lymantriidae) Synonym(s): terebynthina Staudinger,[1895]; insolita Brandt,1938
- **609.** Polymona lapidicola (Herrich-Schäffer,[1852]) (Lymantriidae) Synonym(s): lapidicola Herrich-Schäffer,[1852]
- 610. Abrostola clarissa (Staudinger,1900) (Noctuidae) Synonym(s): clarissa Staudinger,1900
- **611. Abrostola triplasia (Linnaeus,1758)** (Noctuidae) Synonym(s): *triplasia Linnaeus,1758*; *trigemina Wernebura,1864*.
- **612.** Acantholipes regularis (Hübner,[1813]) (Noctuidae) Synonym(s): regularis Hübner,[1813]
- **613. Acontia (s.str.) lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): lucida Hufnagel,1766; solaris [Denis & Schiffermüller],1775; albicollis Fabricius,1781; rupicola Borkhausen,1792; insolatrix Hübner,[1822]; triradiata Walker,[1858]; lugens Alpheraky,1889; heliodora Schawerda,1923
- **614. Acontia (Uracontia) titania (Esper,[1798])** (Noctuidae) Synonym(s): *titania Esper,[1798]*; *urania Frivaldsky,1835*; *eversmanni Kolenati,1846*.
- **615. Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) Synonym(s): *megacephala Fabricius,1787*; *ankarensis Hering,1933*.
- 616. Acronicta (Triaena) pasiphae Draudt,1936 (Noctuidae) Synonym(s): pasiphae Draudt,1936
- 617. Acronicta (Triaena) psi (Linnaeus,1758) (Noctuidae) Synonym(s): psi Linnaeus,1758
- **618.** Acronicta (Viminia) euphorbiae (Denis,1785) (Noctuidae) Synonym(s): #euphorbiae [Denis & Schiffermüller],1775; euphorbiae Denis,1785; montivaga Guenée,1852; ottomana Draudt,1931; garbowskii Wojtusiak & Niesiolowski,1946.

- Centre for Entomological Studies Ankara
- **619. Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): rumicis Linnaeus,1758; litterata Panzer,1804; salicis Curtis,1826; diffusa Walker,1857
- **620.** Aedophron phlebophora Lederer, 1858 (Noctuidae) Synonym(s): phlebophora Lederer, 1858
- **621.** Agrochola (Alpichola) egorovi (O.Bang-Haas,1934) (Noctuidae) Synonym(s): egorovi O.Bang-Haas,1934
- **622. Agrochola (Alpichola) janhillmanni Hacker & Moberg,1989** (Noctuidae) Synonym(s): *janhillmanni Hacker & Moberg,1989*
- 623. Agrochola (Alpichola) lactiflora (Draudt,1934) (Noctuidae) Synonym(s): lactiflora Draudt,1934
- **624.** Agrochola (Alpichola?) gratiosa (Staudinger,1882) (Noctuidae) Synonym(s): gratiosa Staudinger,1881.
- **625.** Agrochola (Anchoscelis) schreieri Hacker & Weigert,1986 (Noctuidae) Synonym(s): schreieri Hacker & Weigert,1986
- **626. Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) Synonym(s): *bigramma Esper,[1790]; crassa Hübner,[1803]; lata Treitschke,1835; golickei Erschoff,1872; huguenini Rühl,1891.*
- 627. Agrotis (Crassagrotis) obesa (Boisduval,1829) (Noctuidae) Synonym(s): obesa Boisduval,1840
- **628.** Agrotis (s.str.) bifurca Staudinger,1881 (Noctuidae) Synonym(s): bifurca Staudinger,1881; stabilita Corti.1928.
- **629. Agrotis (s.str.) desertorum Boisduval,1840** (Noctuidae) Synonym(s): desertorum Boisduval,1840; deserticola Eversmann,1842
- **630. Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) Synonym(s): *exclamationis Linnaeus,1758*; *clavus Hufnagel,1766; murina Goeze,1781 nec Hufnagel,1766; bimaculata Geoffroy,1785; picea Haworth,1809; plaga Stephens,1835; haruspex Le Cerf,1924; nigriorbis Zerny,1934.*
- **631. Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) Synonym(s): *ipsilon Hufnagel,1766; suffusa [Denis & Schiffermüller],1775; idonea Cramer,[1780]; spinula Esper,[1786]; spinifera Villers,1789.*
- 632. Agrotis (s.str.) sardzeana Brandt,1941 (Noctuidae) Synonym(s): sardzeana Brandt,1941
- 633. Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): segetum [Denis & Schiffermüller],1775; sordida [Denis & Schiffermüller],1775; undulatus Goeze,1781 (praeocc.); nigricornis Villers,1789; segetis Fabricius,1794; catenatus Haworth,1803; monileus Haworth,1803; pectinatus Haworth,1803; connexus Haworth,1803; subatratus Haworth,1803; nigricornutus Haworth,1803; praecox Hübner,[1808]; fervida Hübner,[1824]; affinis Stephens,1829; sicula Boisduval,1840; dimidia Zeller,1847; sicania Guenée,1852; marginalis Walker,1857; aversa Walker,1857; correctus Walker,1857; obliviosus Walker,1857; denticulosus Wallengren,1860; certificata Walker,1865; conspurcatus Walker,1865; repulsus Walker,1865; ingratus Butler,1878; pallidus Staudinger,1881; lassa Swinhoe,1886.
- 634. Ammoconia anonyma Ronkay & Varga,1984 (Noctuidae) Synonym(s): anonyma Ronkay & Varga,1984
- **635.** Amphipoea oculea (Linnaeus,1761) (Noctuidae) Synonym(s): oculea Linnaeus,1761; nictitans Linnaeus,1767; chrysographa [Denis & Schiffermüller],1775; splendens Borkhausen,1792; myopa Fabricius,1794; cinerago Fabricius,1798; auricula Donovan,1807; erythrostigma Haworth,1809; struvei Oberthür,1918.
- 636. Amphipyra micans Lederer, 1857 (Noctuidae) Synonym(s): micans Lederer, 1857
- **637. Amphipyra stix Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *stix Herrich-Schäffer,[1850]*; #styx Staudinger.1879.
- **638.** Amphipyra submicans Kuznetsov,1958 (Noctuidae) Synonym(s): submicans Kuznetsov,1958
- **639.** Amphipyra tetra (Fabricius,1787) (Noctuidae) Synonym(s): tetra Fabricius,1787
- **640. Amphipyra tragopoginis (Clerck,1759)** (Noctuidae) Synonym(s): #tragopoginis Clerck,1759; luciola Hufnagel,1766.
- 641. Antitype chionodes Boursin,1968 (Noctuidae) Synonym(s): chionodes Boursin,1968
- **642.** Antitype jonis (Lederer, 1865) (Noctuidae) Synonym(s): jonis Lederer, 1865; amasina Staudinger, 1901.
- **643. Apamea (s.str.) anceps ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): anceps [Denis & Schiffermüller],1775; sordida Borkhausen,1792; infesta Ochsenheimer,1816; renardii Boisduval,1829; engelhardtii Duurloo,1889; pyxina A.Bang-Haas,1910; siegeli Berio,1985; sassanidica Hacker,1990; mazeli Lutran,1993
- **644. Apamea (s.str.) crenata (Hufnagel,1766)** (Noctuidae) Synonym(s): *crenata Hufnagel,17*66; rurea Fabricius,1775; alopecurus Esper,[1788]; combusta Hübner,[1808]; hirticornus Haworth,1812.
- **645. Apamea (s.str.) epomidion (Haworth,1809)** (Noctuidae) Synonym(s): characterea auct. nec [Denis & Schiff.],1775; epomidion Haworth,1809
- 646. Apamea (s.str.) ferrago (Eversmann, 1837) (Noctuidae) Synonym(s): ferrago Eversmann, 1837
- **647. Apamea (s.str.) furva ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): #furva [Denis & Schiffermüller],1775
- **648.** Apamea (s.str.) lateritia (Hufnagel,1766) (Noctuidae) Synonym(s): lateritia Hufnagel,1766; molochina Hiibner, 118031.
- **649.** Apamea (s.str.) leucodon (Eversmann,1837) (Noctuidae) Synonym(s): leucodon Eversmann,1837
- **650. Apamea (s.str.) monoglypha (Hufnagel,1766)** (Noctuidae) Synonym(s): polyodon Linnaeus,1761 nec Cl.,1759; monoglypha Hufnagel,1766.
- **651.** Apamea (s.str.) oblonga (Haworth,[1809]) (Noctuidae) Synonym(s): oblonga Haworth,[1809]; abjecta Hübner,[1813].
- **652. Apamea (s.str.) platinea (Treitschke,1825)** (Noctuidae) Synonym(s): platinea Treitschke,1825; grisescens Touleschkov,1951 nec Stgr.,1889; touleschkoffi Koçak,1980.
- **653.** Apamea (s.str.) polyglypha (Staudinger,1892) (Noctuidae) Synonym(s): polyglypha Staudinger,1892
- 654. Apamea (s.str.) remissa (Hübner,[1809]) (Noctuidae) Synonym(s): remissa Hübner,[1809]
- **655.** Apamea (s.str.) sordens (Hufnagel,1766) (Noctuidae) Synonym(s): sordens Hufnagel,1766; basilinea [Denis & Schiffermüller],1775; marmorosa Esper,[1788]; nebulosa Vieweg,1790; cinefacta Graeser,1889 nec Gte.,1881; grisescens Staudinger,1889; basistriga Staudinger,1892; alacra Dannehl,1933

- Centre for Entomological Studies Ankara
- **656. Apamea (s.str.) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca Osthelder,1933; #albida Osthelder,1933; tallosi Kovacs & Varga,1969.*
- 657. Arenostola unicolor W.Warren,1914 (Noctuidae) Synonym(s): unicolor W.Warren,1914
- 658. Argyrospila succinea (Esper,[1798]) (Noctuidae) Synonym(s): succinea Esper,[1798]
- 659. Atethmia centrago (Haworth,[1809]) (Noctuidae) Synonym(s): centrago Haworth,[1809].
- **660. Autographa gamma (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma Linnaeus,1758; messmeri Schadewald,1992; voelkeri Schadewald,1992.*
- **661.** Autographa jota (Linnaeus,1758) (Noctuidae) Synonym(s): jota Linnaeus,1758; protea Stoll,1782; inscripta Esper,1787; gammaaurina Haworth,1809; percontationis Ochsenheimer,1816; aurigutta Hübner,[1821]; ancora Freyer,1832; bartholomaeii Ménétriés,1859; anatolica Schwingenschuss,1938
- **662. Autophila (Cheirophanes) chamaephanes Boursin,1940** (Noctuidae) Synonym(s): *chamaephanes Boursin,1940*
- **663. Autophila (Cheirophanes) ligaminosa (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa Eversmann,1851*; *caucasica Herz,1904*.
- 664. Autophila (s.str.) asiatica (Staudinger,1888) (Noctuidae) Synonym(s): asiatica Staudinger,1888
- 665. Autophila (s.str.) banghaasi Boursin,1940 (Noctuidae) Synonym(s): banghaasi Boursin,1940
- **666. Autophila (s.str.) dilucida (Hübner,[1808])** (Noctuidae) Synonym(s): dilucida Hübner,[1808]; praeclara Schawerda,1918; argentea Caradja,1930; troniceki Reisser,1958.
- **667. Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica Staudinger,1901;* osthelderi Boursin,1940: *libanopsis Boursin,1962*.
- **668.** Basistriga flammatra ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): flammatra [Denis & Schiffermüller],1775; bimaculata Milliere,1885.
- **669. Behounekia freyeri (Frivaldsky,1835)** (Noctuidae) Synonym(s): freyeri Frivaldsky,1835; lintea Freyer,1842; orontii Herrich-Schäffer,[1851]; senescens Eversmann,1856; #linthea Lederer,1870
- **670. Brandtina albonigra Bytinski-Salz & Brandt,1937** (Noctuidae) Synonym(s): albonigra Bytinski-Salz & Brandt,1937; noacki Boursin,1967
- 671. Bryomima carducha Staudinger,1900 (Noctuidae) Synonym(s): carducha Staudinger,1900
- **672.** Bryomima defreina Hacker, [1987] (Noctuidae) Synonym(s): defreina Hacker, [1987].
- **673. Bryomima hakkariensis De Freina & Hacker,1985** (Noctuidae) Synonym(s): hakkariensis De Freina & Hacker,1985
- 674. Bryophilopsis roederi (Standfuss, 1892) (Noctuidae) Synonym(s): roederi Standfuss, 1892
- 675. Calamia staudingeri Warnecke,1941 (Noctuidae) Synonym(s): staudingeri Warnecke,1941
- **676.** Callistege mi (Clerck,1759) (Noctuidae) Synonym(s): #mi Clerck,1759; graminis Hufnagel,1766; albolineata Goeze,1781; litterata Cyrilli,1787 nec Sc.,1763
- **677.** Calophasia lunula (Hufnagel,1766) (Noctuidae) Synonym(s): lunula Hufnagel,1766; linariae [Denis & Schiffermüller],1775.
- **678.** Calophasia opalina (Esper,[1796]) (Noctuidae) Synonym(s): casta Borkhausen,1793 nec Pall.,1767; opalina Esper,[1796]; biroi Aigner,1901; naruenensis Spuler,1910; castior Stdauder,1923.
- **679.** Calymma communimacula ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): communimacula [Denis & Schiffermüller],1775
- **680.** Caradrina (Boursinidrina) parvaspersa (Boursin,1936) (Noctuidae) Synonym(s): parvaspersa Boursin,1936
- **681.** Caradrina (Boursinidrina) pseudadelpha (Boursin,1939) (Noctuidae) Synonym(s): pseudadelpha Boursin,1939
- **682.** Caradrina (Boursinidrina) rjabovi (Boursin,1936) (Noctuidae) Synonym(s): rjabovi Boursin,1936; pseudovicina Boursin,1939
- 683. Caradrina (Boursinidrina) surchica (Boursin,1937) (Noctuidae) Synonym(s): surchica Boursin,1937
- **684.** Caradrina (Eremodrina) doleropsis (Boursin,1939) (Noctuidae) Synonym(s): doleropsis Boursin,1939; doleropsis Boursin,1940.
- **685.** Caradrina (Eremodrina) draudti (Boursin,1936) (Noctuidae) Synonym(s): draudti Boursin,1936; pseudopertinax Boursin,1939; pseudopertinax Boursin,1940
- **686.** Caradrina (Eremodrina) gilva (Donzel,1837) (Noctuidae) Synonym(s): gilva Donzel,1837; molisana Dannehl,1929
- **687.** Caradrina (Eremodrina) inumbrata (Staudinger,1900) (Noctuidae) Synonym(s): inumbrata Staudinger,1900; inumbratella Pinker,1980
- 688. Caradrina (Eremodrina) salzi (Boursin,1936) (Noctuidae) Synonym(s): salzi Boursin,1936
- **689.** Caradrina (Eremodrina) vicina (Staudinger,1870) (Noctuidae) Synonym(s): vicina Staudinger,1870; perspicua W.Warren,1911
- 690. Caradrina (Paradrina) boursini (F.Wagner,1936) (Noctuidae) Synonym(s): boursini F.Wagner,1936
- **691. Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): clavipalpis Scopoli,1763; grisea Hufnagel,1766; quadripunctata Fabricius,1775; cubicularis [Denis & Schiffermüller],1775; leucoptera Thunberg,1791; milleri Schultz,1862; avicula Krulikovsky,1909; teidovolans Pinker,1974; pinkeri Kobes,1975
- **692.** Caradrina (Paradrina) flavirena (Guenée,1852) (Noctuidae) Synonym(s): flavirena Guenée,1852; minor Staudinger,1897; subdita W.Warren,1911; muricolor Boursin,1933; subdita Leraut,1980
- 693. Caradrina (Paradrina) fulvafusca Hacker,2004 (Noctuidae) Synonym(s): fulvafusca Hacker,2004
- 694. Caradrina (Paradrina) poecila (Boursin,1939) (Noctuidae) Synonym(s): poecila Boursin,1939
- **695.** Caradrina (Paradrina) wullschlegeli (Püngeler,1903) (Noctuidae) Synonym(s): wullschlegeli Püngeler,1903

- **696.** Caradrina (Platyperigea) albina (Eversmann,1848) (Noctuidae) Synonym(s): albina Eversmann,1848; congesta Lederer,1853; tenera A.Bang-Haas,1912
- **697.** Caradrina (Platyperigea) aspersa (Rambur,1834) (Noctuidae) Synonym(s): aspersa Rambur,1834; anceps Herrich-Schäffer,1849; culoti Turati,1913.
- **698.** Caradrina (Platyperigea) montana (Bremer,1861) (Noctuidae) Synonym(s): montana Bremer,1861; apatetica Püngeler,1914; sachalinensis Matsumura,1925; melancholica Draudt,1934; kaolina Bryk,1949
- **699.** Caradrina (Platyperigea) terrea (Freyer,[1840]) (Noctuidae) Synonym(s): terrea Freyer,[1840]; ustirena Boisduval,1840
- **700.** Caradrina (s.str.) morpheus (Hufnagel,1766) (Noctuidae) Synonym(s): morpheus Hufnagel,1766; pulla Beckwith,1794 nec Esp.,[1785]; sepii Hübner,[1803]; dresnayi D.Lucas,1933; alpina Hartig,[1938]
- **701.** Catephia alchymista ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): alchymista [Denis & Schiffermüller],1775
- **702.** Catocala (s.str.) abacta Staudinger,1900 (Noctuidae) Synonym(s): abacta Staudinger,1900; irana Brandt,1938; #iranica Hacker,1986.
- **703.** Catocala (s.str.) conversa (Esper,1783) (Noctuidae) Synonym(s): conversa Esper,[1787]; pasythea Hübner,[1809]; agamos Hübner,[1813]
- **704.** Catocala (s.str.) elocata (Esper,[1787]) (Noctuidae) Synonym(s): elocata Esper,[1787]; marita Hübner,[1813]; nurus Hübner,[1822]
- **705.** Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): #hymenaea [Denis & Schiffermüller],1775
- 706. Catocala (s.str.) lesbia Christoph, 1887 (Noctuidae) Synonym(s): lesbia Christoph, 1887
- 707. Catocala (s.str.) lupina Herrich-Schäffer,[1851] (Noctuidae) Synonym(s): lupina Herrich-Schäffer,[1851]; detrita W.Warren,1913
- 708. Catocala (s.str.) neonympha (Esper,[1805]) (Noctuidae) Synonym(s): neonympha Esper,[1805]
- **709.** Catocala (s.str.) nupta (Linnaeus,1767) (Noctuidae) Synonym(s): nupta Linnaeus,1767; concubina Hübner,[1803]
- **710.** Catocala (s.str.) nymphagoga (Esper,[1787]) (Noctuidae) Synonym(s): nymphagoga Esper,[1787]; v-nigrum Villers.1789; tmolia Lederer.1865
- **711.Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): puerpera Giorna,1791; amasia Esper,[1804] nec Sm.,1797; pellex Hübner,[1809]; romana Schultz,1909
- 712. Catocala (s.str.) wolfi Hacker,1999 (Noctuidae) Synonym(s): wolfi Hacker,1999
- 713. Cerapteryx megala (Alpheraky,1882) (Noctuidae) Synonym(s): megala Alpheraky,1882.
- 714. Chazaria incarnata (Freyer,1838) (Noctuidae) Synonym(s): incarnata Freyer,1838; boisduvali Boisduval,1840.
- 715. Chersotis (Cyrebia) anachoreta (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): anachoreta Herrich-Schäffer,[1851]; niesiolowskii Koçak,1987
- 716. Chersotis (s.str.) alpestris (Boisduval,[1837]) (Noctuidae) Synonym(s): alpestris Boisduval,[1837]
- 717. Chersotis (s.str.) anatolica (Draudt,1936) (Noctuidae) Synonym(s): anatolica Draudt,1936; elegantula Boursin,1945.
- 718. Chersotis (s.str.) andereggii (Boisduval,[1837]) (Noctuidae) Synonym(s): andereggii Boisduval,[1837]
- **719.** Chersotis (s.str.) capnistis (Lederer,1872) (Noctuidae) Synonym(s): capnistis Lederer,1872; neara Püngeler,1902.
- 720. Chersotis (s.str.) fimbriola (Esper,[1798]) (Noctuidae) Synonym(s): fimbriola Esper,[1798]
- **721. Chersotis (s.str.) firdussi Schwingenschuss,193**7 (Noctuidae) Synonym(s): *firdussi Schwingenschuss,193*7
- 722. Chersotis (s.str.) glebosa (Staudinger,1900) (Noctuidae) Synonym(s): qlebosa Staudinger,1900
- 723. Chersotis (s.str.) gratissima (Corti,1932) (Noctuidae) Synonym(s): gratissima Corti,1932
- 724. Chersotis (s.str.) illauta (Draudt,1936) (Noctuidae) Synonym(s): illauta Draudt,1936
- **725.** Chersotis (s.str.) juvenis (Staudinger,1901) (Noctuidae) Synonym(s): caelebs Staudinger,1900 nec Stgr.,1896; juvenis Staudinger,1901; clarivenosa Draudt,1936.
- 726. Chersotis (s.str.) laeta (Rebel,1904) (Noctuidae) Synonym(s): laeta Rebel,1904
- 727. Chersotis (s.str.) larixia (Guenée,1852) (Noctuidae) Synonym(s): larixia Guenée,1852.
- 728. Chersotis (s.str.) rectangula (Fabricius, 1787) (Noctuidae) Synonym(s): rectangula Fabricius, 1787.
- 729. Chersotis (s.str.) semna (Püngeler,1906) (Noctuidae) Synonym(s): semna Püngeler,1906
- 730. Chersotis (s.str.) stenographa Varga,1979 (Noctuidae) Synonym(s): stenographa Varga,1979
- 731. Chloantha hypericii (Fabricius,1787) (Noctuidae) Synonym(s): #hyperici [Denis & Schiffermüller],1775; hypericii Fabricius,1787
- 732. Cleonymia (Serryvania) opposita (Lederer,1870) (Noctuidae) Synonym(s): opposita Lederer,1870; #obscurior Osthelder,1933.
- **733.** Clytie (s.str.) gracilis (A.Bang-Haas,1907) (Noctuidae) Synonym(s): gracilis A.Bang-Haas,1907; syrdaja Hampson,1913.
- **734.** Clytie (s.str.) syriaca (Bugnion,1837) (Noctuidae) Synonym(s): syriaca Bugnion,1837; gentilitia Freyer,1848.
- **735.** Colobochyla (Caspicastra) platyzona (Lederer,1870) (Noctuidae) Synonym(s): platyzona Lederer,1870; #platizona Hacker,1990.
- **736.** Conistra (s.str.) metria Boursin,1940 (Noctuidae) Synonym(s): metria Boursin,1940; pseudopolitina Hacker,1990.
- 737. Conistra (s.str.) rubiginosa (Scopoli,1763) (Noctuidae) Synonym(s): rubiginosa Scopoli,1763; silene [Denis & Schiffermüller],1775; vaupunctatum Esper,[1786].

- Centre for Entomological Studies Ankara
- **738.** Conistra (s.str.) vaccinii (Linnaeus,1761) (Noctuidae) Synonym(s): vaccinii Linnaeus,1761; polita [Denis & Schiffermüller],1775; spadicea [Denis & Schiffermüller],1775
- **739.** Cornutiplusia circumflexa (Linnaeus,1767) (Noctuidae) Synonym(s): circumflexa Linnaeus,1767; lunata Fabricius,1787; flexuosa Donovan,1807; daubii Freyer,1838; graphica Herrich-Schäffer,1851; patefacta Walker,[1858]; reticulata Moore,1882; clarescens Pinker & Bacallado,1975; #unata Kononenko & Pinratana,2005
- 740. Cosmia (Calymnia) trapezina (Linnaeus,1758) (Noctuidae) Synonym(s): trapezina Linnaeus,1758
- 741. Cosmia (s.str.) affinis (Linnaeus,1767) (Noctuidae) Synonym(s): affinis Linnaeus,1767
- **742.** Cryphia (Bryoleuca) ereptricula (Treitschke,1825) (Noctuidae) Synonym(s): ereptricula Treitschke,1825
- 743. Cryphia (Bryoleuca) petrea (Guenée,1852) (Noctuidae) Synonym(s): petrea Guenée,1852
- 744. Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; palliola Borkhausen,1792; pomula Borkhausen,1792; deceptricula Hübner,[1803]; carbonis Freyer,1849; felina Eversmann,1852; #striata Staudinger,1879; #persica Strand,1915; cretica Reisser,1962
- **745.** Cryphia (Bryoleuca) rectilinea (W.Warren,1909) (Noctuidae) Synonym(s): rectilinea W.Warren,1909; mediochracea Bytinski-Salz,1936; insulicola Reisser,1962.
- **746.** Cryphia (Bryoleuca) seladona (Christoph,1885) (Noctuidae) Synonym(s): seladona Christoph,1885; umovii auct.
- 747. Cryphia (Bryoleuca) thamanaea (Hampson,1908) (Noctuidae) Synonym(s): thamanaea Hampson,1908
- **748.** Cryphia (Bryophila) eucharista Boursin,1960 (Noctuidae) Synonym(s): *iranica Brandt,1941 nec Schwing.*,1937; eucharista Boursin,1960.
- **749.** Cryphia (Bryophila) maeonis (Lederer,1865) (Noctuidae) Synonym(s): maeonis Lederer,1865; praecana Christoph,1893; rubellina Staudinger,1900; sordida Staudinger,1900; sabulosa W.Warren,1909.
- **750.** Cryphia (Bryophila) occidentalis (Osthelder,1933) (Noctuidae) Synonym(s): occidentalis Osthelder,1933.
- 751. Cryphia (Bryopsis) amasina (Draudt,1931) (Noctuidae) Synonym(s): amasina Draudt,1931
- **752. Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) Synonym(s): algae Fabricius,1775; degener [Denis & Schiffermüller],1775; alni Fabricius,1787; calligrapha Borkhausen,1792; mendacula Hübner,[1813].
- 753. Cucullia (Shargacucullia) armena G.Ronkay & L.Ronkay,1986 (Noctuidae) Synonym(s): armena G.Ronkay & L.Ronkay,1986
- 754. Cucullia (Shargacucullia) barthae Boursin,1933 (Noctuidae) Synonym(s): barthae Boursin,1933
- **755.** Cucullia (Shargacucullia) lanceolata (Villers,1789) (Noctuidae) Synonym(s): lanceolata Villers,1789; thapsiphaga Treitschke,1826
- 756. Cucullia (Shargacucullia) lychnitis (Rambur,1833) (Noctuidae) Synonym(s): lychnitis Rambur,1833
- **757.** Cucullia (Shargacucullia) verbasci (Linnaeus,1758) (Noctuidae) Synonym(s): verbasci Linnaeus,1758; oberthueri Rothschild,1911.
- **758.** Cucullia (s.str.) argentina (Fabricius,1787) (Noctuidae) Synonym(s): argentina Fabricius,1787; achalina Püngeler,1900; grisescens F.Wagner,1931 nec Lch.,1900; anatoliensis Koçak,1980.
- 759. Cucullia (s.str.) behouneki Hacker & Ronkay,1988 (Noctuidae) Synonym(s): behouneki Hacker & Ronkay,1988
- **760.** Cucullia (s.str.) dracunculi (Hübner,[1813]) (Noctuidae) Synonym(s): dracunculi Hübner,[1813]; incana Eversmann,1842; anthemidis Guenée,1852; linosyridis Fuchs,1903.
- 761. Cucullia (s.str.) ronkayi Hacker & Pinker,1987 (Noctuidae) Synonym(s): ronkayi Hacker & Pinker,1987 (Noctuidae) Synonym(s): umbratica Linnaeus 1758; sonch
- **762.** Cucullia (s.str.) umbratica (Linnaeus,1758) (Noctuidae) Synonym(s): umbratica Linnaeus,1758; sonchi Heinemann,1859.
- **763.** Dasypolia (s.str.) altissima Hacker & Moberg,1988 (Noctuidae) Synonym(s): altissima Hacker & Moberg,1988
- **764. Dasypolia (s.str.) templi (Thunberg,1792)** (Noctuidae) Synonym(s): *templi Thunberg,1792; alpina Rogenhofer,1866; caflischi Rühl,1892; banghaasi Turati,1909.*
- 765. Desertoplusia bella (Christoph,1887) (Noctuidae) Synonym(s): bella Christoph,1887
- **766.** Desertoplusia colornata Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): bella auct. nec Chr.,1887; colornata Varga & L.Ronkay,1991; #colomata Hacker,1992
- 767. Diachrysia chrysitis (Linnaeus,1758) (Noctuidae) Synonym(s): chrysitis Linnaeus,1758
- 768. Diarsia florida (Schmidt,1859) (Noctuidae) Synonym(s): florida Schmidt,1859
- **769. Diarsia rubi (Vieweg,1790)** (Noctuidae) Synonym(s): *rubi Vieweg,1790; radica Esper,[1790]; bella Borkhausen,1792 nec Linn.,1758; quadratum Hübner,[1813]; posticata Walker,[1858].*
- **770. Dichagyris (Grisyigoga) candelisequa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): candelisequa [Denis & Schiffermüller],1775; sagittifera Hübner,[1813]; piemonticola Schwingenschuss,1954; zapateri Schwingenschuss,1962.
- 771. Dichagyris (Yigoga) celsicola (Bellier, 1858) (Noctuidae) Synonym(s): celsicola Bellier, 1858
- 772. **Dichagyris (Yigoga) flavina (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *flavina Herrich-Schäffer,[1852]*; ochrina Staudinger,1898; pretiosa Caradja,1931.
- 773. Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): forcipula [Denis & Schiffermüller],1775; denticulosa Esper,[1794]; bornicensis Fuchs,1884; helladica Rebel,1905; samnitica Dannehl,1933; romanoi Berio,1980.
- 774. Dichagyris (Yigoga) gracilis (F.Wagner,1929) (Noctuidae) Synonym(s): gracilis F.Wagner,1929
- 775. Dichagyris (Yigoga) latipennis (Püngeler,1909) (Noctuidae) Synonym(s): latipennis Püngeler,1909
- 776. Dichagyris (Yigoga) nachadira (Brandt,1941) (Noctuidae) Synonym(s): nachadira Brandt,1941
- 777. **Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) Synonym(s): nigrescens Höfner,1888

- 778. Dichagyris (Yigoga) orientis (Alpheraky,1882) (Noctuidae) Synonym(s): orientis Alpheraky,1882; improcera Staudinger,1888; imitata Corti & Draudt,1933.
- **779. Dichagyris (Yigoga) romanovi (Christoph,1885)** (Noctuidae) Synonym(s): romanovi Christoph,1885; #jura Strand,1915; karsholti Fibiger,1990.
- **780.** Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): #signifera [Denis & Schiffermüller],1775
- **781.** Dichagyris (Yigoga) sincera (De Freina & Hacker,1985) (Noctuidae) Synonym(s): sincera De Freina & Hacker,1985.
- 782. Dichagyris (Yigoga) truculenta (Lederer,1853) (Noctuidae) Synonym(s): truculenta Lederer,1853
- **783.** Dichagyris (Yigoga) weigerti Hacker & Varga,1990 (Noctuidae) Synonym(s): weigerti Hacker & Varga,1990
- **784.** Dichagyris (Yigoga) wiltshirei (Boursin,1936) (Noctuidae) Synonym(s): wiltshirei Boursin,1936; #wiltschirei Ebert & Hacker,2002
- **785.** Dichagyris (s.str.) amoena (Staudinger,1892) (Noctuidae) Synonym(s): amoena Staudinger,1892; flavida Corti & Draudt,1933.
- 786. Dichagyris (s.str.) anastasia (Draudt,1936) (Noctuidae) Synonym(s): anastasia Draudt,1936
- **787. Dichagyris (s.str.) argentea (Kozhantshikov,1929)** (Noctuidae) Synonym(s): argentea Kozhantshikov,1929
- **788. Dichagyris (s.str.) armeniaca Kozhantshikov,1929** (Noctuidae) Synonym(s): *armeniaca Kozhantshikov,1929*; *assimilata Kozhantshikov,1929*; *striatus Kozhantshikov,1929*.
- **789.** Dichagyris (s.str.) devota (Christoph,1884) (Noctuidae) Synonym(s): devota Christoph,1884; turana Staudinger,1892
- 790. Dichagyris (s.str.) elbursica (Draudt,1937) (Noctuidae) Synonym(s): elbursica Draudt,1937
- 791. Dichagyris (s.str.) erubescens (Staudinger,1892) (Noctuidae) Synonym(s): erubescens Staudinger,1892
- 792. Dichagyris (s.str.) forficula (Eversmann,1851) (Noctuidae) Synonym(s): forficula Eversmann,1851
- 793. Dichagyris (s.str.) fredi (Brandt,1938) (Noctuidae) Synonym(s): fredi Brandt,1938
- 794. Dichagyris (s.str.) leucomelas Brandt,1941 (Noctuidae) Synonym(s): leucomelas Brandt,1941
- 795. Dichagyris (s.str.) melanura (Kollar,1846) (Noctuidae) Synonym(s): melanura Kollar,1846
- **796.** Dichagyris (s.str.) pfeifferi (Corti & Draudt,1933) (Noctuidae) Synonym(s): pfeifferi Corti & Draudt,1933
- **797. Dichagyris (s.str.) psammochroa (Boursin,1940)** (Noctuidae) Synonym(s): *psammochroa Boursin,1940; #dichroa Boursin,1940.*
- **798.** Dichagyris (s.str.) renigera (Hübner,[1808]) (Noctuidae) Synonym(s): renigera Hübner,[1808]; dumosa Donzel,1837; caucasica Staudinger,1877; funebris Staudinger,1892; nigrescens Kitt,1925 nec Höfner,1888; funestissima Bubacek,1926; argentina Caradja,1930.
- 799. Dichagyris (s.str.) squalidior (Staudinger,1901) (Noctuidae) Synonym(s): squalidior Staudinger,1901
- 800. Dichagyris (s.str.) squalorum (Eversmann, 1856) (Noctuidae) Synonym(s): squalorum Eversmann, 1856
- 801. Dichagyris (s.str.) terminicincta (Corti & Draudt,1933) (Noctuidae) Synonym(s): terminicincta Corti & Draudt,1933; maraschi Corti & Draudt,1933.
- 802. Dichagyris (s.str.) tyrannus (A.Bang-Haas,1912) (Noctuidae) Synonym(s): tyrannus A.Bang-Haas,1912
- 803. Dichagyris (s.str.) vallesiaca (Boisduval,[1837]) (Noctuidae) Synonym(s): vallesiaca Boisduval,[1837]
- **804.** Drasteria cailino (Lefèbvre,1827) (Noctuidae) Synonym(s): cailino Lefèbvre,1827; caylino Lederer,1857
- **805. Drasteria caucasica (Kolenati,1846)** (Noctuidae) Synonym(s): caucasica Kolenati,1846; astrida Eversmann,1856; aksuensis Fuchs,1903.
- 806. Drasteria herzi (Alpheraky,1895) (Noctuidae) Synonym(s): herzi Alpheraky,1895
- **807. Drasteria saisani (Staudinger,1882)** (Noctuidae) Synonym(s): saisani Staudinger,1882; clara Staudinger,1895; #zaisani John,1910.
- 808. Earias clorana (Linnaeus,1761) (Noctuidae) Synonym(s): clorana Linnaeus,1761; viride Retzius,1783
- **809.** Earias insulana (Boisduval,1833) (Noctuidae) Synonym(s): insulana Boisduval,1833; smaragdinana Zeller,1852; frondosana Walker,1863; xanthophila Walker,1863; siliquana Stainton,1865; simillima Walker,1866; gossypii Frauenfeld,1867; anthophilana Snellen,1879; trigostrigosa Butler,1881.
- **810.** Egira anatolica (Hering,1933) (Noctuidae) Synonym(s): anatolica Hering,1933; #metaxys Boursin,1966; #leucomelas Boursin,1966
- 811. Acontia (Emmelia) trabealis (Scopoli,1763) (Noctuidae) Synonym(s): trabealis Scopoli,1763; arabica Hufnagel,1766; sulphuralis Linnaeus,1767; sulphurea [Denis & Schiffermüller],1775; lugubris Fabricius,1777; histrionella Goeze,1783; arlequinetta Fourcroy,1785; trabeata Borkhausen,1790; pardalina Walker,1865; deleta Staudinger,1877; flavonitens Austaut,1880; algira Oberthür,1881
- 812. Enargia paleacea (Esper,[1788]) (Noctuidae) Synonym(s): paleacea Esper,[1788].
- **813.** Epilecta linogrisea ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): linogrisea [Denis & Schiffermüller],1775; lutosa Staudinger,1901.
- 814. Episema amasina (Hampson,1906) (Noctuidae) Synonym(s): amasina Hampson,1906
- 815. Episema didymogramma (Boursin, 1955) (Noctuidae) Synonym(s): didymogramma Boursin, 1955
- **816.** Episema korsakovi (Christoph,1885) (Noctuidae) Synonym(s): korsakovi Christoph,1885; paenulata Christoph,1885.
- 817. Episema lederi Christoph,1885 (Noctuidae) Synonym(s): lederi Christoph,1885; sareptana Alpheraky,1897; #ledereri Wiltshire,1937.
- 818. Episema tersa ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): tersa [Denis & Schiffermüller],1775; trimacula [Denis & Schiffermüller],1775; swiderskii Kostrowicki,1956.
- 819. Eremobia asiatica Draudt,1936 (Noctuidae) Synonym(s): asiatica Draudt,1936

- Centre for Entomological Studies Ankara
- **820. Eublemma (Glossodice) polygrammum (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma Duponchel,[1842]; argillacea Eversmann,1844; nuda Christoph,1862; violetta Staudinger,1889.*
- **821.** Eublemma (albida-gr.) compunctum (Lederer,1872) (Noctuidae) Synonym(s): compuncta Lederer,1872; aftob Brandt,1938.
- **822. Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): *gratissima Staudinger,1892*; *infuscata Staudinger,1892*; *peralba Schawerda,1923*.
- 823. Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): hansa Herrich-Schäffer,[1851]
- **824.** Eublemma (bulla-gr.) suppurum (Staudinger,1892) (Noctuidae) Synonym(s): suppura Staudinger,1892
- **825.** Eublemma (candidana-gr.) aureolum Fibiger & Hacker,2002 (Noctuidae) Synonym(s): aureola Fibiger & Hacker,2002
- **826.** Eublemma (candidana-gr.) minutatum (Fabricius,1794) (Noctuidae) Synonym(s): minutata Fabricius,1794; noctualis Hübner,1796; paula Hübner,[1809].
- **827.** Eublemma (candidana-gr.) ochreolum (Staudinger,1900) (Noctuidae) Synonym(s): ochreola Staudinger,1900; thurneri Zerny,1936.
- **828. Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina Hübner,[1808]; carthami Herrich-Schäffer,[1851]; aestivalis Guenée,1852; numida Lucas,1849; thasia Koutsaftikis,1973.*
- **829.** Eublemma (pallidula-gr.) pallidulum (Herrich-Schäffer,1856) (Noctuidae) Synonym(s): pallidula Herrich-Schäffer,1856
- **830.** Eublemma (parva-gr.) parvum (Hübner,[1808]) (Noctuidae) Synonym(s): parva Hübner,[1808]; rubefacta Mabille,1869; chalybea Swinhoe,1884; nymphodora Meyrick,1902.
- **831.** Eublemma (rosina-gr.) amoenum (Hübner,[1803]) (Noctuidae) Synonym(s): respersa Hübner,1790; amoena Hübner,[1803]; bithynica Bethune-Baker,1888.
- **832.** Eublemma (rosina-gr.) panonicum (Freyer,1840) (Noctuidae) Synonym(s): panonica Freyer,1840; kindermannii Boisduval,1840; lenis Eversmann,1844
- **833.** Eublemma (rosina-gr.) parallelum (Freyer,1842) (Noctuidae) Synonym(s): parallela Freyer,1842; concinnula Herrich-Schäffer,1851; #densata W.Warren,1912.
- **834. Eublemma (rosina-gr.) purpurinum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): purpurina [Denis & Schiffermüller],1775; secunda Staudinger,1901.
- **835.** Eublemma suppuncta (Staudinger,1892) (Noctuidae) Synonym(s): suppuncta Staudinger,1892; #suppouncta Hacker,1988
- **836.** Euchalcia (Pseudochalcia) kitchingi Hacker & Ronkay,1992 (Noctuidae) Synonym(s): kitchingi Hacker & Ronkay,1992
- **837.** Euchalcia (s.str.) armeniae Dufay,1966 (Noctuidae) Synonym(s): armeniae Dufay,1966; #armeninae Hacker,1986.
- **838.** Euchalcia (s.str.) biezankoi (Alberti,1965) (Noctuidae) Synonym(s): biezankoi Alberti,1965; #bienzankoi Hacker,[1987].
- 839. Euchalcia (s.str.) dorsiflava (Standfuss,1892) (Noctuidae) Synonym(s): dorsiflava Standfuss,1892
- **840.** Euchalcia (s.str.) emichi (Rogenhofer,1873) (Noctuidae) Synonym(s): emichi Rogenhofer,1873
- **841.** Euchalcia (s.str.) hedeia Dufay,1978 (Noctuidae) Synonym(s): hedeia Dufay,1978; #hedeja Hacker,1990; aureolineata Ronkay & Gyulai,1997.
- 842. Euchalcia (s.str.) siderifera (Eversmann, 1846) (Noctuidae) Synonym(s): siderifera Eversmann, 1846
- 843. Euchalcia (s.str.) taurica (Osthelder,1933) (Noctuidae) Synonym(s): taurica Osthelder,1933
- 844. Euchalcia (s.str.) viridis (Staudinger,1901) (Noctuidae) Synonym(s): viridis Staudinger,1901
- **845.** Euclidia glyphica (Linnaeus,1758) (Noctuidae) Synonym(s): glyphica Linnaeus,1758; pratensis Müller,1764
- **846.** Eugnorisma (Metagnorisma) pontica (Staudinger,1892) (Noctuidae) Synonym(s): pontica Staudinger,1892
- 847. Eugnorisma (s.str.) chaldaica (Boisduval,1840) (Noctuidae) Synonym(s): chaldaica Boisduval,1840
- 848. Eugnorisma (s.str.) eminens (Lederer,1855) (Noctuidae) Synonym(s): eminens Lederer,1855; excellens Staudinger.1867
- **849.** Eugnorisma (s.str.) insignata (Lederer,1853) (Noctuidae) Synonym(s): insignata Lederer,1853; intermedia Eversmann,1855.
- **850.** Eugnorisma (s.str.) leuconeura (Hampson,1918) (Noctuidae) Synonym(s): leuconeura Hampson,1918; fuliginosa Draudt,1936.
- **851.** Eulocastra diaphora (Staudinger,1879) (Noctuidae) Synonym(s): diaphora Staudinger,1879; triangularis W.Warren,1888; atribasalis Hampson,1896; laticincta Staudinger,1898.
- **852. Eupsilia transversa (Hufnagel,1766)** (Noctuidae) Synonym(s): *transversa Hufnagel,1766*; *satellitia Linnaeus,1767*
- 853. Eutelia adoratrix (Staudinger, 1892) (Noctuidae) Synonym(s): adoratrix Staudinger, 1892
- 854. Eutelia adulatrix (Hübner,[1813]) (Noctuidae) Synonym(s): adulatrix Hübner,[1813]
- 855. Euxoa (Orosagrotis) difficillima (Draudt,1937) (Noctuidae) Synonym(s): difficillima Draudt,1937
- **856.** Euxoa (Orosagrotis) foeda (Lederer,1855) (Noctuidae) Synonym(s): foeda Lederer,1855; enitens Corti,1926; marmorosa Corti,1927; vanensis Draudt,1937.
- 857. Euxoa (Pleonectopoda) hilaris (Freyer,1838) (Noctuidae) Synonym(s): hilaris Freyer,1838
- 858. Euxoa (Pleonectopoda) inclusa Corti,1931 (Noctuidae) Synonym(s): inclusa Corti,1931
- **859. Euxoa (Pleonectopoda) rjabovi Kozhantshikov,1929** (Noctuidae) Synonym(s): *rjabovi Kozhantshikov,1929; inclusa Corti,1931*

- 860. Euxoa (s.str.) anaemica Draudt,1936 (Noctuidae) Synonym(s): anaemica Draudt,1936
- **861. Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): aquilina [Denis & Schiffermüller],1775; fictilis Hübner,[1813]; unicolor Hübner,[1813]; petrina Mayer,1937.
- **862.** Euxoa (s.str.) conspicua (Hübner,[1824]) (Noctuidae) Synonym(s): conspicua Hübner,[1824]; agricola Boisduval,1829; lycarum Herrich-Schäffer,1846; abdita De Joannis,1891; #indistincta Strand,1915; osthelderi Corti,1931; complicata Corti,1931.
- 863. Euxoa (s.str.) cos (Hübner,[1824]) (Noctuidae) Synonym(s): cos Hübner,[1824]; tephra Boisduval,1840; nagyagensis Freyer,1845; vacillans Herrich-Schäffer,[1850]; millierei Staudinger,1870; cycladum Staudinger,1871; aphe Mabille,1885; crimaea A.Bang-Haas,1906; mesopotamica A.Bang-Haas,1912; rubra Corti,1933.
- **864.** Euxoa (s.str.) decora ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): decora [Denis & Schiffermüller],1775
- 865. Euxoa (s.str.) distinguenda (Lederer,1857) (Noctuidae) Synonym(s): distinguenda Lederer,1857.
- **866.** Euxoa (s.str.) hastifera (Donzel,1847) (Noctuidae) Synonym(s): hastifera Donzel,1837; proleuca Hampson,1903; pomazensis Kovacs,1952; hungarica Kovacs,1952.
- **867.** Euxoa (s.str.) heringi Christoph,1877 (Noctuidae) Synonym(s): heringi Christoph,1877; marcens Christoph,1893; signata Staudinger,1900; achyricola Corti,1931.
- **868.** Euxoa (s.str.) homicida (Staudinger,1900) (Noctuidae) Synonym(s): homicida Staudinger,1900; #homicia Hacker & Kautt,1999.
- 869. Euxoa (s.str.) luteomixta (F.Wagner,1932) (Noctuidae) Synonym(s): luteomixta F.Wagner,1932
- **870.** Euxoa (s.str.) nigricans (Linnaeus,1761) (Noctuidae) Synonym(s): nigricans Linnaeus,1761; fumosa [Denis & Schiffermüller],1775; rubricans Esper,[1788]; dubia Haworth,1809; vilis, fuliginea Hübner,[1813]; carbonea Hübner,[1823]; ursina Godart,1825; rustica Eversmann,1842; oppidicola Krulikowsky,1907.
- **871.** Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): obelisca [Denis & Schiffermüller],1775; praticola Hübner,[1813]; plectoides Guenée,1852; grisea Tutt,1892; #carbonis W.Warren,1909; stephensii Heyd.,1933; salioclitana Boursin,1934.
- 872. Euxoa (s.str.) scurrilis Draudt,1937 (Noctuidae) Synonym(s): scurrilis Draudt,1937
- **873. Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): segnilis Duponchel,1836; seliginis Duponchel,1836; siliginis Guenée,1852; #huebneroides Boursin,1940; adriatica Fiori,1957.
- 874. Euxoa (s.str.) sulcifera (Christoph,1893) (Noctuidae) Synonym(s): sulcifera Christoph,1893
- 875. Euxoa (s.str.) temera (Hübner,[1808]) (Noctuidae) Synonym(s): temera Hübner,[1808]; ruris Hübner,[1808]; villiersii Guenée,1837; declarans Walker,[1857]; alphonsina Fernald,1918; boursini Schawerda,1931; perambulans Corti,1931; leucotera Bytinski-Salz & Brandt,1937.
- 876. Euxoa (s.str.) vitta (Esper,[1789]) (Noctuidae) Synonym(s): vitta Esper,[1789]
- **877. Exophyla rectangularis (Geyer,[1828])** (Noctuidae) Synonym(s): rectangularis Geyer,[1828]; #rctangularis Lehmann, Hacker et al.,1998
- **878.** Gortyna cervago Eversmann,1844 (Noctuidae) Synonym(s): cervago Eversmann,1844; #argillago Draudt,1936.
- **879. Gortyna flavago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago [Denis & Schiffermüller],1775*
- 880. Gortyna osmana Hacker & Kuhna,1986 (Noctuidae) Synonym(s): osmana Hacker & Kuhna,1986
- **881. Grammodes stolida (Fabricius,1775)** (Noctuidae) Synonym(s): *stolida Fabricius,1775*; *cingularis Hübner,[1808]*; *stupida Herrich-Schäffer,1851*; *curvilinea Walker,1869*.
- 882. Hada persa (Alpheraky,1897) (Noctuidae) Synonym(s): persa Alpheraky,1897
- **883.** Hadena (Anepia) musculina (Staudinger,1892) (Noctuidae) Synonym(s): musculina Staudinger,1892; mayeri F.Wagner,1931.
- 884. Hadena (Anepia) neglecta Hacker,1992 (Noctuidae) Synonym(s): neglecta Hacker,1992
- 885. Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nisus Germar,[1842]; repanda Herrich-Schäffer,[1850]; atlas A.E.Prout,1929; sicula Draudt,1933
- **886.** Hadena (Anepia) syriaca (Osthelder,1933) (Noctuidae) Synonym(s): syriaca Osthelder,1933; osthelderi Draudt,1933.
- 887. Hadena (Anepia) wolfi Hacker,1992 (Noctuidae) Synonym(s): wolfi Hacker,1992
- 888. Hadena (Enterpia) laudeti (Boisduval,1840) (Noctuidae) Synonym(s): laudeti Boisduval,1840
- 889. Hadena (Enterpia) roseocandida Hacker,1996 (Noctuidae) Synonym(s): roseocandida Hacker,1996
- **890.** Hadena (Maschukia) pumila (Staudinger,1879) (Noctuidae) Synonym(s): pumila Staudinger,1879
- 891. Hadena (Pinkericola) cappadocia Hacker,1987 (Noctuidae) Synonym(s): cappadocia Hacker,1987
- 892. Hadena (Pinkericola) inexpectata Varga,1979 (Noctuidae) Synonym(s): inexpectata Varga,1979
- **893.** Hadena (Pinkericola) tephroleuca (Boisduval,1833) (Noctuidae) Synonym(s): tephroleuca Boisduval,1833
- **894.** Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792) (Noctuidae) Synonym(s): albimacula Borkhausen,1792; concinna Hübner,[1803]; conserta Hübner,[1820].
- 895. Hadena (s.str.(Albimaculia)) cavalla Pinker,1980 (Noctuidae) Synonym(s): cavalla Pinker,1980
- **896.** Hadena (s.str.(Albimaculia)) defreinai Hacker, Kuhna & Gross,1986 (Noctuidae) Synonym(s): grisea Idrisov,1961; defreinai Hacker, Kuhna & Gross,1986
- **897. Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei Staudinger,1901; guenei Hampson,1905*

- **898.** Hadena (s.str.(Albimaculia)) humilis (Christoph,1893) (Noctuidae) Synonym(s): humilis Christoph,1893; stenoptera Rebel,1933.
- 899. Hadena (s.str.(Anatolidena)) pfeifferi (Draudt,1934) (Noctuidae) Synonym(s): pfeifferi Draudt,1934
- 900. Hadena (s.str.(Anatolidena)) ronkayorum Hacker,1996 (Noctuidae) Synonym(s): ronkayorum Hacker,1996
- **901.** Hadena (s.str.(Anatolidena)) staudingeri (F.Wagner,1931) (Noctuidae) Synonym(s): staudingeri F.Wagner,1931
- 902. Hadena (s.str.(Caeshadena)) vanensis Hacker,1996 (Noctuidae) Synonym(s): vanensis Hacker,1996
- **903. Hadena (s.str.(Clarhadena)) clara (Staudinger,1901)** (Noctuidae) Synonym(s): *clara Staudinger,1901; hyrcana Draudt,1933; transiens Draudt,1938.*
- **904. Hadena (s.str.(Clarhadena)) hyrcanoides Hacker,1996** (Noctuidae) Synonym(s): *hyrcanoides Hacker,1996*
- 905. Hadena (s.str.(Clarhadena)) pseudoclara Hacker,1996 (Noctuidae) Synonym(s): pseudoclara Hacker,1996
- 906. Hadena (s.str.(Clarhadena)) subhyrcana Hacker,1996 (Noctuidae) Synonym(s): subhyrcana Hacker,1996
- **907. Hadena (s.str.(Dianthoecia)) impressa (Esper,[1790])** (Noctuidae) Synonym(s): #capsincola [Denis & Schiffermüller],1775; impressa Esper,[1790].
- **908.** Hadena (s.str.(Filograna)) filograna (Esper,[1788]) (Noctuidae) Synonym(s): filograna Esper,[1788]; filigrama auct.; polymita Hübner,[1803]; xanthocyanea Hübner,[1819]; flavivibica Hübner,[1821].
- 909. Hadena (s.str.(Hadenobilis)) chrysographa Hacker,1996 (Noctuidae) Synonym(s): chrysographa Hacker,1996
- **910. Hadena (s.str.(Hadenobilis)) germaniciae Boursin,1959** (Noctuidae) Synonym(s): *germaniciae Boursin,1959*
- 911. Hadena (s.str.(Hadenobilis)) melanochroa (Staudinger,1892) (Noctuidae) Synonym(s): melanochroa Staudinger,1892
- 912. Hadena (s.str.(Hadenobilis)) tristis (Draudt,1934) (Noctuidae) Synonym(s): tristis Draudt,1934
- 913. Hadena (s.str.(Hadenobilis)) vulcanica (Turati,1907) (Noctuidae) Synonym(s): vulcanica Turati,1907
- 914. Hadena (s.str.(Luteocincta)) femina Hacker,1996 (Noctuidae) Synonym(s): femina Hacker,1996
- 915. Hadena (s.str.(Luteocincta)) lucida (Brandt,1938) (Noctuidae) Synonym(s): lucida Brandt,1938
- 916. Hadena (s.str.(Luteocincta)) persimilis Hacker,1996 (Noctuidae) Synonym(s): persimilis Hacker,1996
- 917. Hadena (s.str.(Luteocincta)) thecaphaga (Draudt,1937) (Noctuidae) Synonym(s): thecaphaga Draudt,1937
- 918. Hadena (s.str.(Luteocincta)) wehrlii (Draudt,1934) (Noctuidae) Synonym(s): wehrlii Draudt,1934
- **919. Hadena (s.str.(Magnolihadena)) magnolii (Boisduval,1828)** (Noctuidae) Synonym(s): *magnolii Boisduval,1828; nummosa Eversmann,1844.*
- **920.** Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): compta [Denis & Schiffermüller],1775; viscariae Guenée,1852; galactina Turati,1908.
- 921. Hadena (s.str.(Montanohadena)) fibigeri Hacker,1996 (Noctuidae) Synonym(s): fibigeri Hacker,1996
- **922. Hadena (s.str.(Montanohadena)) praetermissa Hacker,1996** (Noctuidae) Synonym(s): *praetermissa Hacker,1996*
- **923. Hadena (s.str.(Montanohadena)) pseudohyrcana De Freina & Hacker,1985** (Noctuidae) Synonym(s): *pseudohyrcana De Freina & Hacker,1985*.
- **924. Hadena (s.str.(Montanohadena)) purpurea Hacker,1996** (Noctuidae) Synonym(s): *purpurea Hacker,1996*
- 925. Hadena (s.str.(Montanohadena)) virescens Hacker,1996 (Noctuidae) Synonym(s): virescens Hacker.1996
- **926. Hadena (s.str.(Zeteolyga)) confusa (Hufnagel,1766)** (Noctuidae) Synonym(s): confusa Hufnagel,1766; conspersa [Denis & Schiffermüller],1775; nana Rottemburg,1776 nec Hufnagel,1766; annulata Fabricius,1781; x-scriptum Sowerby,1806; fasciata Tutt,1902; suffusa Tutt,1902; intermedia Tutt,1902.
- **927.** Hadula (Calocestra (Hadufurca)) colletti (Schneider,1876) (Noctuidae) Synonym(s): colletti Schneider,1876
- **928. Hadula (Calocestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax Staudinger,1879*
- **929. Hadula (Calocestra (Hadumendax)) mendica (Staudinger,[1895])** (Noctuidae) Synonym(s): *mendica Staudinger,[1895]*.
- **930.** Hadula (Calocestra (Hadupugnax)) latemarginata (Wiltshire,1976) (Noctuidae) Synonym(s): latemarginata Wiltshire,1976; baksana Schintlmeister & Poltawski,1986.
- **931. Hadula (Calocestra (Hadupugnax)) odontites (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites Boisduval,1829*; *microdon Guenée,1852*; *dalmatina Schwingenschuss,1926*; *asturica Agenjo,1941*.
- 932. Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766) (Noctuidae) Synonym(s): trifolii Hufnagel,1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylori Rothschild,1921
- 933. Haemerosia renalis (Hübner,[1813]) (Noctuidae) Synonym(s): renalis Hübner,[1813]
- 934. Hecatera bicolorata (Hufnagel,1766) (Noctuidae) Synonym(s): bicolorata Hufnagel,1766; serena [Denis & Schiffermüller],1775; placida Esper,[1791]; hieracii Bkh.,1793; par Donovan,1801; monticola Dup.,1826; leuconota Eversmann,1837; intermedia Walker,[1858]; obscura Staudinger,1861.
- 935. Hecatera cappa (Hübner,[1809]) (Noctuidae) Synonym(s): cappa Hübner,[1809]

- 936. Hecatera rhodocharis (Brandt,1938) (Noctuidae) Synonym(s): rhodocharis Brandt,1938
- **937. Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): #dysodea [Denis & Schiffermüller],1775; spinaciae Vieweg,1790; ornata De Villers,1789; chrysozona Borkhausen,1792; ranunculina Haworth,1809; caduca Herrich-Schaffer,[1851]; innocens Staudinger,1871; subflava W.Warren,1910.
- **938. Helicoverpa armigera (Hübner,[1808])** (Noctuidae) Synonym(s): obsoleta auct. nec Fabr.,1775; barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; rama Bhattacherjee & Gupta,1972.
- **939.** Heliophobus reticulata (Goeze,1781) (Noctuidae) Synonym(s): calcatrippae Vieweg,1790; saponariae Borkhausen,1792; marginosa Haworth,1809; hibernica Cockayne,1944.
- 940. Heliophobus unicolor (Alpheraky, 1889) (Noctuidae) Synonym(s): unicolor Alpheraky, 1889
- **941. Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera Herrich-Schäffer,[1851]*; perigeoides Moore,1881; deserta Sohn-Rethel,1929; minutier Thurner,1938.
- 942. Heliothis peltigera ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): peltigera [Denis & Schiffermüller],1775; alphea Cramer,1780; florentina Esper,[1788]; charmione Stoll,1790; straminea Donovan,1793; insulata Navas,1924.
- **943. Heliothis viriplaca (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca Hufnagel,1766*; *dipsacea Linnaeus,1767*; *spergulariae Lederer,1857*; *#dispaceus Alpheraky,1882*; *salamantina Fernald,1928*.
- 944. Heptapotamia eustratii Alpheraky, 1882 (Noctuidae) Synonym(s): eustratii Alpheraky, 1882
- 945. Heterophysa dumetorum (Geyer,1834) (Noctuidae) Synonym(s): dumetorum Geyer,1834
- **946. Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua [Denis & Schiffermüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885*
- **947.** Hoplodrina blanda ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): blanda [Denis & Schiffermüller],1775; redacta Haworth,1809; taraxaci Hübner,[1813].
- 948. Hoplodrina levis (Staudinger,1888) (Noctuidae) Synonym(s): levis Staudinger,1888
- **949. Hoplodrina octogenaria (Goeze,1781)** (Noctuidae) Synonym(s): *octogenaria Goeze,1781; alsines Brahm,1791; sordida Haworth,1809 nec Hübn.,[1803]*
- 950. Hoplodrina pfeifferi (Boursin,1932) (Noctuidae) Synonym(s): pfeifferi Boursin,1932.
- **951. Hoplodrina respersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): respersa [Denis & Schiffermüller],1775; margaritacea Borkhausen,1792 nec Vill.,1789
- 952. Hypena munitalis Mann,1861 (Noctuidae) Synonym(s): munitalis Mann,1861.
- 953. Hypena obesalis Treitschke,1829 (Noctuidae) Synonym(s): obesalis Treitschke,1829
- **954. Iranada tarachoides (Bytinski-Salz & Brandt,1937)** (Noctuidae) Synonym(s): *tarachoides Bytinski-Salz & Brandt,1937*
- **955. Jodia croceago (Fabricius,1787)** (Noctuidae) Synonym(s): #croceago [Denis & Schiffermüller],1775; croceago Fabricius,1787; aurantiago Donovan,1796; corsica Mabille,1868
- **956.** Lacanobia (Dianobia) thalassina (Hufnagel,1766) (Noctuidae) Synonym(s): thalassina Hufnagel,1766; humeralis Haworth,1809; achates Hübner,[1813].
- 957. Lacanobia (Diataraxia) oleracea (Linnaeus,1758) (Noctuidae) Synonym(s): oleracea Linnaeus,1758; spinaciae Borkhausen,1792; variegata Austaut,1885; essoni Hampson,1909; albolineata Matsumura,1926; #pallida Bytinski-Salz & Brandt,1937
- 958. Lacanobia (s.str.) w-latinum (Hufnagel,1766) (Noctuidae) Synonym(s): w-latinum Hufnagel,1766; genistae Borkhausen,1792; dives Donovan,1801; umbrosa Bytinski-Salz & Brandt,1937; diniensis Heinrich,1938; caerulescens Schwingenschuss,1962.
- 959. Lamprosticta culta ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): #culta [Denis & Schiffermüller],1775
- 960. Lasionycta draudti (F.Wagner,1936) (Noctuidae) Synonym(s): draudti F.Wagner,1936
- **961.** Ledereragrotis multifida (Lederer, 1870) (Noctuidae) Synonym(s): multifida Lederer, 1870; sanctimoritzi A.Bana-Haas. 1906
- **962.** Leucania loreyi (Duponchel,1827) (Noctuidae) Synonym(s): loreyi Duponchel,1827; caricis Walker,1856; collecta Walker,1856; curcula Walker,1856; denotata Walker,1856; designata Walker,1856; exterior Walker,1856; thoracica Walker,1856.
- 963. Leucania punctosa (Treitschke,1825) (Noctuidae) Synonym(s): punctosa Treitschke,1825
- **964.** Leucochlaena muscosa (Staudinger,1892) (Noctuidae) Synonym(s): muscosa Staudinger,1892; hirsutus Staudinger,1892
- **965.** Lithophane ledereri (Staudinger,1892) (Noctuidae) Synonym(s): ledereri Staudinger,1892; discors Staudinger,1892
- **966.** Lithophane ornitopus (Hufnagel,1766) (Noctuidae) Synonym(s): ornitopus Hufnagel,1766; rhizolitha [Denis & Schiffermüller],1775; pitzalisi Hartig,1976
- **967.** Luperina diversa (Staudinger,1892) (Noctuidae) Synonym(s): diversa Staudinger,1892; indistincta Rebel,1933
- 968. Luperina koshantschikovi (Püngeler,1914) (Noctuidae) Synonym(s): koshantschikovi Püngeler,1914
- 969. Luperina rjabovi (Kljutschko,1967) (Noctuidae) Synonym(s): rjabovi Kljutschko,1967
- **970.** Luperina rubella (Duponchel,1835) (Noctuidae) Synonym(s): mediosignata Turati,1930; sericea Caradja,1932; thurneri Schawerda,1938.
- 971. Lycophorus ankarensis (Rebel,1931) (Noctuidae) Synonym(s): ankarensis Rebel,1931; wichgrafi Corti & Draudt,1933; #ankariensis Hacker,2001
- 972. Lygephila craccae (Fabricius,1787) (Noctuidae) Synonym(s): #craccae [Denis & Schiffermüller],1775; craccae Fabricius,1787; nigricollis Villers,1789; riata Rungs,1952; caliginosa Schawerda,1931; herrerai Yela,1990; #cracae Hacker & Kautt,1999.

- 973. Lygephila ludicra (Hübner,1790) (Noctuidae) Synonym(s): ludicra Hübner,1790
- **974.** Lygephila lusoria (Linnaeus,1758) (Noctuidae) Synonym(s): lusoria Linnaeus,1758; orobi Duponchel,1821; lathyri Boisduval,[1828]
- 975. Lygephila pallida (A.Bang-Haas,1907) (Noctuidae) Synonym(s): pallida A.Bang-Haas,1907
- 976. Lygephila pastinum (Treitschke,1826) (Noctuidae) Synonym(s): pastinum Treitschke,1826; astragali Herrich-Schäffer,1851; dilutior Staudinger,1892.
- 977. Margelana flavidior Wagner,1831 (Noctuidae) Synonym(s): flavidior Wagner,1831
- 978. Megalodes eximia (Freyer,1845) (Noctuidae) Synonym(s): eximia Freyer,1845
- **979. Meganola togatulalis (Hübner,1796)** (Noctuidae) Synonym(s): *togatulalis Hübner,1796*; *togatulana Duponchel,1845*
- **980. Melanchra pisi (Linnaeus,1758)** (Noctuidae) Synonym(s): *pisi Linnaeus,1758; rukavaarae Hoffmann,1893; pardoi Agenjo,1945.*
- **981. Mesapamea (s.str.) didyma (Esper,[1788])** (Noctuidae) Synonym(s): *didyma Esper,[1788]*; secalella Remm,1983.
- **982. Mesogona acetosellae (Goeze,1781)** (Noctuidae) Synonym(s): #acetosellae [Denis & Schiffermüller],1775; acetosellae Goeze,1781; vorbrodti Wehrli,1917; grisea Dannehl,1929; pallida Dannehl,1929; segoviensis Calle,1982; #clarescens Calle,1982
- **983. Mesoligia furuncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): furuncula [Denis & Schiffermüller],1775; spoliatricula [Denis & Schiffermüller],1775; bicoloria Villers,1789; vinctuncula Hübner,[1803]: humeralis Haworth,1809: terminalis Haworth,1809: rufuncula Haworth,1809
- **984. Mesoligia literosa (Haworth,[1809])** (Noctuidae) Synonym(s): literosa Haworth,[1809]; erratricula Hübner,[1813]; faroulti Rothschild,1914; powelli Oberthür,1918
- **985. Metachrostis dardouini (Boisduval,1840)** (Noctuidae) Synonym(s): dardouini Boisduval,1840; velox Treitschke nec Hbn.,[1813]; mendacula Freyer,1841; dilutior Schwingenschuss,1926
- **986. Metalopha (Antholopha) gloriosa (Staudinger,1892)** (Noctuidae) Synonym(s): *gloriosa Staudinger,1892; #intradeleta Osthelder,1933; #extradeleta Osthelder,1933; #grisea Osthelder,1933.*
- 987. Metopoplus boursini Brandt,1938 (Noctuidae) Synonym(s): boursini Brandt,1938
- **988.** Metopoplus excelsa (Christoph,1885) (Noctuidae) Synonym(s): excelsa Christoph,1885
- **989. Minucia bimaculata Osthelder,1933** (Noctuidae) Synonym(s): *bimaculata Osthelder,1933*
- 990. Mythimna (Aletia) l-album (Linnaeus,1767) (Noctuidae) Synonym(s): l-album Linnaeus,1767; penicillata Moore,1881
- 991. Mythimna (Aletia) sassanidica (Hacker,1986) (Noctuidae) Synonym(s): sassanidica Hacker,1986
- 992. Mythimna (Aletia) sicula (Treitschke,1835) (Noctuidae) Synonym(s): sicula Treischke,1835; albivena Graslin,1852.
- **993. Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): *vitellina Hübner,[1808];* #vitellena Lederer,1870; decolorata Dannehl,1929; saturatior Dannehl,1929; grisescens Dannehl,1929.
- **994. Mythimna (Hyphilare) albipuncta (Fabricius,1787)** (Noctuidae) Synonym(s): #albipuncta [Denis & Schiffermüller],1775; albipuncta (Fabricius,1787; rufotincta Wagner,1921.
- 995. Mythimna (Hyphilare) ferrago (Fabricius,1787) (Noctuidae) Synonym(s): ferrago Fabricius,1787; lithargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858; meridionalis Dannehl,1926
- **996. Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): *unipuncta Haworth,[1809]*; *extranea Guenée,1852*; *antica Walker,1856*; *tseki Koutsaftikis,1974*.
- 997. Nezonycta obtusa Varga & Ronkay,1991 (Noctuidae) Synonym(s): obtusa Varga & Ronkay,1991
- 998. Nezonycta pusilla (Püngeler,1900) (Noctuidae) Synonym(s): pusilla Püngeler,1900
- 999. Noctua (Divaena) haywardi (Tams,1926) (Noctuidae) Synonym(s): haywardi Tams,1926; balcanica Slivov.1985
- 1000. Noctua (Lampra) fimbriata (Schreber,1759) (Noctuidae) Synonym(s): fimbriata Schreber,1759; domiduca Hufnagel,1766; fimbria Linnaeus,1767; solani Fabricius,1787.
- **1001.** Noctua (Latanoctua) orbona (Hufnagel,1766) (Noctuidae) Synonym(s): orbona Hufnagel,1766; subsequa [Denis & Schiffermüller],1775; caroni Lempke,1964.
- 1002. Noctua (Paranoctua) comes (Hübner,[1813]) (Noctuidae) Synonym(s): orbona Fabricius,1787 nec Hufn.,1767; comes Hübner,[1813]; adsequa Treitschke,1825; prosequa Treitschke,1825; bergensis Sp.-Schn.,1901.
- 1003. Noctua (Paranoctua) interposita (Hübner,1790) (Noctuidae) Synonym(s): interposita Hübner,1790; consequa Hübner,[1803]; sarmata Rambur,1871; nigra Pieszczek,1908; baraudi Boursin,1963; lajonquierrei Boursin,1963; terracotta Boursin,1963
- 1004. Noctua (s.str.) pronuba (Linnaeus,1758) (Noctuidae) Synonym(s): pronuba Linnaeus,1758; connuba Hübner,[1822]; innuba Treitschke,1825; hoegei Herrich-Schäffer,1861; nigra Krausse,1912 nec Piesz.,1908; decolorata Turati,1923.
- 1005. Nycteola asiatica (Krulikovsky,1904) (Noctuidae) Synonym(s): asiatica Krulikovsky,1904; populana Patoçka,1953; hungarica Kovacs,1954.
- 1006. Nycteola eremostola Dufay, 1961 (Noctuidae) Synonym(s): eremostola Dufay, 1961
- 1007. Nycteola siculana (Fuchs, 1899) (Noctuidae) Synonym(s): siculana Fuchs, 1899; cuneana Patoçka, 1953; pseudodilutana Obraztsov, 1954.
- 1008. Ochropleura leucogaster (Freyer, 1831) (Noctuidae) Synonym(s): leucogaster Freyer, 1831
- **1009. Ochropleura plecta (Linnaeus,1761)** (Noctuidae) Synonym(s): plecta Linnaeus,1761; unimacula Staudinger,1859; anderssoni Lampa,1885; glaucimacula Graeser,[1889]; unupplecta Bryk,1942.
- **1010. Odice arcuinna (Hübner,1790)** (Noctuidae) Synonym(s): *arcuinna Hübner,1790; inamoena Hübner,[1803].*

- **1011.** Odice suava (Hübner,[1813]) (Noctuidae) Synonym(s): suava Hübner,[1813].
- 1012. Oligia latruncula ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): latruncula [Denis & Schiffermüller],1775
- 1013. Oligia turcia Rezbanyai-Reser,1997 (Noctuidae) Synonym(s): turcia Rezbanyai-Reser,1997
- 1014. Omphalophana anatolica (Lederer,1857) (Noctuidae) Synonym(s): anatolica Lederer,1857
- 1015. Omphalophana antirrhinii (Hübner,[1803]) (Noctuidae) Synonym(s): antirrhinii Hübner,[1803]
- 1016. Oncocnemis confusa (Freyer,[1839]) (Noctuidae) Synonym(s): confusa Freyer,[1839].
- 1017. Oncocnemis exacta Christoph,1887 (Noctuidae) Synonym(s): exacta Christoph,1887; iranica Schwingenschuss,1937
- 1018. Oncocnemis fuscopicta Wiltshire,1976 (Noctuidae) Synonym(s): fuscopicta Wiltshire,1976
- 1019. Oncocnemis strioligera Lederer, 1853 (Noctuidae) Synonym(s): strioligera Lederer, 1853
- **1020. Ophiusa lunaris (Goeze,1781)** (Noctuidae) Synonym(s): #lunaris [Denis & Schiffermüller],1775; lunaris Goeze,1781; undosa Goeze,1781; ventrilabris Fabricius,1787; tarsiplumalis Hübner,1796; chosensis Bryk,1949.
- **1021. Opigena polygona (Fabricius,1787)** (Noctuidae) Synonym(s): #polygona [Denis & Schiffermüller],1775; polygona Fabricius,1787; nigrofulva Esper,[1788]; pyramis Borkhausen,1792.
- 1022. Orthosia (Monima) cerasi (Fabricius,1775) (Noctuidae) Synonym(s): cerasi Fabricius,1775; stabilis [Denis & Schiffermüller],1775; obliqua de Villers,1789; junctus Haworth,1803; pallida Haworth,1809; rufannulata Haworth,1809.
- 1023. Orthosia (s.str.) incerta (Hufnagel,1766) (Noctuidae) Synonym(s): incerta Hufnagel,1766; instabilis [Denis & Schiffermüller],1775; collinita Esper,[1790]; contracta Esper,[1790]; trigutta Esper,[1790]; nebulosus Haworth,1803; subsetaceus Haworth,1803; angustus Haworth,1803; fuscatus Haworth,1803; pallida Lampa,1885 nec Hw.,1809; pallidior Staudinger,1901 nec Stgr.,1888
- **1024.** Orthosia rubricosa (Esper,[1786]) (Noctuidae) Synonym(s): #miniosa [Denis & Schiffermüller],1775; rubricosa Esper, [1786].
- 1025. Ozarba lascivalis (Lederer, 1855) (Noctuidae) Synonym(s): lascivalis Lederer, 1855
- **1026.** Ozarba moldavicola (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): moldavicola Herrich-Schäffer,[1851]; euboica Mill.,1874
- 1027. Parallelia algira (Linnaeus,1767) (Noctuidae) Synonym(s): algira Linnaeus,1767; achatina Sulzer,1776; alterna Villers,1789; triangularis Hübner,[1803] nec Thunb.,1784; albivitta Guenée,1852; festina Walker,1858; olympia Swinhoe,1885; europea Schawerda,1912
- 1028. Parexarnis taurica (Staudinger,1879) (Noctuidae) Synonym(s): taurica Staudinger,1879; pseudosollers Boursin,1940.
- 1029. Perigrapha (Opacographa (s.str.)) cilissa Püngeler,1917 (Noctuidae) Synonym(s): cilissa Püngeler,1917 (1030. Periphanes delphinii (Linnaeus,1758) (Noctuidae) Synonym(s): delphinii Linnaeus,1758; darollesi Oberthür,1876; delphini Hampson,1903.
- 1031. Periphanes victorina (Sodoffsky,1849) (Noctuidae) Synonym(s): victorina Sodoffsky,1849
- 1032. Phlogophora meticulosa (Linnaeus,1758) (Noctuidae) Synonym(s): meticulosa Linnaeus,1758; lamii Schadewald,1993
- 1033. Phytometra viridaria (Clerck,1759) (Noctuidae) Synonym(s): #viridaria Clerck,1759; purpurata Linnaeus,1761; lanceata Scopoli,1763; aenea [Denis & Schiffermüller],1775; olivacea Vieweg,1790; latruncula Esper,[1791]; hoffmann, Stauder,1915; lutalgira Schawerda,1924
- **1034. Plecoptera inquinata (Lederer,1857)** (Noctuidae) Synonym(s): *inquinata Lederer,1857*; *pyrami Rogenhofer,1873*; *amanica Osthelder,1933*
- 1035. Plusia festucae (Linnaeus,1758) (Noctuidae) Synonym(s): festucae Linnaeus,1758; aureoargentea Retzius,1783; yokohamensis Bryk,1949; japonibia Bryk,1949
- 1036. Plusidia cheiranthi (Tauscher,1809) (Noctuidae) Synonym(s): cheiranthi Tauscher,1809; eygenia Eversmann,1841; abrostoloides Butler,1879; separanda W.Warren,1913.
- 1037. Polia sagittigera (Hufnagel,1766) (Noctuidae) Synonym(s): sagittigera Hufnagel,1766; leucophaea [Denis & Schiffermüller],1775; fulminea Fabricius,1781; vestigialis Esper,[1785]; ravida Esper,[1789]; pyrenaica Oberthür,1884; incana Millière,1885.
- **1038.** Polia serratilinea Ochsenheimer, 1816 (Noctuidae) Synonym(s): serratilinea Ochsenheimer, 1816; helvetica Schawerda, 1925; kowatschevi Drenowski, 1931; pinkeri Varga, 1974.
- 1039. Polymixis (Brandticola) dubiosa (Brandt,1938) (Noctuidae) Synonym(s): dubiosa Brandt,1938
- **1040.** Polymixis (Myxinia) chrysographa (F.Wagner,1931) (Noctuidae) Synonym(s): chrysographa F.Wagner,1931
- **1041. Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata Ménétriés,1847; leuconota Herrich-Schäffer,[1850]; nasamonius Turati,1924*
- 1042. Polymixis crinomima (Wiltshire,1946) (Noctuidae) Synonym(s): crinomima Wiltshire,1946
- **1043. Polyphaenis monophaenis Brandt,1938** (Noctuidae) Synonym(s): *monophaenis Brandt,1938;* #unicoloris Brandt,1938.
- 1044. Powellinia carthalina (Christoph, 1893) (Noctuidae) Synonym(s): carthalina Christoph, 1893
- 1045. Protexarnis confinis (Staudinger,1881) (Noctuidae) Synonym(s): confinis Staudinger,1881; aucta Alpheraky,1892; barbara Corti & Draudt,1933; suspicax Corti & Draudt,1933; velifera Corti & Draudt,1933; anthracina Boursin,1964.
- **1046. Pseudenargia deleta (Osthelder,1933)** (Noctuidae) Synonym(s): *deleta Osthelder,1933; #badiofasciata Draudt,1936; basilissa Brandt,1938.*
- 1047. Pseudenargia regina (Staudinger,1892) (Noctuidae) Synonym(s): regina Staudinger,1892
- 1048. Pyrrhia treitschkii (Frivaldszky,1835) (Noctuidae) Synonym(s): treitschkii Frivaldsky,1835.
- 1049. Recophora beata (Staudinger, 1892) (Noctuidae) Synonym(s): beata Staudinger, 1892

- 1050. Rhizedra lutosa (Hübner, [1803]) (Noctuidae) Synonym(s): lutosa Hübner, [1803]
- Rhyacia (Epipsilia) cervantes (Reisser,1935) (Noctuidae) Synonym(s): cervantes Reisser,1935; #gyulaipetri Varga,1975
- 1052. Rhyacia (Epipsilia) latens (Hübner,[1809]) (Noctuidae) Synonym(s): latens Hübner,[1809]; murina Freyer, 1842; latitans Guenée, 1852; apennina Sohn-Rethel, 1929.
- 1053. Rhyacia (s.str.) helvetina (Boisduval,1833) (Noctuidae) Synonym(s): helvetina Boisduval,1833; livia Freyer,1836
- 1054. Rhyacia (s.str.) lucipeta ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): lucipeta [Denis & Schiffermüller],1775.
- 1055. Rhyacia (s.str.) nyctymerides (O.Bang-Haas,1922) (Noctuidae) Synonym(s): nyctymerides O.Bang-Haas,1922; stavroitiacus Tuleschkoff,1951; alagesica Boursin,1962; #nyctomerides Hacker,[1987]
- **1056.** Rhypagla lacernaria (Hübner,[1813]) (Noctuidae) Synonym(s): lacernaria Hübner,[1813]; glarea Treitschke,1826; cretula Freyer,1842
- 1057. Scoliopteryx libatrix (Linnaeus,1758) (Noctuidae) Synonym(s): libatrix Linnaeus,1758; salictaria Poda,1761; modesta Müller,1764; delicatula Retzius,1783; libatricus Haworth,1809
- 1058. Sideridis (Aneda) rivularis (Fabricius,1775) (Noctuidae) Synonym(s): rivularis Fabricius,1775; cucubali [Denis & Schiffermüller],1775; rivosa Ström,1783; behenis Freyer,1845.
- 1059. Sideridis (Conisania) capsivora (Draudt,1933) (Noctuidae) Synonym(s): capsivora Draudt,1933
- 1060. Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): luteago [Denis & Schiffermüller],1775; brunneago Esper,[1804]; nigrescens Wagner,1926 (praeocc.); ottomana Koçak,1990.
- 1061. Sideridis (s.str.) turbida (Esper,[1790]) (Noctuidae) Synonym(s): turbida Esper,[1790]; albicolon Hübner,[1813]
- 1062. Simyra dentinosa Freyer,1839 (Noctuidae) Synonym(s): dentinosa Freyer,1839; leucaspis Fischer v. Waldheim,1840; zeliha Kornosor & Lödl,1990
- **1063.** Spaelotis demavendi (F.Wagner,1937) (Noctuidae) Synonym(s): demavendi F.Wagner,1937
- 1064. Spaelotis ravida ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): ravida [Denis & Schiffermüller],1775; austera Esper,[1789]; obducta Esper,[1789]; bigramma Esper,[1790]; obscura Brahm,1791 nec Cramer,1780; salva Corti & Draudt,1933.
- 1065. Spaelotis senna (Freyer,1829) (Noctuidae) Synonym(s): senna Freyer,1829; senna Geyer,[1832] nec Frr., 1829; germanica Spuler, 1905; violetta Schawerda, 1934
- 1066. Spodoptera exiguum (Hübner,[1808]) (Noctuidae) Synonym(s): exigua Hübner,[1808]; fulgens Geyer,[1832]; pygmaea Rambur,1834; junceti Zeller,1847; caradrinoides Walker,1856; flavimaculata Harvey, 1876; venosa Butler, 1880; sebghana Austaut, 1880; antipodea W. Warren, 1914; protector De Laever, 1985.
- 1067. Standfussiana lucernea (Linnaeus,1758) (Noctuidae) Synonym(s): lucernea Linnaeus,1758
- 1068. Standfussiana nictymera (Boisduval,[1837]) (Noctuidae) Synonym(s): nictymera Boisduval,[1837];
- 1069. Tholera cespitis (Goeze,1781) (Noctuidae) Synonym(s): #cespitis [Denis & Schiffermüller],1775; cespitis Goeze,1781; hordei Schrank,1801; autumnalis Curtis,1827; confinis Stephens,1829; desylessi Boisduval,1840; chloris Milliere,1883; decolor Sohn,1896.
- 1070. Tholera decimalis (Poda,1761) (Noctuidae) Synonym(s): decimalis Poda,1761; popularis Fabricius,1775; lolii Esper,[1785]; typicoides Donovan,1811; nervosa Zerny,1927; chebka Rungs,1940
- Thria robusta Walker,[1858] (Noctuidae) Synonym(s): anysa auct.; robusta Walker,[1858]; fugitiva Walker,[1858]; opposita Wallengren,1865; sennaarensis R.Felder & Rogenhofer,1874; grandis Staudinger,1877; terrigena Christoph,1877; similata Moore,1883; distincta Rothschild,1920; asiria Wiltshire,1988; omana Wiltshire,1988; sokotrana Wiltshire,1988
- 1072. Trichoplusia ni (Hübner,[1803]) (Noctuidae) Synonym(s): ni Hübner,[1803]; humilis Walker,1858; extrahens Walker, 1858; brassicae Riley, 1870; echinocystidis Strecker, 1874.
- 1073. Tyta luctuosa ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): luctuosa [Denis & Schiffermüller],1775; italica Fabricius,1781; atra Goeze,1781 nec Linn.,1767; astroites Fourcroy,1785; maculosa Villers,1789
- Ulochlaena hirta (Hübner,[1813]) (Noctuidae) Synonym(s): hirta Hübner,[1813] 1074.
- Valeria kartalea Kuhna & Schmitz,1997 (Noctuidae) Synonym(s): kartalea Kuhna & Schmitz,1997 1075.
- Valeria oleagina (Esper,[1786]) (Noctuidae) Synonym(s): #oleagina [Denis & Schiffermüller],1775; 1076. oleagina Esper,[1786].
- Valerietta boursini De Freina & Hacker,1985 (Noctuidae) Synonym(s): boursini De Freina & 1077. Hacker,1985
- Victrix (Rasihia) boursini (Draudt,1936) (Noctuidae) Synonym(s): boursini Draudt,1936 1078.
- Victrix (Rasihia) hackeri Varga & Ronkay,1991 (Noctuidae) Synonym(s): hackeri Varga & Ronkay,1991 1079.
- Victrix (Rasihia) tabora (Staudinger,1892) (Noctuidae) Synonym(s): tabora Staudinger,1892 1080.
- Victrix (s.str.) artaxias Varga & Ronkay,1989 (Noctuidae) Synonym(s): artaxias Varga & Ronkay,1989 1081.
- Victrix sp. (Noctuidae) Synonym(s): 1082.
- 1083. Xenophysa huberi Varga,1989 (Noctuidae) Synonym(s): huberi Varga,1989
- 1084. Xenophysa junctimacula (Christoph,1887) (Noctuidae) Synonym(s): junctimacula Christoph,1887; cacumena Brandt,1938.
- 1085. Xestia (Megasema) c-nigrum (Linnaeus,1758) (Noctuidae) Synonym(s): c-nigrum Linnaeus,1758; nunatrum Esper,[1786]; singularis Esper,[1786]; degenerata Staudinger,1889; depravata A.Bang-Haas,1912; kurilana Bryk,1942; ignorata Eitschberger,1972.

- Centre for Entomological Studies Ankara
- **1086.** Xestia (s.str.) ochreago (Hübner,[1809]) (Noctuidae) Synonym(s): ochreago Hübner,[1809]; ochrojois Hbn.,[1821]; habichi Rebel,1909.
- **1087. Xestia (s.str.) sareptana (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): sareptana Herrich-Schäffer,[1851]; iobaphes Boursin,1936
- 1088. Xylena exsoleta (Linnaeus,1758) (Noctuidae) Synonym(s): exsoleta Linnaeus,1758; exoleta Fabricius,1787
 1089. Xylena lunifera W.Warren,1910 (Noctuidae) Synonym(s): lunifera W.Warren,1910; #lunigera W.Warren,1910
- 1090. Xylocampa mustapha (Oberthür,1920) (Noctuidae) Synonym(s): mustapha Oberthür,1920
- **1091.** Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): ravalis Herrich-Schäffer,[1852]; revolutalis Zeller,1852; eremialis Swinhoe,1889 nec Walk.,1859; centralis Staudinger,1892; syriacalis Staudinger,1892; extorris W.Warren,1913; #pallida Schawerda,1929; #transcaspica Brandt,1941.
- **1092. Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) Synonym(s): antiqualis Hübner,[1809]; anatolica Wagner,1931; #antiqulis Zukowsky,1941
- 1093. Zethes brandti Janzon,1977 (Noctuidae) Synonym(s): nemea Brandt,1938 (p.p.); nemea sensu Koçak,1977; brandti Janzon,1977.
- 1094. Zethes narghisa Brandt,1938 (Noctuidae) Synonym(s): narghisa Brandt,1938
- 1095. Cerura (s.str.) vinula (Linnaeus,1758) (Notodontidae) Synonym(s): vinula Linnaeus,1758; minax Hübner,[1803]; teberdina Kornejev,1939
- 1096. Clostera curtula (Linnaeus,1758) (Notodontidae) Synonym(s): curtula Linnaeus,1758; albicaudaalba Retzius,1783
- 1097. Clostera pigra (Hufnagel,1766) (Notodontidae) Synonym(s): pigra Hufnagel,1766; reclusa [Denis & Schiffermüller],1775; alticaudafurcata Retzius,1783; suffusa Stephens,1835; superior Rangnow,1935; #flavidior Bytinski-Salz,1936
- 1098. Drymonia ruficornis (Hufnagel,1766) (Notodontidae) Synonym(s): ruficornis Hufnagel,1766; confusa Hufnagel,1767; chaonia [Denis & Schiffermüller],1775; roboris Fabricius,1777; ilicis Fabricius,1793; roboreus Haworth,1803; querneus Haworth,1803
- **1099. Drymonia velitaris (Hufnagel,1766)** (Notodontidae) Synonym(s): *velitaris Hufnagel,1766*; *austera [Denis & Schiffermüller],1775*; *bifasciata Villers,1789*
- **1100. Furcula bicuspis (Borkhausen,1790)** (Notodontidae) Synonym(s): *bicuspis Borkhausen,1790; borealis Boisduval,1829; infumata Staudinger,1887; transiens Krulikowsky,1909*
- 1101. Harpyia milhauseri (Fabricius,1775) (Notodontidae) Synonym(s): milhauseri Fabricius,1775; terrifica [Denis & Schiffermüller],1775; vidua Knoch,1781; albida Daniel,1932
- **1102. Notodonta tritophus ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): #tritophus [Denis & Schiffermüller],1775; phoebe Siebert,1790; perfuscus Haworth,1803; irfana De Freina,1983.
- 1103. Peridea korbi (Rebel,1918) (Notodontidae) Synonym(s): korbi Rebel,1918
- 1104. Phalera bucephala (Linnaeus,1758) (Notodontidae) Synonym(s): bucephala Linnaeus,1758; lunula Retzius,1783 nec Hufn.,1766 non Strm,1768.
- **1105.** Pterostoma palpinum (Linnaeus,1761) (Notodontidae) Synonym(s): palpina Linnaeus,1761; caudapiscina Goeze,1783; salicis Germar,1812.
- **1106. Spatalia argentina ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): argentina [Denis & Schiffermüller],1775
- 1107. Stauropus fagi (Linnaeus,1758) (Notodontidae) Synonym(s): fagi Linnaeus,1758
- **1108.** Eratophyes amasiella (Herrich-Schäffer,[1855]) (Oecophoridae) Synonym(s): amasiella Herrich-Schäffer,[1855]; aleatrix Diakonoff,1975.
- 1109. Esperia imitatrix (Zeller, 1847) (Oecophoridae) Synonym(s): imitatrix Zeller, 1847
- 1110. Esperia intermediella (Stainton, 1867) (Oecophoridae) Synonym(s): intermediella Stainton, 1867
- 1111. Pleurota issicella Staudinger,1880 (Oecophoridae) Synonym(s): issicella Staudinger,1880
- 1112. Pleurota pyropella ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s): pyropella [Denis & Schiffermüller],1775
- 1113. Pleurota subpyropella Staudinger,1880 (Oecophoridae) Synonym(s): subpyropella Staudinger,1880
- **1114. Archon apollinaris (Staudinger,[1892])** (Papilionidae) Synonym(s): *apollinaris Staudinger,[1892];* pallidior Spuler,1892; #mardina Stichel,1907
- 1115. Iphiclides podalirius (Linnaeus,1758) (Papilionidae) Synonym(s): podalirius Linnaeus,1758; sinon Poda,1761; flammeus Fourcroy,1785; brassicae Fabricius,1807; inalpinus Verity,1911; valesiaca Verity,1911; zanclaeides Verity,1911; pseudopersica Rocci,1926.
- 1116. Papilio (s.str. (Alexanoria)) alexanor Esper,[1800] (Papilionidae) Synonym(s): polidamas De Prunner,1787 nec Linn.,1758; alexanor Esper,[1800]; polychaon Loche,1801; destelensis Nel & Chauliac,1983.
- 1117. Papilio (s.str.) machaon Linnaeus,1758 (Papilionidae) Synonym(s): machaon Linnaeus,1758; reginae Retzius,1783; umbellatarum Fabricius,1807; aurantiaca Speyer,1858.
- 1118. Parnassius (Driopa) mnemosyne (Linnaeus,1758) (Papilionidae) Synonym(s): mnemosyne Linnaeus,1758
- 1119. Parnassius (s.str.) apollo (Linnaeus,1758) (Papilionidae) Synonym(s): apollo Linnaeus,1758
- 1120. Zerynthia (Allancastria) deyrollei (Oberthür,1869) (Papilionidae) Synonym(s): deyrollei Oberthür,1869; eisneri Bernardi,1970; lycaoniae Eisner & Wagener,1974; #flavomaculata Verity,1905; #ochracea Verity,1905; #obscurior Verity,1905; #subflava Schultz,1908; #deflexa Schultz,1908; #charis Schultz,1908; #separata Sheljuzhko,1927.
- 1121. Anthocharis cardamines (Linnaeus,1758) (Pieridae) Synonym(s): cardamines Linnaeus,1758; hesperides Newman,1894; britannica Verity,1908; meridionalis Verity,1908 nec Lederer,1852; montivaga Turati & Verity,1911

- 1122. Anthocharis damone Boisduval,1836 (Pieridae) Synonym(s): damone Boisduval,1836
- **1123. Anthocharis grueneri Herrich-Schäffer,[1851]** (Pieridae) Synonym(s): *grueneri Herrich-Schäffer,[1851]*; #diluta Röber,1907; eros Röber,1907
- **1124.** Aporia (s.str.) crataegi (Linnaeus,1758) (Pieridae) Synonym(s): crataegi Linnaeus,1758; nigronervosus Retzius,1783; minor Verity,1907; basanius Fruhstorfer,1910; crataegiaugusta Verity,1937.
- 1125. Colias (Eriocolias) crocea (Fourcroy,1785) (Pieridae) Synonym(s): crocea Fourcroy,1785; pyrenaica Groum-Grshimailo,1893.
- **1126.** Colias (Eriocolias) thisoa Ménétriés,1832 (Pieridae) Synonym(s): thisoa Ménétriés,1832; helena Herrich-Schäffer,[1844]; eos Herrich-Schäffer,[1848]; #ludmilla Schulte,1989.
- 1127. Colias (Neocolias) aurorina Herrich-Schäffer,[1850] (Pieridae) Synonym(s): aurorina Herrich-Schäffer,[1850]
- 1128. Colias (Neocolias) chlorocoma Christoph,1888 (Pieridae) Synonym(s): chlorocoma Christoph,1888
- 1129. Colias (s.str.) alfacariensis Ribbe,1905 (Pieridae) Synonym(s): alfacariensis Ribbe,1905
- **1130.** Euchloe (Elphinstonia) penia (Freyer,[1852]) (Pieridae) Synonym(s): penia Freyer,[1852]; mesopotamica Baker,1889.
- 1131. Euchloe (s.str.) ausonia (Hübner,[1804]) (Pieridae) Synonym(s): ausonia Hübner,[1804]; marchandae Geyer,[1832].
- 1132. Gonepteryx (s.str.) farinosa (Zeller,1847) (Pieridae) Synonym(s): farinosa Zeller,1847
- 1133. Gonepteryx (s.str.) rhamni (Linnaeus,1758) (Pieridae) Synonym(s): rhamni Linnaeus,1758; gravesi Huggins,1956.
- 1134. Leptidea duponcheli (Staudinger,1871) (Pieridae) Synonym(s): duponcheli Staudinger,1871; #dupncheli Nazari,2003
- 1135. Leptidea sinapis (Linnaeus,1758) (Pieridae) Synonym(s): sinapis Linnaeus,1758; candidus Retzius,1783; erysimi Borkhausen,1788; lathyri Hübner,[1819]; loti Rennie,1832; umbratica Trimoulet,1858; sartha Rühl,1893; stabiarum Stauder,1914; nigrescens Verity,1919; patunae Stauder,1922; lathyricana Verity,1952.
- 1136. Pieris (Artogeia) bowdeni Eitschberger,[1984] (Pieridae) Synonym(s): bowdeni Eitschberger,[1984]
- 1137. Pieris (Artogeia) ergane (Geyer,[1828]) (Pieridae) Synonym(s): ergane Geyer,[1828]; narcaea Freyer,[1828].
- 1138. Pieris (Artogeia) krueperi Staudinger,1860 (Pieridae) Synonym(s): krueperi Staudinger,1860
- **1139.** Pieris (Artogeia) mannii (Mayer,1851) (Pieridae) Synonym(s): mannii Mayer,1851; manni Verity,1908; alpiqena Verity,1911; roberti Eitschberger & Steiniger,1973.
- 1140. Pieris (Artogeia) persis Verity,1922 (Pieridae) Synonym(s): persis Verity,1922; higginsi Bowden,1961.
- 1141. Pieris (Artogeia) pseudorapae Verity,1908 (Pieridae) Synonym(s): pseudorapae Verity,1908
- 1142. Pieris (Artogeia) rapae (Linnaeus,1758) (Pieridae) Synonym(s): rapae Linnaeus,1758; nelo Bergsträßer,1780; metra Stephens,1827; alpica Rossi,1929.
- 1143. Pieris (s.str.) brassicae (Linnaeus,1758) (Pieridae) Synonym(s): brassicae Linnaeus,1758; chariclea Stephens,1827; #venata Verity,1908; cyniphia Turati,1924.
- 1144. Pontia callidice (Hübner,[1800]) (Pieridae) Synonym(s): callidice Hübner,[1800]; callidice Esper,[1803].
- 1145. Pontia chloridice (Hübner,[1813]) (Pieridae) Synonym(s): russiae Esper,[1784] nec russiae Esper,[1783]; chloridice Hübner,[1813]; #aestuosa Staudinger,1901; albidice Staudinger,1901 nec Oberthür,1881.
- **1146. Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa Fabricius,1777*; *bellidice Ochsenheimer,1808*; *persica Bienert,1869*; *#nitida Verity,[1908]*.
- **1147. Zegris eupheme (Esper,[1804])** (Pieridae) Synonym(s): *eupheme Esper,[1804]*; *erothoe Eversmann,1832*; *tschudica Herrich-Schäffer,[1851]*.
- 1148. Apterona helicoidella (Vallot,1827) (Psychidae) Synonym(s): helicoidella Vallot,1827; resedella Vallot,1843; helix Siebold,[1851].
- **1149.** Canephora caucasica (A.Bang-Haas,1912) (Psychidae) Synonym(s): caucasica A.Bang-Haas,1921; subgrisea Kozhanchikov,1956.
- **1150.** Cnaemidophorus rhododactylus (Fabricius,1787) (Pterophoridae) Synonym(s): #rhododactyla [Denis & Schiffermüller],1775; rhododactylus Fabricius,1787; koreana Matsumura,1931; #rhododactyls Arenberger,1998
- 1151. Platyptilia chondrodactyla Caradja,1920 (Pterophoridae) Synonym(s): chondrodactyla Caradja,1920
- **1152. Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus Linnaeus,1758; tridactyla Scopoli,1763; sulphurea Staudinger,1880.*
- 1153. Stenoptilia mannii (Zeller,1852) (Pterophoridae) Synonym(s): mannii Zeller,1852; megalochra Meyrick,1930.
- 1154. Wheeleria sobeidae (Arenberger,1981) (Pterophoridae) Synonym(s): sobeidae Arenberger,1981
- 1155. Acrobasis atrisquamella Ragonot,1887 (Pyralidae) Synonym(s): atrisquamella Ragonot,1887; nigrisquamella Amsel,1953
- 1156. Acrobasis centunculella (Mann, 1859) (Pyralidae) Synonym(s): centunculella Mann, 1859
- **1157. Acrobasis glaucella Staudinger,1859** (Pyralidae) Synonym(s): *glaucella Staudinger,1859*; *fallouella Ragonot,1871*; *anatolica Caradja,1910*.
- 1158. Aeglotis argentalis (Christoph, 1887) (Pyralidae) Synonym(s): argentalis Christoph, 1887
- **1159. Agriphila geniculea (Haworth,[1811])** (Pyralidae) Synonym(s): *geniculea Haworth,[1811]*; *imistella Hübner,[1813]*; *angulatellus Duponchel,1836*; *suspectellus Zeller,1839*.
- **1160.** Ancylolomia palpella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): palpella [Denis & Schiffermüller],1775; sovinskyi Krulikovsky,1909
- 1161. Ancylosis (Cabotia) oblitella (Zeller,1848) (Pyralidae) Synonym(s): oblitella Zeller,1848; homographis Hampson,1930; ischnopsis Meyrick,1937; major Lucas,1948; ochraeella Lucas,1948; boitella Lucas,1950; calaritalella Amsel,1951; indistinctella Lucas,1955.

- 1162. Ancylosis (Heterographis) faustinella (Zeller,1867) (Pyralidae) Synonym(s): faustinella Zeller,1867; staudingeri Christoph,1877; rubripictella Hampson,1896; thalerella Mabille,1908; variabilis Rothschild,1915; airensis Rothschild,1921; bilineella Amsel,1935; damascenella Amsel,1952.
- **1163.** Ancylosis (Heterographis) hellenica (Staudinger,1870) (Pyralidae) Synonym(s): hellenica Staudinger,1870; deliciosella Caradja,1910.
- 1164. Ancylosis (Heterographis) roscidella (Eversmann,1844) (Pyralidae) Synonym(s): roscidella Eversmann,1844; cinerella Stainton,1859; ephedrella Herrich-Schäffer,1860; neglectella Heinemann,1864; blandella Ragonot,1887; zobrella Oberthür,1888; carnea W.Warren,1888; bartelella Caradja,1910; benderella Amsel,1961.
- 1165. Ancylosis (Heterographis) xylinella (Staudinger,1870) (Pyralidae) Synonym(s): xylinella Staudinger,1870; sablonella Rothschild,1915; molochinella Zerny,1929.
- 1166. Ancylosis (s.str.) cinnamomella (Duponchel,1836) (Pyralidae) Synonym(s): dilutella Tr.,1832 [n.o.]; cinnamomella Dup.,1836; labeomella Staudinger,1859; lafauryella Rag.,1887; byzacaeniella Rag.,1887; roseopennella Rag.,1901; tunesella Caradja,1910; fuliginosa Rothschild,1913; pictella Tur.,1922; ferrugineolineella Tur.,1924.
- **1167.** Ancylosis (s.str.) maculifera Staudinger,1870 (Pyralidae) Synonym(s): maculifera Staudinger,1870; ifraneella Lucas,1954.
- **1168.** Anthophilopsis baphialis (Staudinger,1870) (Pyralidae) Synonym(s): baphialis Staudinger,1870; #baphiale Caradja,1917.
- 1169. Aporodes floralis (Hübner,[1809]) (Pyralidae) Synonym(s): floralis Hübner,[1809]; stygialis Treitschke,1829; siculalis Duponchel,1833; conversalis Duponchel,1834; meleagrisalis Walker,1859; transversalis Moore,1878; grisealis Caradja,1916; #florealis Rebel,1939
- 1170. Aporodes nepticulalis Hofmann,[1898] (Pyralidae) Synonym(s): nepticulalis Hofmann,[1898]
- 1171. Arsissa divaricella (Ragonot,1887) (Pyralidae) Synonym(s): divaricella Ragonot,1887; #aurantiacella Caradja,1910; velocella Toll,1948; firusella Amsel,1961.
- **1172.** Arsissa ramosella (Herrich-Schäffer,[1855]) (Pyralidae) Synonym(s): ramosella Herrich-Schäffer,[1855]; albiramosella Caradja,1916; caradjaella Zerny,1939.
- 1173. Asalebria (Exophora) exasperata (Staudinger,1879) (Pyralidae) Synonym(s): exasperata Staudinger,1879
- 1174. Asalebria (Exophora) florella (Mann,1862) (Pyralidae) Synonym(s): florella Mann,1862
- 1175. Bazaria leuchochrella (Herrich-Schäffer,[1855]) (Pyralidae) Synonym(s): leucochrella Herrich-Schäffer,[1855].
- 1176. Bradyrrhoa cantenerella (Duponchel,1837) (Pyralidae) Synonym(s): cantenerella Duponchel,1837; ravella Heydenreich,1851; subflavella Ragonot,1887; sardicolella Schawerda,1936; variegatella Lucas,1948; brunneella Lucas,1955
- 1177. Bradyrrhoa gilveolella (Treitschke,1833) (Pyralidae) Synonym(s): gilveolella Treitschke,1833
- 1178. Bradyrrhoa trapezella (Duponchel,1836) (Pyralidae) Synonym(s): trapezella Duponchel,1836; cinerella Duponchel,1836; saxeella Zeller,1848; chalcedoniella Herrisch-Schäffer,1851; seniella Staudinger,1879; petryi Schawerda,1933.
- 1179. Cadra delattinella Roesler,1965 (Pyralidae) Synonym(s): delattinella Roesler,1965
- 1180. Cadra furcatella (Herrich-Schäffer,[1849]) (Pyralidae) Synonym(s): furcatella Herrich-Schäffer,[1849]
- **1181.** Catoptria falsella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): falsella [Denis & Schiffermüller],1775; abruptella Thunberg,1794; persephone Bleszynski,1956.
- **1182.** Chilo pulverosellus Ragonot,1895 (Pyralidae) Synonym(s): pulverosellus Ragonot,1895; brevipalpellus Zerny,1914; fernandezi Joannis,1932; lemarchandellus Lucas,1945.
- 1183. Chrysocrambus craterellus (Scopoli,1763) (Pyralidae) Synonym(s): craterellus Scopoli,1763; rorella Linnaeus,1767; klimeschi Toll,1938; alpinus Bleszynski,1958; abruzzellus Bleszynski,1958.
 1184. Chrysocrambus linetellus (Fabricius,1781) (Pyralidae) Synonym(s): linetellus Fabricius,1781;
- 1184. Chrysocrambus linetellus (Fabricius,1781) (Pyralidae) Synonym(s): linetellus Fabricius,1781; cassentiniellus Herrich-Schäffer,[1848]; distinctus Müller-Rutz,1920; chrysocrossis Meyrick,1936; #marioni Dufrane,1960.
- 1185. Chrysocrambus syriellus (Zerny,1934) (Pyralidae) Synonym(s): syriellus Zerny,1934
- **1186.** Conobathra repandana (Fabricius,1798) (Pyralidae) Synonym(s): repandana Fabricius,1798; tumidella Zincken,1818; zelleri Ragonot,1888.
- 1187. Crambus perlellus (Scopoli,1763) (Pyralidae) Synonym(s): perlellus Scopoli,1763; dealbellus Thunberg,1788; warringtonellus Stainton,1849.
- **1188.** Cynaeda gigantea (Wocke,1871) (Pyralidae) Synonym(s): gigantea Wocke,1871
- **1189. Dolicharthria bruguieralis (Duponchel,1833)** (Pyralidae) Synonym(s): *bruguieralis Duponchel,1833; coniotalis Hampson,1903; similalis Rothschild,1915*
- 1190. Dolicharthria punctalis ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): punctalis [Denis & Schiffermüller],1775
- 1191. Ecbatania holopyrrhella (Ragonot, 1888) (Pyralidae) Synonym(s): holopyrrhella Ragonot, 1888
- **1192.** Ecpyrrhorrhoe diffusalis (Guenée,1854) (Pyralidae) Synonym(s): carnealis Dup.,1831 nec Treit.1829; diffusalis Guenée,1854; affusalis Guenée,1854; tenuialis Mann,1862.
- 1193. Elegia fallax (Staudinger,1881) (Pyralidae) Synonym(s): fallax Staudinger,1881; atrifasciella Ragonot,1887; nigribasella Ragonot,1895; iozona Meyrick,1937; elegiella Amsel,1953.
- 1194. Endotricha flammealis ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): flammealis [Denis & Schiffermüller],1775; carnealis De Lattin,1951.
- **1195. Epascestria pustulalis (Hübner,[1823])** (Pyralidae) Synonym(s): *pustulalis Hübner,[1823]*; *orientalis Caradja,1917*.

- **196. Ephelis cruentalis (Geyer,[1832])** (Pyralidae) Synonym(s): cruentalis Geyer,[1832]; bourjotalis Duponchel,1833; badialis Treitschke,1835
- 1197. Ephestia (Anagasta) welseriella (Zeller,1848) (Pyralidae) Synonym(s): welseriella Zeller,1848; modestella Lederer,1863; tephrinella Lederer,1870; rhenanella Fuchs,1877; suffusella Ragonot,1901; immodestella Rebel,1916; superbella Lucas,1954; capricola Hampson,1927.
- 1198. Epidauria discella Ragonot,1901 (Pyralidae) Synonym(s): discella Ragonot,1901
- 1199. Epidauria strigosa (Staudinger,1879) (Pyralidae) Synonym(s): strigosa Staudinger,1879
- 1200. Epiepischnia pseudolydella Amsel,1953 (Pyralidae) Synonym(s): pseudolydella Amsel,1953
- **1201. Epischnia prodromella (Hübner,[1799])** (Pyralidae) Synonym(s): prodromella Hübner,[1799]; #prodomella Rebel,1939
- 1202. Etiella zinckenella (Treitschke,1832) (Pyralidae) Synonym(s): marginella Fabricius,1781 nec Den. & Schiff.,1775; zinckenella Treitschke,1832; etiella Treitschke,1835; majorellus Costa,1836; colonnellus Costa,1836; dymnusalis Walker,1859; heraldella Guenée,1862; anticalis Walker,1863; indicatalis Walker,1863; hastiferella Walker,1866; decipiens Staudinger,1870; spartiella Rondani,1876; sabulinus Butler,1879; madagascariensis Saalmüller,1880; schisticolor Zeller,1881; villosella Hulst,1887; rubribasella Hulst,1890; #tiella Pinhey,1975.
- 1203. Euchromius bellus (Hübner,1796) (Pyralidae) Synonym(s): bella Hübner,1796; bellalis Hübner,[1825].
- 1204. Euchromius cochlearellus (Amsel,1949) (Pyralidae) Synonym(s): cochlearella Amsel,1949
- 1205. Euchromius keredjellus (Amsel,1949) (Pyralidae) Synonym(s): keredjella Amsel,1949
- 1206. Euchromius ocelleus (Haworth,[1811]) (Pyralidae) Synonym(s): ocellea Haworth,[1811]; cyrilli Costa,1832; fumiculella Treitschke,1832; texana Robinson,1870; gigantea Turati,1924; quadrii Ahmad,Zaidi & Kamaluddin,1982
- **1207.** Euchromius superbellus (Zeller,1849) (Pyralidae) Synonym(s): superbellus Zeller,1849; wockeella Zeller,1863; cypriusella Amsel,1958.
- **1208. Euchromius vinculellus (Zeller,1847)** (Pyralidae) Synonym(s): vinculellus Zeller,1847; corsicalis Hampson,1919; joiceyella Schmidt,1934; bahrlutella Amsel,1949.
- **1209.** Eurrhypis cacuminalis (Eversmann, 1843) (Pyralidae) Synonym(s): cacuminalis Eversmann, 1843
- 1210. Euzophera (s.str.) bigella (Zeller,1848) (Pyralidae) Synonym(s): bigella Zeller,1848; stenoptycha Herrich-Schäffer,1855; bisinuella Ragonot,1887; punicaeella Moore,1891; immundella Ragonot,1901; angulella Chrétien,1922; renulella Constantini,1922
- 1211. Euzophera (s.str.) flagella (Lederer,1869) (Pyralidae) Synonym(s): flagella Lederer,1869
- **1212.** Euzophera (s.str.) imperfectella Ragonot,1895 (Pyralidae) Synonym(s): imperfectella Ragonot,1895; xylomorpha Meyrick,1937.
- **1213.** Euzophera (s.str.) umbrosella (Staudinger,1879) (Pyralidae) Synonym(s): umbrosella Staudinger,1879; albogilvella Ragonot,1887; depauperatella Ragonot,1901.
- **1214.** Euzopherodes lutisignella (Mann,1869) (Pyralidae) Synonym(s): lutisignella Mann,1869; leonhardi Rebel,1910; scipionella Turati,1924; battella Turati,1924.
- 1215. Evergestis frumentalis (Linnaeus,1761) (Pyralidae) Synonym(s): frumentalis Linnaeus,1761
- 1216. Evergestis infirmalis (Staudinger, 1870) (Pyralidae) Synonym(s): infirmalis Staudinger, 1870; helenalis Staudinger, 1870
- **1217.** Evergestis nomadalis (Lederer,1871) (Pyralidae) Synonym(s): nomadalis Lederer,1871
- 1218. Evergestis subfuscalis (Staudinger,1870) (Pyralidae) Synonym(s): subfuscalis Staudinger,1870
- **1219.** Evergestis umbrosalis (Fischer v. Röslerstamm,[1842]) (Pyralidae) Synonym(s): umbrosalis Fischer v. Röslerstamm,[1842]
- **1220. Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): mellonella Linnaeus,1758; cereana Blom,1764; cerella Fabricius,1775; cerea Haworth,1811; cerealis Hübner,[1825]; obliquella Walker,1866; austrina R.Felder & Rogenhofer,1875; #crombruggheela Dufrane,1930.
- **1221.** Glaucocharis euchromiella (Ragonot, 1895) (Pyralidae) Synonym(s): euchromiella Ragonot, 1895; sinualis Hampson, 1900; rebeli Osthelder, 1941.
- **1222.** Homoeosoma (s.str.) sinuellum (Fabricius,1794) (Pyralidae) Synonym(s): sinuella Fabricius,1794; sinuatus Fabricius,1794; elongella Hübner,[1813]; gemina Haworth,1811; flavella Duponchel,1836; gioferella Turati,1934.
- 1223. Hyperlais dulcinalis (Treitschke,1835) (Pyralidae) Synonym(s): dulcinalis Treitschke,1835
- 1224. Hypochalcia ahenella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): ahenella [Denis & Schiffermüller],1775; aeneella Hübner,1796; obscuratus Haworth,1809; tetrix Haworth,1811; ahenalis Hübner,[1825]; rubiginella Treitschke,1833; bistrigella Duponchel,1836; luridella Schläger,1845; caucasica Ragonot,1893; lugubrella Hering,1924
- **1225. Hypsopygia costalis (Fabricius,1775)** (Pyralidae) Synonym(s): costalis Fabricius,1775; #lugens Rebel,1903; syriaca Zerny,1914; lugens Caradja,1917.
- **1226.** Hypsotropa limbella Zeller, **1848** (Pyralidae) Synonym(s): limbella Zeller, **1848**
- 1227. Isauria dilucidella (Duponchel,1836) (Pyralidae) Synonym(s): dilucidella Duponchel,1836; ilignella Zeller,1839; laternella Eversmann,1844; crepusculella Lederer,1870; incredibilis Staudinger,1879; subsoritella Ragonot,1887; satanella Ragonot,1887; odontella Ragonot,1893; ledereri Ragonot,1893; cuencella Caradja,1916; gabalitella Chrétien,1931; grisescens Lucas,1950; parvella Amsel,1951; shahidanella Amsel,1970
- 1228. Keradere lepidella (Ragonot,1887) (Pyralidae) Synonym(s): lepidella Ragonot,1887
- **1229.** Lambaesia straminella (Zerny,1914) (Pyralidae) Synonym(s): straminella Zerny,1914; alphitopis Meyrick,1937.
- 1230. Loxostege halil Kemal & Koçak,2007 (Pyralidae) Synonym(s): halil Kemal & Koçak,2007
- **1231. Mecyna lutealis (Duponchel,1833)** (Pyralidae) Synonym(s): flavalis Devillers,1789 nec [Denis & Schiff.],1775; lutealis Duponchel,1833; citralis Herrich-Schäffer,1849; gomagoialis Amsel,1932

- **1232.** Mecyna lutulentalis (Lederer, 1858) (Pyralidae) Synonym(s): lutulentalis Lederer, 1858
- **1233. Mecyna subsequalis (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *subsequalis Herrich-Schäffer,1851; consequens Meyrick,1932.*
- **1234. Mecyna trinalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *trinalis [Denis & Schiffermüller],1775*
- **1235.** Mesocrambus candidellus (Herrich-Schäffer,[1848]) (Pyralidae) Synonym(s): candidellus Herrich-Schäffer,[1848]; #candiellus Bleszynski,1965.
- **1236. Metacrambus carectellus (Zeller,1847)** (Pyralidae) Synonym(s): carectellus Zeller,1847; lugdunellus Millière,1868; truncatellus Caradja,1916.
- 1237. Metallosticha argyrogrammos (Zeller,1847) (Pyralidae) Synonym(s): argyrogrammos Zeller,1847
- 1238. Metasia (s.str.) carnealis (Treitschke,1829) (Pyralidae) Synonym(s): carnealis Treitschke,1829
- 1239. Metasia (s.str.) suppandalis (Hübner,[1823]) (Pyralidae) Synonym(s): suppandalis Hübner,[1823]
- **1240. Microstega praepetalis (Lederer,1869)** (Pyralidae) Synonym(s): praepetalis Lederer,1869; haemopsamma Meyrick,1937
- **1241. Mimudea confinalis (Lederer,1858)** (Pyralidae) Synonym(s): confinalis Lederer,1858; graecalis Staudinger,1870
- **1242. Mimudea institalis (Hübner,[1819])** (Pyralidae) Synonym(s): ? focorum Fourcroy,1785; institalis Hübner,[1819]; rutana Vallot,1829; ferreralis Duponchel,1833
- **1243. Mimudea lutealis (Hübner,[1809])** (Pyralidae) Synonym(s): lutealis Hübner,[1809]; pascualis Lienig & Zeller,1846; aetialis Stephens,1850; aetialis Guenée,1854
- **1244. Myelois (Gnathogutta) circumdatella Lederer,1858** (Pyralidae) Synonym(s): *circumdatella Lederer,1858*; ottoella Schawerda,1924
- 1245. Myelois (Gnathogutta) pumicosa Lederer,1855 (Pyralidae) Synonym(s): pumicosa Lederer,1855
- 1246. Myelois (s.str.) circumvoluta (Fourcroy,1785) (Pyralidae) Synonym(s): circumvoluta Fourcroy,1785; circumvolutella Villers,1789; cribrella Hübner,1796; carhdui Haworth,1811; medullalis Hübner,[1825]; pallium Vallot,1829; gilvescentella Fuchs,1903; britannicella Amsel,1951; impunctata Hartig,1952; nigrapeza Hartig,1952
- 1247. Myrlaea albistrigata (Staudinger,1881) (Pyralidae) Synonym(s): albistrigata Staudinger,1881
- 1248. Neocrambus wolfschlaegeri (Schawerda,1937) (Pyralidae) Synonym(s): wolfschlaegeri Schawerda,1937
- **1249.** Nephopterix minimella Amsel,1953 (Pyralidae) Synonym(s): minimella Amsel,1953
- 1250. Noctuelia superba (Freyer,[1844]) (Pyralidae) Synonym(s): superba Freyer,[1844]
- **1251.** Noctuelia vespertalis Herrich-Schäffer,[1855] (Pyralidae) Synonym(s): vespertalis Herrich-Schäffer,[1855]; #gilvalis Zerny,1914.
- **1252.** Nomophila noctuella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): noctuella [Denis & Schiffermüller],1775; hybridalis Hübner,1796; indistinctalis Walker,1859
- **1253.** Oncocera semirubella (Scopoli,1763) (Pyralidae) Synonym(s): semirubella Scopoli,1763; rosella Goeze,1783 nec Sc.,1763; purpurella Thunberg,1788; sanguinella Hübner,1796; sanguinea Haworth,1811; nigrella Caradja,1916
- 1254. Ostrinia nubilalis (Hübner,1796) (Pyralidae) Synonym(s): nubilalis Hübner,1796; silacealis Hübner,1796.
- 1255. Panstegia limbopunctalis (Herrich-Schäffer,[1849]) (Pyralidae) Synonym(s): limbopunctalis Herrich-Schäffer,[1849]
- 1256. Paracorsia repandalis ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): repandalis [Denis & Schiffermüller],1775
- **1257. Parapoynx stratiotatum (Linnaeus,1758)** (Pyralidae) Synonym(s): *stratiotata Linnaeus,1758*; *paludata Fabricius,1794*; *amanica Osthelder,1935*
- **1258.** Paratalanta hyalinalis (Hübner,1796) (Pyralidae) Synonym(s): hyalinalis Hübner,1796
- **1259. Pediasia matricella (Treitschke,1832)** (Pyralidae) Synonym(s): matricella Treitschke,1832; obscura Caradja,1931
- **1260. Pempelia alpigenella (Duponchel,1836)** (Pyralidae) Synonym(s): alpigenella Duponchel,1836; wagnerella Freyer,1845
- **1261.** Pempelia johannella (Caradja,1917) (Pyralidae) Synonym(s): johannella Caradja,1917
- **1262.** Pempelia romanoffella (Ragonot, 1887) (Pyralidae) Synonym(s): romanoffella Ragonot, 1887
- **1263.** Phlyctaenomorpha sinuosalis (Le Cerf,1910) (Pyralidae) Synonym(s): sinuosalis le Cerf,1909; platyphaea Meyrick,1937.
- 1264. Phycita kurdistanella Amsel,1953 (Pyralidae) Synonym(s): kurdistanella Amsel,1953
- **1265.** Phycita strigata (Staudinger,1879) (Pyralidae) Synonym(s): strigata Staudinger,1879
- **1266.** Phycitodes albatella (Ragonot,1887) (Pyralidae) Synonym(s): albatella Ragonot,1887
- **1267.** Phycitodes binaevella (Hübner,[1813]) (Pyralidae) Synonym(s): binaevella Hübner,[1813].
- **1268.** Phycitodes carlinella (Heinemann, 1865) (Pyralidae) Synonym(s): carlinella Heinemann, 1865; cretacella Rössler, 1866; maritima Tengström, 1870; senecionis Vaughan, 1870; caniusella Ragonot, 1901
- **1269.** Phycitodes lacteella (Rothschild,1915) (Pyralidae) Synonym(s): lacteella Rothschild,1915; viettella Roesler,1965.
- 1270. Phycitodes nigrilimbella (Ragonot,1887) (Pyralidae) Synonym(s): nigrilimbella Ragonot,1887
- 1271. Phycitodes saxicola (Vaugham, 1870) (Pyralidae) Synonym(s): saxicola Vaugham, 1870
- 1272. Pima boisduvaliella (Guenée,1845) (Pyralidae) Synonym(s): boisduvaliella Guenée,1845
- 1273. Plodia interpunctella (Hübner,[1813]) (Pyralidae) Synonym(s): interpunctella Hübner,[1813]; interpunctalis Hübner,[1825]; zeae Fitch,1856; castaneella Reutti,1898; latercula Hampson,1901; glycinivora Matsumura,1917; glycinivorella Matsumura,1932.
- **1274. Prorophora (Epischidia) albunculella (Staudinger,1879)** (Pyralidae) Synonym(s): *albunculella Staudinger,1879; rhectogramma Meyrick,1937.*

- **1275.** Psammotis pulveralis (Hübner,1796) (Pyralidae) Synonym(s): pulveralis Hübner,1796
- 1276. Psorosa maraschella Caradja,1910 (Pyralidae) Synonym(s): maraschella Caradja,1910
- 1277. Psorosodes dalakiella Amsel,1953 (Pyralidae) Synonym(s): dalakiella Amsel,1953
- 1278. Pterothrixidia contectella (Zeller,1848) (Pyralidae) Synonym(s): contectella Zeller,1848
- 1279. Pterothrixidia impurella (Duponchel,1836) (Pyralidae) Synonym(s): impurella Duponchel,1836
- **1280.** Pyralis farinalis (Linnaeus,1758) (Pyralidae) Synonym(s): farinalis Linnaeus,1758; erecta Fourcroy,1785; farinatus Haworth,1810; domesticalis Zeller,1847; fraterna Butler,1879; meridionalis Schmidt,1934; orientalis Amsel,1961 nec Fabr.,1794.
- **1281. Pyralis regalis [Denis & Schiffermüller],1775** (Pyralidae) Synonym(s): regalis [Denis & Schiffermüller],1775
- **1282.** Pyrasia gutturalis (Staudinger,1879) (Pyralidae) Synonym(s): gutturalis Staudinger,1879
- **1283.** Pyrausta (Haematia) despicata (Scopoli,1763) (Pyralidae) Synonym(s): despicata Scopoli,1763; cespitalis [Denis & Schiffermüller],1775.
- **1284.** Pyrausta (Haematia) sanguinalis (Linnaeus,1767) (Pyralidae) Synonym(s): sanguinalis Linnaeus,1767; crentalis Scriba,1770; haematalis Hübner,[1819]
- 1285. Pyrausta (Haematia) virginalis Duponchel,1832 (Pyralidae) Synonym(s): virginalis Duponchel,1832; auroralis Zeller,1847; neglectalis Caradia,1916
- **1286.** Pyrausta (s.str.) aurata (Scopoli,1763) (Pyralidae) Synonym(s): aurata Scopoli,1763; punicealis [Denis & Schiffermüller],1775; niepoldalis Lederer,1863
- 1287. Pyrausta (s.str.) falcatalis (Guenée,1854) (Pyralidae) Synonym(s): falcatalis Guenée,1854; coecilialis Walker,1859; flegialis Walker,1859; noraxalis Walker,1859; ocellusalis Walker,1859; palopealis Walker,1859; probalis Walker,1859; catenalis Walker,[1866]; concatenalis Walker,[1866]; juncturalis Walker,[1866]; tauricalis Caradja,1917
- **1288.** Pyrausta (s.str.) inciae Koçak,1982 (Pyralidae) Synonym(s): meridionalis Staudinger,1880 nec Wcke,1871; inciae Koçak,1982.
- **1289. Pyrausta (s.str.) obfuscata (Scopoli,1763)** (Pyralidae) Synonym(s): *obfuscata Scopoli,1763*; *fuscorubella Goeze,1783*; *bimaculosa Fourcroy,1785*; *rubralis Villers,1789*; *pygmealis Duponchel,1833*; *fucatalis Treitschke,1835*; *atrosanguinalis Eversmann,1842*
- 1290. Sciota (s.str.) imperialella (Ragonot,1887) (Pyralidae) Synonym(s): imperialella Ragonot,1887
- 1291. Sciota (s.str.) insignella (Mann,1862) (Pyralidae) Synonym(s): insignella Mann,1862
- 1292. Sciota (s.str.) rhenella (Zincken,1818) (Pyralidae) Synonym(s): rhenella Zincken,1818
- 1293. Scoparia ingratella (Zeller,1846) (Pyralidae) Synonym(s): ? majalis Scopoli,1763; ingratella Zeller,1846; ingratalis Herrich-Schäffer,1853; sibirica Lederer,1853; octavianella Mann,1859; catalonica Leraut,1982
- **1294.** Sitochroa palealis ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): ? flaveolata Hufnagel,1767; palealis [Denis & Schiffermüller],1775; stigmatalis Villers,1789; selenalis Hübner,[1819]
- **1295.** Sitochroa verticalis (Linnaeus,1758) (Pyralidae) Synonym(s): verticalis Linnaeus,1758; inversa Fourcroy,1785; cinctalis Treitschke,1829
- 1296. Sultania lophotalis (Hampson, 1900) (Pyralidae) Synonym(s): lophotalis Hampson, 1900
- **1297. Synaphe bombycalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): bombycalis [Denis & Schiffermüller],1775; almanica Rebel,1917.
- 1298. Synaphe consecratalis (Lederer, 1855) (Pyralidae) Synonym(s): consecratalis Lederer, 1855
- **1299. Synaphe moldavica (Esper,[1789])** (Pyralidae) Synonym(s): *moldavica Esper,[1789]*; *schmidti Hartig,1941*.
- **1300.** Synaphe punctalis (Fabricius,1775) (Pyralidae) Synonym(s): punctalis Fabricius,1775; angustalis [Denis & Schiffermüller],1775.
- **1301. Tegostoma perlepidalis (Guenée,1854)** (Pyralidae) Synonym(s): #lepidalis Herrich-Schäffer,[1851]; perlepidalis Guenée,1854; lepidalis Herrich-Schäffer,[1855]; #lepidale Caradja,1917.
- **1302. Titanio normalis (Hübner,1796)** (Pyralidae) Synonym(s): normalis Hübner,1796; ancyrensis Hofmann,[1898].
- 1303. Titanio venustalis (Lederer, 1855) (Pyralidae) Synonym(s): venustalis Lederer, 1855
- **1304.** Tretopteryx pertusalis (Geyer,[1832]) (Pyralidae) Synonym(s): pertusalis Geyer,[1832]; weissenbornii Freyer
- **1305.** Trigonuncus euergestalis Amsel,1953 (Pyralidae) Synonym(s): euergestalis Amsel,1953; #evergestalis Wiltshire,1957.
- **1306. Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonym(s): ferruginalis Rossi,1794; ferrugalis Hübner,1796; #ferugalis Hübner,1796; martialis Guenée,1854; hypatialis Walker,1859; testacea Butler,1879
- 1307. Uresiphita polygonalis ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): polygonalis [Denis & Schiffermüller],1775; #limbalis [Denis & Schiffermüller],1775; gilvata Fabricius,1794; orientalis Fabricius,1794; diversalis Hübner,1796; rusticalis Hübner,1796; aversalis Guenée,1854; consanguinalis Guenée,1854; teriadalis Guenée,1854; deprivalis Walker,1859; virescens Butler,1881; ochrocrossa Clarke,1971
- 1308. Xanthocrambus argentarius (Staudinger, 1867) (Pyralidae) Synonym(s): argentarius Staudinger, 1867
- **1309.** Xanthocrambus saxonellus (Zincken,1821) (Pyralidae) Synonym(s): saxonellus Zincken,1821; chrysellus Treitschke,1832; carentellus Christoph,1888
- 1310. Zophodiodes leucocostella Ragonot,1887 (Pyralidae) Synonym(s): leucocostella Ragonot,1887
- **1311.** Saturnia (Heraea) cephalariae (Romanoff,1885) (Saturniidae) Synonym(s): cephalariae Romanoff,1885
- **1312. Saturnia (s.str.) pyri ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *pyri [Denis & Schiffermüller],1775; teherana Lenek,1970; pinkerae Kobes,1980.*

- 1313. Arethusana arethusa ([Denis & Schiffermüller],1775) (Satyridae) Synonym(s): arethusa [Denis & Schiffermüller],1775; erythia Hübner,1805; pontica Heyne,[1895]; sultana Wagner,1929; hakkarica Koçak,1975 (sensu Hesselbarth et al..1995: 917).
- **1314. Brintesia circe (Fabricius,1775)** (Satyridae) Synonym(s): circe Fabricius,1775; proserpina Denis & Schiffermüller,1775; maga Fruhstorfer,1909; venefica Fruhstorfer,1909; gabalae Gaillard,1959; maladettae Varin,1962.
- **1315.** Chazara (Neochazara) anthe (Hoffmannsegg,1804) (Satyridae) Synonym(s): anthe Hoffmannsegg,1804; persephone Hübner,1805; anthe Ochsenheimer,1807.
- **1316.** Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): bischoffi Herrich-Schäffer,[1846]
- 1317. Chazara (s.str.) briseis (Linnaeus,1764) (Satyridae) Synonym(s): briseis Linnaeus,1764; daedale Bergsträßer,1780; bataia Fruhstorfer,1909; interjecta Verity,1916; variabilis Varin,1958; pictonica Varin,1958.
- **1318.** Chazara (s.str.) egina (Staudinger,[1892]) (Satyridae) Synonym(s): egina Staudinger,[1892]; aisha Rose,1986.
- **1319.** Coenonympha (s.str.) glycerion (Borkhausen,1788) (Satyridae) Synonym(s): iphis [Denis & Schiffermüller],1775 nec Dru.,1773; amyntas auctorum; glycerion Borkhausen,1788; hero Fabricius,1793 nec Linnaeus,1761; manto Schrank,1801; mandane Kirby,1862; tiphonides Staudinger,1901.
- **1320.** Coenonympha (s.str.) leander (Fabricius,1787) (Satyridae) Synonym(s): #leander Esper,[1784]; leander Fabricius,1787
- 1321. Coenonympha (s.str.) pamphilus (Linnaeus,1758) (Satyridae) Synonym(s): pamphilus Linnaeus,1758; menalcas Poda,1761; nephele Hufnagel,1766; marginata Heyne,1894; orantia Fruhstorfer,1908; scota Verity,1911; infrarasa Verity,1926; juldusica Verity,1926; asiaemontium Verity,1926; euxina Verity,1926; posteuxina Verity,1926; londonii Verity,1926; neolyllus De Lattin,1950
- **1322.** Coenonympha (s.str.) saadi (Kollar,[1849]) (Satyridae) Synonym(s): saadi Kollar,[1849]; iphias Eversmann,1851.
- **1323.** Esperarge (s.str.) clymene (Fabricius,1787) (Satyridae) Synonym(s): #climene Esper,[1783]; clymene Fabricius,1787; boroeas Latreille,1803; synclimene Hübner,[1819].
- **1324. Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) Synonym(s): *fatua Freyer,1844; sichaea Lederer,1857; insularis Turati,1929; elineata Verity,1937; infracastanea Verity,1938; kosswigi De Lattin,1950.*
- **1325. Hipparchia** (Neohipparchia) parisatis (Kollar,[1849]) (Satyridae) Synonym(s): parisatis Kollar,[1849]; macrophthalmus Eversmann,1851; malatinus Heyne,1894; ismail Gross & Ebert,1975; huochenensis Huang & Zhou,2000.
- **1326.** Hipparchia (Neohipparchia) statilinus (Hufnagel,1766) (Satyridae) Synonym(s): statilinus Hufnagel,1766; fauna Sulzer,1776 nec Drury,1773; allionia Fabricius,1781; actaea sensu Villers,1789; arachne Esper,1789 nec Denis & Schiff.,1775; allionii Hübner,1826, etc.
- **1327. Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) Synonym(s): *pellucida Stauder,1924; cotys Jachontov,1935; hesselbarthi Kudrna,1976.*
- **1328. Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca Staudinger,1871; attikana Fruhstorfer,1907; meschetica Jachontov,1915; tokatensis Gross,1959.*
- **1329. Hyponephele (s.str. (Ereminephele)) naricoides Gross,19**77 (Satyridae) Synonym(s): naricoides Gross,1977
- **1330. Hyponephele (s.str. (Iranonephele)) kocaki Eckweiler,1978** (Satyridae) Synonym(s): *kocaki Eckweiler,1978*
- **1331. Hyponephele (s.str. (Tengrinephele)) cadusia (Lederer,1869)** (Satyridae) Synonym(s): cadusia Lederer,1869
- **1332. Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): wagneri Herrich-Schäffer,[1846]; schmidti Bang-Haas,1927.
- 1333. Hyponephele (s.str.) lupina (Costa,[1836]) (Satyridae) Synonym(s): lupina Costa,[1836]
- **1334. Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) Synonym(s): *lycaon Rottemburg,1775;* #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800; rufomaculata Korb,2005
- 1335. Hyponephele (s.str.) lycaonoides Weiss, 1978 (Satyridae) Synonym(s): lycaonoides Weiss, 1978
- **1336. Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) Synonym(s): *zuvandica Samodurov & Koroljev,1996*; #zuvandi Korb,2000
- **1337.** Kirinia (Melike) roxelana (Cramer,[1777]) (Satyridae) Synonym(s): roxelana Cramer,[1777]; #anatolica Koçak,1989
- **1338.** Lasiommata maera (Linnaeus,1758) (Satyridae) Synonym(s): maera Linnaeus,1758; pandion Poda,1761; hiera Fab.,1777; maja Fuchs,1873; monotonia Schilde,1885; crimea Bang-Haas,1907; atabryris Fruhstorfer,1909.
- **1339.** Lasiommata megera (Linnaeus,1767) (Satyridae) Synonym(s): megera Linnaeus,1767; caledonia Verity,1911; alticola Verity,1911; pseudoadrasta Stauder,1922; infrapallens Verity,1922; ocellatior Verity,1923; pallidedepulverata Verity,1923.
- 1340. Lasiommata menava Moore, 1865 (Satyridae) Synonym(s): menava Moore, 1865.
- **1341. Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) Synonym(s): telmessia Zeller,1847; pallescens Butler,1868; kurdistana Heyne,1894; oreas Le Cerf,1912; maniolides Le Cerf,1912; ornata Turati & Fiori,1930; marenigrans Verity,1938; pelekasii Kattulas & Koutsaftikis,1978.
- **1342.** Maniola (s.str.) jurtina (Linnaeus,1758) (Satyridae) Synonym(s): jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801.
- **1343. Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) Synonym(s): russiae Esper,[1784]; suwarovius Herbst,1796; clotho Hübner,[1800]; varalauko Korb,2005
- 1344. Melanargia (Turcargia) hylata (Ménétriés,1832) (Satyridae) Synonym(s): hylata Ménétriés,1832

- 1345. Melanargia (Turcargia) syriaca (Oberthür,1894) (Satyridae) Synonym(s): syriaca Oberthür,1894
- **1346. Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) Synonym(s): anthelea Hübner,[1824]; atavirensis Coutsis,1973.
- 1347. Pseudochazara (s.str.) beroe (Freyer,[1843]) (Satyridae) Synonym(s): beroe Freyer,[1843]
- **1348.** Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): geyeri Herrich-Schäffer,[1846]; aristonicus Fruhstorfer,[1911]; selim Gross,1978, karsicola Gross,1978
- **1349.** Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): mamurra Herrich-Schäffer,[1846]; sintenisi Staudinger,1895
- 1350. Pseudochazara (s.str.) pelopea (Klug,1832) (Satyridae) Synonym(s): pelopea Klug,1832
- **1351.** Satyrus (Asatyrus (s.str.)) iranicus Schwingenschuss,1939 (Satyridae) Synonym(s): iranicus Schwingenschuss,1939; kyros Gross & Ebert,1975.
- 1352. Satyrus (s.str.(s.str.)) favonius Staudinger,[1892] (Satyridae) Synonym(s): favonius Staudinger,[1892]
- **1353.** Satyrus (s.str.(s.str.)) parthicus Lederer,1869 (Satyridae) Synonym(s): parthicus Lederer,1869; pimpla sensu Wiltshire,1957
- **1354.** Scythris (pascuella-gr.) tabescentella (Staudinger,1880) (Scythridae) Synonym(s): tabescentella Staudinger,1880; ? caniolella Fuchs,1903
- **1355.** Scythris (scopolella-gr.) apicalis (Zeller,1847) (Scythridae) Synonym(s): apicalis Zeller,1847; unipunctella Rebel,1901.
- **1356.** Bembecia (Pseudosphecia) stiziformis (Herrich-Schäffer,1851) (Sesiidae) Synonym(s): stiziformis Herrich-Schäffer,1851; kara De Freina,1983; tubercula De Freina,1983; barbarossa De Freina,1983.
- **1357. Bembecia hofmanni Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *hofmanni Kallies & K.Spatenka,2003*
- 1358. Bembecia sanguinolenta (Lederer, 1853) (Sesiidae) Synonym(s): sanguinolenta Lederer, 1853
- 1359. Chamaesphecia aurifera (Romanoff,1885) (Sesiidae) Synonym(s): aurifera Romanoff,1885
- 1360. Chamaesphecia doryceraeformis (Lederer,1853) (Sesiidae) Synonym(s): doryceraeformis Lederer,1853
- **1361.** Chamaesphecia elampiformis (Herrich-Schäffer,1851) (Sesiidae) Synonym(s): elampiformis Herrich-Schäffer,1851
- **1362.** Chamaesphecia sefid Le Cerf,1938 (Sesiidae) Synonym(s): sefid Le Cerf,1938; modica Le Cerf,1938; vanensis Gorbunov,2001
- **1363.** Paranthrene diaphana Dalla-Torre & Strand,1925 (Sesiidae) Synonym(s): diaphana Dalla-Torre & Strand,1925
- **1364. Synanthedon vespiformis (Linnaeus,1761)** (Sesiidae) Synonym(s): *vespiformis Linnaeus,1761; asiliformis Rottemburg,1775; oestriformis Rottemburg,1775; cynipiformis Esper,1783; chrysorrhoea Donovan,1795*
- 1365. Negotinthia hoplisiformis (Mann, 1864) (Sesiidae) Synonym(s): hoplisiformis Mann, 1864
- **1366.** Microsphecia tineiformis (Esper,[1789]) (Sesiidae) Synonym(s): tineiformis Esper,[1789]; aselliformis Rossi,1794.
- 1367. Agrius convolvuli (Linnaeus,1758) (Sphingidae) Synonym(s): convolvuli Linnaeus,1758; abadonna Fabricius,1798; pseudofasciatus Koch,1865; pseudoconvolvuli Schaufuss,1870; orientalis Butler,1876; distans Butler,1876; batatae Christ,1882; nigricans Cannaviello,1900; ichangensis Tutt,1904; javanensis Tutt,1904; tahitiensis Tutt,1904; indica Skell,1913; marshallensis Clark,1922; aksuensis O.Bang-Haas,1927
- 1368. Akbesia davidi (Oberthür,1884) (Sphingidae) Synonym(s): davidi Oberthür,1884
- **1369.** Clarina kotschyi (Kollar,[1849]) (Sphingidae) Synonym(s): kotschyi Kollar,[1849]; mardina Staudinger,1901.
- 1370. Deilephila suellus Staudinger,1878 (Sphingidae) Synonym(s): suellus Staudinger,1878; kuruschi O.Bang-Haas,1938.
- **1371. Dolbina elegans (A.Bang-Haas,1912)** (Sphingidae) Synonym(s): *elegans A.Bang-Haas,1912*; *steffensi Popescu-Gorj,1971*.
- 1372. Hemaris (Cochrania) croatica (Esper,[1779]) (Sphingidae) Synonym(s): croatica Esper,[1779]; sesia Hübner,[1806]; #obscurata Closs,1911; #ranqnowi Closs,1911.
- 1373. Hemaris (Eitschbergera) tityus (Linnaeus,1758) (Sphingidae) Synonym(s): tityus Linnaeus,1758; bombyliformis Linnaeus,1758; knautiae Zeller,1869; scabiosae Zeller,1869; alaiana Rothschild & Jordan,1903; karaugomica Wojtusiak & Niesiolowski,1946; #tityrus De Freina,1983; saldaitisi Eitschberger, Danner & Surholt,1998
- 1374. Hemaris (s.str.) syra (Daniel,1939) (Sphingidae) Synonym(s): syra Daniel,1939; #syriaca Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005
- 1375. Hyles conspicua (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): conspicua Rothschild & Jordan,1903.
- **1376. Hyles hippophaes (Esper,[1789])** (Sphingidae) Synonym(s): hippophaes Esper,[1789]; teriolensis Dannehl,1929; kiortsii Koutsaftikis,1974; #hippophaeas De Freina,1981
- **1377. Hyles nicaea (Prunner,1798)** (Sphingidae) Synonym(s): *nicaea Prunner,1798; cyparissiae Hübner,[1813];* #nicea De Freina,1981
- 1378. Laothoe populeti (Bienert,[1870]) (Sphingidae) Synonym(s): populeti Bienert,[1870]; populetorum Staudinger,1887; syriaca Gehlen,1932; intermedia Gehlen,1934.
- **1379.** Macroglossum stellatarum (Linnaeus,1758) (Sphingidae) Synonym(s): stellatarum Linnaeus,1758; niqra Cosmovici,1892.
- **1380.** Marumba quercus ([Denis & Schiffermüller],1775) (Sphingidae) Synonym(s): quercus [Denis & Schiffermüller],1775; denisii Fuessly,1779; #brunnescens Rebel,1910; #canescens, pallescens Closs,1922; mesopotamica O.Bang-Haas,1938; schirasi O.Bang-Haas,1938; #pallida Vilarrubia,1973.

- Centre for Entomological Studies Ankara
- 1381. Proserpinus proserpinus (Pallas,1772) (Sphingidae) Synonym(s): proserpinus Pallas,1772; oenotherae [Denis & Schiffermüller],1775; schiffermilleri Fuessly,1779; francofurtana Fabricius,1781; aenotheroides Butler,[1876], maxima Grum-Grshimailo,1887; japetus Grum-Grshimailo,1890; gigas Oberthür,1922.
- **1382. Rethera komarovi (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi Christoph,1885; #kamarowi Wagner,1931; rjabovi O.Bang-Haas,1934; #albocingulata O.Bang-Haas,1934; #roseocingulata O.Bang-Haas,1937*
- **1383.** Smerinthus kindermanni Lederer,1852 (Sphingidae) Synonym(s): kindermanni Lederer,1852; #obscura Closs,1917
- **1384. Tethea ocularis (Linnaeus,1767)** (Thyatiridae) Synonym(s): ocularis Linnaeus,1767; octogena Esper,1788; kosswigi Werny,[1967]; caucasica Werny,[1967] nec Krul.,1901
- **1385. Hapsifera luridella Zeller,184**7 (Tineidae) Synonym(s): *luridella Zeller,1847*; *baliopsamma Meyrick,1921*; pustulatella Lucas,1942 nec Zell.,1852; eburnea Butler,1881; palaestinensis Rebel,1901; kerbelella Amsel,1949
- **1386. Aethes eryngiella (Vallot,1829)** (Tortricidae) Synonym(s): *eryngiella Vallot,1829; flagellana Duponchel,1836; helvticana Heyden,1865; eryngiana Heyden,1865; sardoa Amsel,1952.*
- 1387. Aethes iranica Razowski,1963 (Tortricidae) Synonym(s): iranica Razowski,1963
- **1388.** Aethes moribundana (Staudinger,1859) (Tortricidae) Synonym(s): moribundana Staudinger,1859; respirantana Staudinger,1879; dispersana Kennel,1899; dilutana Kennel,1899; helvolana Kennel,1900; lanceolata Filipjev,1924.
- **1389.** Aethes spirana (Kennel,1899) (Tortricidae) Synonym(s): spirana Kennel,1899
- 1390. Aethes tesserana ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): tesserana [Denis & Schiffermüller],1775; aleella Sulzer,1776; heiserana Fabricius,1787; groendaliana Thunberg,1791.
- 1391. Aethes tornella (Walsingham, 1898) (Tortricidae) Synonym(s): tornella Walsingham, 1898
- **1392.** Aleimma loeflingianum (Linnaeus,1758) (Tortricidae) Synonym(s): loeflingiana Linnaeus,1758; mixtana Fabricius,1794; plumbana Hübner,[1799]; ectypana Hübner,[1800]; plumbeolana Haworth,1811
- **1393.** Aphelia (Zelotherses) ochreana (Hübner,[1799]) (Tortricidae) Synonym(s): ferugana Hübner,1793 (homonym); ochreana Hübner,[1799]; shaqlawana Amsel,1955; chretieni Obraztsov,1957
- **1394.** Archips xylosteanus (Linnaeus,1758) (Tortricidae) Synonym(s): xylosteana Linnaeus,1758; obliquana Fabricius,1781; westriniana Thunberg,1784; densata Fourcroy,1785; densana Villers,1789; characterana Hübner,1793; hybnerana Fabricius,1794; pallens Kennel,1901
- **1395.** Cnephasia (s.str.) chrysantheana (Duponchel,1843) (Tortricidae) Synonym(s): chrysantheana Duponchel,1843; cinareana Chrétien,1892; #cinereana Meyrick,1912
- **1396.** Cochylimorpha diana (Kennel,1899) (Tortricidae) Synonym(s): diana Kennel,1899; iraniana Razowski,1963.
- 1397. Cochylimorpha eburneana (Kennel, 1899) (Tortricidae) Synonym(s): eburneana Kennel, 1899
- 1398. Cochylimorpha thomasi Karisch,2003 (Tortricidae) Synonym(s): thomasi Karisch,2003
- 1399. Cochylis posterana Zeller,1847 (Tortricidae) Synonym(s): posterana Zeller,1847; nubivagana Zerny,1935
- 1400. Crocidosema plebejana Zeller,1847 (Tortricidae) Synonym(s): plebejana Zeller,1847; altheana Mann,1855; lavaterana Millière,1863; peregrinana Möschler,1866; obscura Wollaston,1879; blackburnii Butler,1881; signatana Walsingham,1894; ptiladelpha Meyrick,1917; insulana Aurivillius,1922; synneurota Meyrick,1926; tornocycla Turner,1946; charmera Turner,1946.
- 1401. Croesia forsskaleana (Linnaeus,1758) (Tortricidae) Synonym(s): forsskaleana Linnaeus,1758; forskaliana Haworth,1811.
- 1402. Cydia pomonella (Linnaeus,1758) (Tortricidae) Synonym(s): pomonella Linnaeus,1758; pomona Fabricius,1775; pomonana [Denis & Schiffermüller],1775; nitens Fourcroy,1785; aeneana Villers,1789; putaminana Staudinger,1859
- **1403.** Dichrorampha ligulana (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): ligulana Herrich-Schäffer,1851; plusiana Staudinger,1871; obliterana Müller-Rutz,1934
- 1404. Epiblema foenellum (Linnaeus,1758) (Tortricidae) Synonym(s): foenella Linnaeus,1758; hohenwartiana Scopoli,1772; scopoliana [Denis & Schiffermüller],1775; pflugiana Fabricius,1787; tibialana Hübner,[1793]; interrogationana Donovan,1793; clavigerana Walker,1863; sinicana Walker,1863
- 1405. Epinotia festivana (Hübner,[1799]) (Tortricidae) Synonym(s): festivana Hübner,[1799]
- **1406.** Eudemis (s.str.) porphyrana (Hübner,[1799]) (Tortricidae) Synonym(s): porphyrana Hübner,[1799]; pomedaxana Pierce & Metcalfe,1915
- **1407.** Eugnosta magnificana (Rebel,1914) (Tortricidae) Synonym(s): margaritana Hübner,[1813] nec Haw.,[1811]; ? norvichiana Hübner,[1817] [nomina dubia!]; magnificana Rebel,1914.
- **1408.** Fulvoclysia subdolana (Kennel,1901) (Tortricidae) Synonym(s): subdolana Kennel,1901; subflavana Amsel,1959
- **1409. Cydia caecana (Schläger,1847)** (Tortricidae) Synonym(s): caecana Schläger,1847; obcaecana Ragonot,1876
- **1410. Metendothenia atropunctana (Zetterstedt,1839)** (Tortricidae) Synonym(s): *atropunctana Zetterstedt,1839*; *ochromelana Guenée,1845*
- 1411. Pammene amygdalana (Duponchel,1842) (Tortricidae) Synonym(s): amygdalana Duponchel,1842
- 1412. Pammene gallicolana (Lienig & Zeller, 1846) (Tortricidae) Synonym(s): qallicolana Lieniq & Zeller, 1846
- **1413. Pandemis cinnamomeana (Treitschke,1830)** (Tortricidae) Synonym(s): croceana Hübner,[1799]; croceana Frölich,1828 (praeocc.); cinnamomeana Treitschke,1830; basana Zerny,1935
- **1414.** Paramesia gnomana (Clerck,1759) (Tortricidae) Synonym(s): #gnomana Clerck,1759; costana [Denis & Schiffermüller],1775; livoniana Sodoffsky,1829; diffusana Kennel,1899; montedorea Wehrli,1925; schawerdae Rebel,1926; aetnana Zerny,1943.
- **1415. Phtheochroa duponchelana (Duponchel,1843)** (Tortricidae) Synonym(s): duponchelana Duponchel,1843; duponcheliana Costa,1847; gloriosana Herrich-Schäffer,1851; syriaca Walsingham,1900

- Centre for Entomological Studies Ankara
- 1416. Pseudeulia asinana (Hübner,[1799]) (Tortricidae) Synonym(s): asinana Hübner,[1799]
- **1417.** Thiodia citrana (Hübner,[1799]) (Tortricidae) Synonym(s): citrana Hübner,[1799]; libanicolana Obraztsov,1964.
- **1418.** Thiodia couleruana (Duponchel,1835) (Tortricidae) Synonym(s): couleruana Duponchel,1835; castiliana Caradja,1917; pseudodelitanus Obraztsov,1952
- **1419.** Tortrix viridana (Linnaeus,1758) (Tortricidae) Synonym(s): viridana Linnaeus,1758; suttneriana [Denis & Schiffermüller],1775; flavipes Fourcroy,1785; flavana Zincken,1821 nec Hübn.,[1799]; coeruleana Sorhagen,1881.
- 1420. Plutella (s.str.) xylostella (Linnaeus,1758) (Yponomeutidae) Synonym(s): xylostella Linnaeus,1758; cinerea Fourcroy,1785 nec Hufn.,1766; xylostei Fabricius,1798; maculipennis Curtis,1832; niveella Zeller,1839; cruciferarum Zeller,1843; brassicella Fitch,1856; limbipennella Clemens,1860; mollipedella Clemens,1860; cicerella Rondani,1876; dubiosella Beutenmüller,1889; albovenosa Walsingham,1897; megapterella Bentinck,1943
- **1421.** Yponomeuta malinellus Zeller, **1838** (Yponomeutidae) Synonym(s): malinellus Zeller, **1838**
- **1422.** Adscita (s.str.) obscura (Zeller,1847) (Zygaenidae) Synonym(s): obscura Zeller,1847; anceps Staudinger,1862.
- 1423. Adscita (s.str.) storaiae (Tarmann,1977) (Zygaenidae) Synonym(s): storaiae Tarmann,1977
- **1424.** Jordanita (Lucasiterna) subsolana (Staudinger,1862) (Zygaenidae) Synonym(s): subsolana Staudinger,1862
- **1425.** Jordanita (Praviela) anatolica (Naufock,1929) (Zygaenidae) Synonym(s): anatolica Naufock,1929; levantina Jordan,1931; pfeifferi Naufock,1935; ? christinae Keil,1998.
- 1426. Jordanita (Rjabovia) horni (Alberti,1937) (Zygaenidae) Synonym(s): horni Alberti,1937; #armena Alberti,1970.
- 1427. Jordanita (Roccia) volgensis (Möschler,1862) (Zygaenidae) Synonym(s): volgensis Möschler,1862
- 1428. Jordanita (Tremewania) notata (Zeller,1847) (Zygaenidae) Synonym(s): notata Zeller,1847
- 1429. Jordanita (s.str.) graeca (Jordan,1907) (Zygaenidae) Synonym(s): graeca Jordan,1907
- **1430. Zygaena (Agrumenia) carniolica (Scopoli,1763)** (Zygaenidae) Synonym(s): carniolica Scopoli,1763; nigra Dziurzynski,1909; transiensnigra Dziurzynski,1909
- **1431.** Zygaena (Agrumenia) olivieri Boisduval,1828 (Zygaenidae) Synonym(s): olivieri Boisduval,1828; cremonae Seitz,1907
- 1432. Zygaena (Agrumenia) sedi Fabricius,1787 (Zygaenidae) Synonym(s): sedi Fabricius,1787
- 1433. Zygaena (Mesembrynus) brizae (Esper,1800) (Zygaenidae) Synonym(s): brizae Esper,1800
- 1434. Zygaena (Mesembrynus) cambysea Lederer, 1870 (Zygaenidae) Synonym(s): cambysea Lederer, 1870
- 1435. Zygaena (Mesembrynus) cuvieri Boisduval,1828 (Zygaenidae) Synonym(s): cuvieri Boisduval,1828
- 1436. Zygaena (Mesembrynus) haematina Kollar,[1849] (Zygaenidae) Synonym(s): haematina Kollar,[1849]
- 1437. Zygaena (Mesembrynus) lydia Staudinger,1887 (Zygaenidae) Synonym(s): lydia Staudinger,1887
- 1438. Zygaena (Mesembrynus) manlia Lederer,1870 (Zygaenidae) Synonym(s): manlia Lederer,1870
- **1439.** Zygaena (Mesembrynus) minos ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): minos [Denis & Schiffermüller],1775.
- **1440.** Zygaena (Mesembrynus) purpuralis (Brünnich,1763) (Zygaenidae) Synonym(s): purpuralis Brünnich,1763; pythia Fabricius,1777; scabiosae Scheven,1777; pilosellae Esper,1780; pluto Ochsenheimer,1808; pasiphae Meigen,[1829]; tatvanica Reiss & Reiss,1973.
- 1441. Zygaena (Mesembrynus) rubricollis Hampson,1900 (Zygaenidae) Synonym(s): rubricollis Hampson,1900
- 1442. Żygaena (Mesembrynus) tamara Christoph,1889 (Zygaenidae) Synonym(s): tamara Christoph,1889
- 1443. Zygaena (s.str.) filipendulae (Linnaeus,1758) (Zygaenidae) Synonym(s): filipendulae Linnaeus,1758; aries Retzius,1783
- **1444. Zygaena (s.str.) lonicerae (Scheven,1777)** (Zygaenidae) Synonym(s): lonicerae Scheven,1777; graminis Villers,1789; rechei Dujardin,1965; microdoxa Dujardin,1965
- 1445. Zygaena (Agrumenia) loti ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): loti [Denis & Schiffermüller],1775; fulvia Fabricius,1777



Fig. 20- Axia theresiae (Cimeliidae) from Van Prov., Gevaş, Artos Mt. 1950m 14 7 2012 M Kemal (Cesa)



Fig.21 - Eupithecia gratiosata (Geometridae) from Van Prov., Gevaş, Göründü 1680m 26 6 2011 M Kemal (Cesa)




Fig. 22 - Heliodines roesella (Heliodinidae) from Van Prov., Kurubaş geçidi 2150m 8 6 2012 M Kemal (Cesa)



Fig.23- Satyrium w-album (Lycaenidae) from Van Prov., Gevaş Yoldöndü 2000m 16 7 2011 M Kemal (Cesa)



Fig.24- Polyommatus rosei (Lycaenidae) from Van Prov., Kurubaş geçidi 2150m 10 6 2012 M Kemal (Cesa)



Fig.25 - Aedophron phlebophora (Noctuidae) from Van Prov., Gevaş, Artos Mt. 1950m 15 7 2012 M Kemal (Cesa)





Fig. 26- Eublemma polygrammum (Noctuidae) from Van Prov., Gevaş, Artos Mt. 1950m 15 7 2012 M Kemal (Cesa)

Diptera

Totally, 181 species have been listed below (Figs. 27-33).

- 1446. Ogcodes formosus Loew,1873 (Acroceridae) Synonym(s): formosus Loew,1873
- **1447. Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): marci Linnaeus,1758; brevicornis Linnaeus,1758; crassipes Harris,1776; funerosus Harris,1776; pusillus Macquart,1846
- **1448.** Anastoechus hyrcanus (Wiedemann,1818) (Bombyliidae) Synonym(s): hyrcanus Wiedemann,1818; viduus Becker,1916
- **1449.** Bombylella atra (Scopoli,1763) (Bombyliidae) Synonym(s): ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855
- 1450. Bombylisoma breviusculum (Loew,1855) (Bombyliidae) Synonym(s): breviusculum Loew,1855
- **1451.** Bombylius (s.str.) discolor Mikan,1796 (Bombyliidae) Synonym(s): discolor Mikan,1796
- 1452. Bombylius (s.str.) medius Linnaeus,1758 (Bombyliidae) Synonym(s): medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978
- **1453.** Caecanthrax arabicus (Macquart,1840) (Bombyliidae) Synonym(s): arabicus Macquart,1840; punctum Loew,1854; dimidiatus Greathead,1980
- **1454.** Callostoma fascipenne Macquart,1840 (Bombyliidae) Synonym(s): fascipenne Macquart,1840; palaestinae Paramonov,1931
- **1455.** Cononedys stenura (Loew,1871) (Bombyliidae) Synonym(s): stenura Loew,1871
- **1456.** Cyllenia marginata Loew, **1846** (Bombyliidae) Synonym(s): marginata Loew, **1846**
- **1457. Cytherea obscura Fabricius,1794** (Bombyliidae) Synonym(s): *obscura Fabricius,1794*; tauriacus Becker,1903
- 1458. Chalcochiton pallasii (Loew,1856) (Bombyliidae) Synonym(s): pallasii Loew,1856; schineri Nowicki,1868
- **1459.** Exoprosopa baccha Loew, 1869 (Bombyliidae) Synonym(s): baccha Loew, 1869
- **1460.** Exoprosopa ahtamara Dils & Özbek,2007 (Bombyliidae) Synonym(s): ahtamara Dils & Özbek,2007
- 1461. Exoprosopa pandora (Fabricius, 1805) (Bombyliidae) Synonym(s): pandora Fabricius, 1805
- **1462.** Exoprosopa minoides Paramonov,1928 (Bombyliidae) Synonym(s): minoides Paramonov,1928
- **1463.** Exoprosopa minos (Meigen,1804) (Bombyliidae) Synonym(s): minos Meigen,1804; semialba Pallas & Wiedemann,1818; germari Wiedemann,1818; senilis Klug,1832; albiventris Macquart,1840
- **1464.** Exoprosopa pectoralis Loew, 1862 (Bombyliidae) Synonym(s): pectoralis Loew, 1862
- 1465. Exoprosopa melaena Loew,1874 (Bombyliidae) Synonym(s): melaena Loew,1874; abbreviata Paramonov,1928
- **1466.** Hemipenthes morio (Linnaeus,1758) (Bombyliidae) Synonym(s): morio Linnaeus,1758; semiatra Meigen,1820; morioides Say,1823
- **1467.** Hemipenthes velutinus (Meigen,1820) (Bombyliidae) Synonym(s): velutinus Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820
- **1468.** Heteralonia (Zygodipla) aeaca (Meigen,1804) (Bombyliidae) Synonym(s): aeaca Meigen,1804; livida Pallas,1818; bombyciformis Dufour,1833; lutea Macquart,1840
- 1469. Heteralonia (subgen?) dispar (Loew,1869) (Bombyliidae) Synonym(s): dispar Loew,1869
- 1470. Heteralonia (Homolonia) megerlei (Meigen,1820) (Bombyliidae) Synonym(s): megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937
- **1471. Heteralonia (Acrodisca) suffusa (Klug,1832)** (Bombyliidae) Synonym(s): *suffusa Klug,1832*; *conturbata Loew,1869*
- 1472. Lomatia belzebul (Fabricius,1794) (Bombyliidae) Synonym(s): belzebul Fabricius,1794
- **1473. Micomitra stupida (Rossi,1790)** (Bombyliidae) Synonym(s): stupida Rossi,1790; rhadamanthus Meigen,1804; chalcoides Pallas,1818; vitriecosta Walker,1849; vitriecosta Walker,1849; squamea Mulsant,1852
- **1474.** Pachyanthrax telamon (Loew,1869) (Bombyliidae) Synonym(s): telamon Loew,1869; loevi Paramonov,1928; loewi Zaitzev,1989
- 1475. Spogostylum caucasicum (Zaitzev,1961) (Bombyliidae) Synonym(s): caucasicum Zaitzev,1961
- **1476.** Spogostylum tripunctatum (Wiedemann,1820) (Bombyliidae) Synonym(s): tripunctatum Wiedemann,1820; difficilis Wiedemann,1820; mystaceum Macquart,1840
- 1477. Systoechus ctenopterus (Mikan,1796) (Bombyliidae) Synonym(s): ctenopterus Mikan,1796; sulphureus Mikan,1796; aurulentus Wiedemann,1820; fulvus Meigen,1820; dalmatinus Loew,1855; convergens Loew,1855; orientalis Zakhvatkin,1954
- **1478.** Thyridanthrax incanus (Klug,1832) (Bombyliidae) Synonym(s): incanus Klug,1832; testacea Macquart,1840; varipennis Macquart,1849
- **1479.** Thyridanthrax perspicillaris (Loew,1869) (Bombyliidae) Synonym(s): perspicillaris Loew,1869; gallus Loew,1869; hispanus Loew,1869; ternarius Bezzi,1920; idolus Hesse,1956; speciosus Hesse,1956; hessei Bowden,1964
- **1480.** Toxophora fasciculata (Villers,1789) (Bombyliidae) Synonym(s): fasciculata Villers,1789; maculata Rossi,1790 nec Müll.,1764; completa Paramonov,1933
- **1481.** Villa hottentotta (Linnaeus,1758) (Bombyliidae) Synonym(s): hottentotta Linnaeus,1758; nugator Harris,1780
- 1482. Villa laevis Becker,1915 (Bombyliidae) Synonym(s): laevis Becker,1915

- **1483.** Villa mouchai François,1969 (Bombyliidae) Synonym(s): mouchai François,1969
- 1484. Ablabemyia monilis (Linnaeus,1758) (Chironomidae) Synonym(s): monilis Linnaeus,1758
- **1485. Ablabemyia phatta (Egger,1896)** (Chironomidae) Synonym(s): *phatta Egger,1896*
- **1486. Apsectrotamypus trifascipennis (Zetterstedt,1850)** (Chironomidae) Synonym(s): *trifascipennis Zetterstedt.1850*
- **1487.** Conchapelopia sp. (Chironomidae) Synonym(s):
- 1488. Paramerina cingulata (Walker,1856) (Chironomidae) Synonym(s): cingulata Walker,1856
- **1489. Procladius sp.** (Chironomidae) Synonym(s):
- 1490. Tanypus punctipennis Meigen, 1818 (Chironomidae) Synonym(s): punctipennis Meigen, 1818
- **1491.** Thienemannimyia lentiginosa (Fries,1830) (Chironomidae) Synonym(s): lentiginosa Fries,1830
- **1492. Potthastia sp.** (Chironomidae) Synonym(s):
- 1493. Cricotopus annulator Goetghebuer,1927 (Chironomidae) Synonym(s): annulator Goetghebuer,1927
- 1494. Cricotopus bicinctus (Meigen, 1818) (Chironomidae) Synonym(s): bicinctus Meigen, 1818
- 1495. Cricotopus flavocinctus (Kieffer,1924) (Chironomidae) Synonym(s): flavocinctus Kieffer,1924
- **1496.** Cricotopus sylvestris (Fabricius,1794) (Chironomidae) Synonym(s): sylvestris Fabricius,1794
- 1497. Cricotopus vieriensis Goetghebuer,1935 (Chironomidae) Synonym(s): vieriensis Goetghebuer,1935
- 1498. Parametriocnemus stylatus (Kieffer,1924) (Chironomidae) Synonym(s): stylatus Kieffer,1924
- 1499. Diplocladius cultriger Kieffer,1908 (Chironomidae) Synonym(s): cultriger Kieffer,1908
- 1500. Eukiefferiella alpestris Goetghebuer,1935 (Chironomidae) Synonym(s): alpestris Goetghebuer,1935
- 1501. Eukiefferiella brevicalcar Kieffer,1929 (Chironomidae) Synonym(s): brevicalcar Kieffer,1929
- 1502. Eukiefferiella calvescens Edw.,1929 (Chironomidae) Synonym(s): calvescens Edw.,1929
- 1503. Eukiefferiella discoloripes Kieffer,1929 (Chironomidae) Synonym(s): discoloripes Kieffer,1929
- 1504. Limnophyes transcaucasicus Tchern.1949 (Chironomidae) Synonym(s): transcaucasicus Tchern.1949
- 1505. Orthocladius oblidens (Walker,1856) (Chironomidae) Synonym(s): oblidens Walker,1856
- 1506. Orthocladius thienemanni (Kieffer,1918) (Chironomidae) Synonym(s): thienemanni Kieffer,1918
- 1507. Orthocladius luteipes Goetghebuer,1921 (Chironomidae) Synonym(s): luteipes Goetghebuer,1921
- 1508. Paracladius conversus (Walker, 1856) (Chironomidae) Synonym(s): conversus Walker, 1856
- 1509. Psectrocladius serpentrionalis Tchern.,1949 (Chironomidae) Synonym(s): serpentrionalis Tchern.,1949
- 1510. Psectrocladius psilopterus Kieffer,1906 (Chironomidae) Synonym(s): psilopterus Kieffer,1906
- 1511. Psectrocladius stratiotis Kieffer,1911 (Chironomidae) Synonym(s): stratiotis Kieffer,1911
- 1512. Psectrocladius ventricosus Kieffer,1911 (Chironomidae) Synonym(s): ventricosus Kieffer,1911
- 1513. Chironomus plumosus (Linnaeus,1758) (Chironomidae) Synonym(s): plumosus Linnaeus,1758
- 1514. Cryptochironomus defectus Kieffer,1921 (Chironomidae) Synonym(s): defectus Kieffer,1921
- **1515. Einfeldia sp.** (Chironomidae) Synonym(s):
- 1516. Paratendipes intermedius Tchern.,1949 (Chironomidae) Synonym(s): intermedius Tchern.,1949
- **1517. Polypedilum breviantennatum Tchern.,1949** (Chironomidae) Synonym(s): *breviantennatum Tchern..1949*
- 1518. Polypedilum convictum (Walker, 1856) (Chironomidae) Synonym(s): convictum Walker, 1856
- **1519. Stictochironomus sp.1** (Chironomidae) Synonym(s):
- **1520. Stictochironomus sp.2** (Chironomidae) Synonym(s):
- **1521. Micropsectra curvicornis (Tchernovskii,1949)** (Chironomidae) Synonym(s): *curvicornis Tchernovskii,1949*
- 1522. Paratanytarsus lauterborni Kieffer,1918 (Chironomidae) Synonym(s): lauterborni Kieffer,1918
- 1523. Rheotanytarsus exiguus Joh.,1937 (Chironomidae) Synonym(s): exiguus Joh.,1937
- 1524. Tanytarsus gregarius Kieffer,1911 (Chironomidae) Synonym(s): gregarius Kieffer,1911
- **1525.** Thaumatomyia notata (Meigen,1830) (Chloropidae) Synonym(s): notata Meigen,1830; ornata Meigen,1830; circumdata Meigen,1830; prodigiosa Zenker,1833; lucida Meigen,1838; copiosa Schiner,1872; punctipleuris Becker,1913
- **1526.** Dalmannia dorsalis (Fabricius,1794) (Conopidae) Synonym(s): dorsalis Fabricius,1794; flavescens Meigen,1824; vernalis R-D.,1853; confusa Becker,1923
- 1527. Myopa dorsalis Fabricius,1794 (Conopidae) Synonym(s): dorsalis Fabricius,1794
- **1528. Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): flavicaudus Bigot,1880; euzonatus Bigot,1887; superbus Röder,1899; cypris Janssens,1955; #falvicaudus Stucke, Hayat & Özbek,2008
- **1529. Medetera truncorum Meigen,1824** (Dolichopodidae) Synonym(s): *truncorum Meigen,1824*; *tenuicauda sensu Negrob.,1972 nec Lw.,1857*
- **1530. Sympycnus pulicarius (Fallén,1823)** (Dolichopodidae) Synonym(s): pulicarius Fallén,1823; annulipes Meigen,1824; pygmaeus Macquart,1827; cinerellus Zetterstedt,1838; desoutteri Parent,1925
- **1531. Syntormon denticulatum (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *denticulatus Zetterstedt,1843; aculeatus Zetterstedt,1843; biseriatus Loew,1850; pumilus Parent,1925*
- **1532.** Syntormon pallipes (Fabricius,1794) (Dolichopodidae) Synonym(s): pallipes Fabricius,1794; hamatus Zetterstedt,1843; pseudospicatus Strobl,1899; immaculatus Santos Abreu,1929
- **1533.** Drosophila (Lordiphosa) andalusiaca Strobl,1906 (Drosophilidae) Synonym(s): andalusiaca Strobl,1906; forcipata Collin,1952
- **1534.** Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847) (Drosophilidae) Synonym(s): pallida Zetterstedt,1847; disticha Duda,1921
- **1535. Scaptomyza (s.str.) flava (Fallén,1823)** (Drosophilidae) Synonym(s): flava Fallén,1823; flaveola Meigen,1830; apicalis Hardy,1849; montana Wheeler,1949
- 1536. Tephrochlamys laeta (Meigen, 1830) (Heleomyzidae) Synonym(s): laeta Meigen, 1830

- **1537. Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): canariensis Macquart,1839; maura Bigot,1885
- 1538. Muscina stabulans (Fallén, 1817) (Muscidae) Synonym(s): stabulans Fallén, 1817
- 1539. Lispe nana Macquart,1835 (Muscidae) Synonym(s): nana Macquart,1835
- 1540. Musca domestica Linnaeus,1758 (Muscidae) Synonym(s): domestica Linnaeus,1758
- **1541. Nemestrinus caucasicus (Fischer,1806)** (Nemestrinidae) Synonym(s): caucasicus Fischer,1806; analis Olivier,1810; adamsii Fischer,1812; albofasciata Wiedemann,1828; anthophorina Portschinsky,1881
- **1542. Hirmoneura sp.n.** (Nemestrinidae) Synonym(s):
- 1543. Neorhynchocephalus tauscheri (Fischer,1812) (Nemestrinidae) Synonym(s): tauscheri Fischer,1812
- 1544. Nycteribia (s.str.) latreillii (Leach,1817) (Nycteribiidae) Synonym(s): latreillii Leach,1817
- **1545.** Penicillidia dufourii (Westwood,1835) (Nycteribiidae) Synonym(s): dufourii Westwood,1835
- **1546. Geomyza tripunctata Fallén,1823** (Opomyzidae) Synonym(s): *tripunctata Fallén,1823*
- **1547. Tomosvaryella sp.** (Pipunculidae) Synonym(s):
- 1548. Platystoma chrysotoxum Hendel,1913 (Platystomidae) Synonym(s): chrysotoxum Hendel,1913
- **1549. Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis Fabricius,1775; fulviventre Schrank,1781; biseta Loew,1868; vegetationis Rondani,1869*
- **1550.** Phlebotomus (s.str.) papatasi (Scopoli,1786) (Psychodidae) Synonym(s): papatasi Scopoli,1786; molesta Costa,1840; breviventris Ristorcelli,1943
- **1551.** Phlebotomus (Paraphlebotomus) jacusieli Theodor,1947 (Psychodidae) Synonym(s): jacusieli Theodor,1947
- **1552.** Scathophaga stercoraria (Linnaeus,1758) (Scathophagidae) Synonym(s): stercoraria Linnaeus,1758; merdaria Fabricius,1794; asticha Szilady,1926
- 1553. Hydromya dorsalis (Fabricius,1775) (Sciomyzidae) Synonym(s): dorsalis Fabricius,1775
- **1554.** Chloromyia speciosa (Macquart,1834) (Stratiomyidae) Synonym(s): speciosa Macquart,1834; melampogon Zeller,1842; subalpina Strobl,1910; nigripes Pleske,1926
- **1555.** Odontomyia hydroleon (Linnaeus,1758) (Stratiomyidae) Synonym(s): hydroleon Linnaeus,1758; felina Panzer,[1798]; alpina Jaennicke,1866
- 1556. Oplodontha viridula (Fabricius,1775) (Stratiomyidae) Synonym(s): viridula Fabricius,1775; canina Panzer,[1798]; jejuna Schrank,1803; dentata Meigen,1804; holosericea Olivier,1812; lunata Olivier,1812; subvittata Meigen,1822; bimaculata Meigen,1835; personata Loew,1846; interrupta Loew,1846; heydeni Jaennicke,1866
- **1557. Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): cenisia Meigen,1822; flaviventris Loew,1846; ahngeri Pleske,1901; cypria Pleske,1902; kervillei Villeneuve,1912; planes James,1941
- **1558.** Stratiomys chamaeleon (Linnaeus,1758) (Stratiomyidae) Synonym(s): chamaeleon Linnaeus,1758; sellata Sulzer,1761; spatula Scopoli,1763; nigrodentata Meigen,1804; rhaetica Jaennicke,1866; unguicornis Becker,1887; caucasica Pleske,1899; kosnakowi Pleske,1901; winogradowinikitini Pleske,1922
- **1559. Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis Macquart,1838; erythrocera Egger,1859; pyrrhocera Loew,1868*
- **1560. Nemotelus (s.str.) rudifranci (Berezovsky & Nartshuk,1993)** (Stratiomyidae) Synonym(s): *rudifranci Berezovsky & Nartshuk,1993*
- 1561. Oxycera fallenii Staeger,1844 (Stratiomyidae) Synonym(s): fallenii Staeger,1844; octomaculata Yaroshevski.1877
- **1562.** Oxycera (Camptopelta) meigenii Staeger,1844 (Stratiomyidae) Synonym(s): meigenii Staeger,1844; fraterna Loew,1873; caucasica Kertesz,1916; turkestanica Kertesz,1916; sinica Pleske,1925; transcaspia Pleske,1925; pallidipes Pleske,1925
- 1563. Eristalis alpina (Panzer,1798) (Syrphidae) Synonym(s): alpina Panzer,1798
- **1564.** Eristalis tenax (Linnaeus,1758) (Syrphidae) Synonym(s): tenax Linnaeus,1758; vulgaris Scopoli,1763; fuscus Scopoli,1763; porcinus De Geer,1776; arbustorum Schrank,1781; silvaticus Meigen,1822; vulpinus Meigen,1822
- **1565.** Eristalinus (Lathyrophthalmus) megacephalus (Rossi,1792) (Syrphidae) Synonym(s): megacephalus Rossi,1792
- **1566.** Eristalinus (Eristalodes) taeniops (Wiedemann,1818) (Syrphidae) Synonym(s): taeniops Wiedemann,1818
- 1567. Helophilus trivittatus (Fabricius,1805) (Syrphidae) Synonym(s): trivittatus Fabricius,1805
- 1568. Paragus (s.str.) albifrons (Fallén,1817) (Syrphidae) Synonym(s): albifrons Fallén,1817
- 1569. Paragus (s.str.) quadrifasciatus Meigen, 1822 (Syrphidae) Synonym(s): quadrifasciatus Meigen, 1822
- **1570. Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta Linnaeus,1758*; *gemmata Scopoli,1763*; *fasciata Müller,1764*; *invisita Harris,1776*; *menthostri De Geer,1776*
- 1571. Syritta pipiens (Linnaeus,1758) (Syrphidae) Synonym(s): pipiens Linnaeus,1758; proxima Say,1824
- **1572.** Volucella zonaria (Poda,1761) (Syrphidae) Synonym(s): zonaria Poda,1761; bifasciata Scopoli,1763; inanis Fabricius,1794; fasciata Verral,1900
- 1573. Xanthogramma pedissequum (Harris,1776) (Syrphidae) Synonym(s): pedissequum Harris,1776
- **1574.** Episyrphus balteatus (De Geer,1776) (Syrphidae) Synonym(s): cannabina Scopoli,1763; balteatus De Geer,1776; scitula Harris,1776; alternata Schrank,1781; nectarea Fabricius,1787; nectarina Wiedemann,1830; alternans Macquart,1842; trigilatus Walker,1856
- 1575. Metasyrphus corollae (Fabricius,1794) (Syrphidae) Synonym(s): consisto Harris,1776; corollae Fabricius,1794; pyrorum Schrank,1803; olitoria Fallén,1817; lacerus Meigen,1822; fulvifrons Macquart,1827; crenatus Macquart,1927; annularis Curtis,1837; octomaculata Curtis,1837; propinquus Macquart,1850; topiarius Walker,1851; berber Bigot,1884

- **1576.** Chrysotoxum festivum (Linnaeus,1758) (Syrphidae) Synonym(s): festivum Linnaeus,1758
- 1577. Chrysotoxum parmense Rondani,1845 (Syrphidae) Synonym(s): parmense Rondani,1845
- **1578. Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): avidus Rossi,1790; spinipes Fabricius,1794; rufitibius Rondani,1845; graecus Walker,1852; aurifer Loew,1862; quadrilineatus Lioy,1864
- 1579. Merodon velox Loew,1869 (Syrphidae) Synonym(s): velox Loew,1869; anathema Paramonov,1925; armeniaca Paramonov,1925
- 1580. Merodon quadrinotatus (Sack,1931) (Syrphidae) Synonym(s): quadrinotatus Sack,1931
- **1581.** Merodon erivanicus Paramonov,1925 (Syrphidae) Synonym(s): erivanicus Paramonov,1925; kaloceros Hurkmans,1993
- 1582. Merodon distinctus Palma, 1863 (Syrphidae) Synonym(s): distinctus Palma, 1863; dimorpha Szilady, 1940
- 1583. Merodon warnckei Hurkmans,1993 (Syrphidae) Synonym(s): warnckei Hurkmans,1993
- **1584. Pangonius (s.str.) pyritosus Loew,1859** (Tabanidae) Synonym(s): *pyritosus Loew,1859; decipiens Kröber,1921; hirsutipalpis Kröber,1921*
- **1585. Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae) Synonym(s): *flavipes Meigen,1804*; *punctifer Loew,1858*; #favipes Kılıç,1999
- 1586. Atylotus hendrixi Leclercq,1967 (Tabanidae) Synonym(s): hendrixi Leclercq,1967
- 1587. Tabanus alvarengia Schacht,1987 (Tabanidae) Synonym(s): alvarengia Schacht,1987
- **1588.** Tabanus anthrax Olsufjev,1937 (Tabanidae) Synonym(s): anthrax Olsufjev,1937; pfeifferi Kröber,1939
- **1589. Tabanus bromius Linnaeus,1758** (Tabanidae) Synonym(s): bromius Linnaeus,1758; maculatus De Geer,1776; scalaris Meigen,1820; glaucus Meigen,1820; connexus Walker,1856; antophilus Loew,1858; glaucescens Schiner,1862; flavofemoratus Strobl,1909; nigricans Szilady,1914; simplex Muschamp,1939
- 1590. Tabanus glaucopis Meigen,1820 (Tabanidae) Synonym(s): ferrugineus Meigen,1804 nec Ström,1768; glaucopis Meigen,1820; lunulatus Meigen,1820; chlorophthalmus Meigen,1820; flavicans Zeller,1842; cognatus Loew,1858; castellanus Strobl,1906; rubra Muschamp,1939
- **1591.** Tabanus olsufjevi Hauser,1960 (Tabanidae) Synonym(s): olsufjevi Hauser,1960
- **1592.** Tabanus semiargenteus Olsufjev,1937 (Tabanidae) Synonym(s): semiargenteus Olsufjev,1937
- 1593. Tabanus swiridowi Portschinsky,1882 (Tabanidae) Synonym(s): swiridowi Portschinsky,1882
- **1594.** Tabanus unifasciatus Loew,1858 (Tabanidae) Synonym(s): unifasciatus Loew,1858; albescens Kröber,1928
- 1595. Tabanus yasujensis Jezek,1981 (Tabanidae) Synonym(s): yasujensis Jezek,1981
- 1596. Gonia maculipennis Egger, 1862 (Tachinidae) Synonym(s): maculipennis Egger, 1862
- 1597. Zophomyia temula (Scopoli,1763) (Tachinidae) Synonym(s): temula Scopoli,1763
- 1598. Eliozeta helluo (Fabricius, 1805) (Tachinidae) Synonym(s): helluo Fabricius, 1805
- 1599. Tachina (Eudoromyia) fera (Linnaeus,1761) (Tachinidae) Synonym(s): fera Linnaeus,1761
- 1600. Tachina (Servillia) lurida (Fabricius,1781) (Tachinidae) Synonym(s): lurida Fabricius,1781
- **1601. Hypenidium sp.** (Tephritidae) Synonym(s):
- 1602. Oxyaciura tibialis R-D.,1830 (Tephritidae) Synonym(s): tibialis R-D.,1830; gagates Loew,1846
- **1603.** Campiglossa producta (Loew,1844) (Tephritidae) Synonym(s): producta Loew,1844; insularis Wollaston.1858
- **1604.** Campiglossa tesellata (Loew, 1844) (Tephritidae) Synonym(s): tesellata Loew, 1844
- **1605.** Orellia falcata (Scopoli,1763) (Tephritidae) Synonym(s): falcata Scopoli,1763; abdominalis R-D.,1830; octopunctata Macquart,1835
- 1606. Sphenella marginata (Fallén,1814) (Tephritidae) Synonym(s): marginata Fallén,1814
- 1607. Tephritomyia lauta (Loew,1869) (Tephritidae) Synonym(s): lauta Loew,1869
- 1608. Terellia quadratula (Loew,1869) (Tephritidae) Synonym(s): quadratula Loew,1869
- **1609.** Trupanea amoena (Frauenfeld,1857) (Tephritidae) Synonym(s): amoena Frauenfeld,1857; #amonea Giray,1979
- **1610.** Trupanea stellata (Fuesslin,1775) (Tephritidae) Synonym(s): stellata Fuesslin,1775
- **1611.** Urophora quadrifasciata (Meigen, 1826) (Tephritidae) Synonym(s): quadrifasciata Meigen, 1826; siumorum Rohdendorf, 1934
- 1612. Tephritis merzi Freidberg & Kütük,2002 (Tephritidae) Synonym(s): merzi Freidberg & Kütük,2002
- **1613. Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica Loew,1844*
- 1614. Tephritis pulchra (Loew,1844) (Tephritidae) Synonym(s): pulchra Loew,1844
- **1615.** Acanthiophilus helianthi (Rossi,1790) (Tephritidae) Synonym(s): helianthi Rossi,1790; eluta Meigen,1826
- **1616.** Nephrotoma croceiventris (Strobl,1909) (Tipulidae) Synonym(s): croceiventris Strobl,1909
- **1617. Nephrotoma nox (Riedel,1910)** (Tipulidae) Synonym(s): nox Riedel,1910; rossica Riedel,1920; kozhevnikovi Dodonov,1925
- **1618.** Nephrotoma scalaris (Meigen,1818) (Tipulidae) Synonym(s): scalaris Meigen,1818; imperialis Meigen,1818
- 1619. Tipula (Acutipula) latifurca Vermoolen,1983 (Tipulidae) Synonym(s): latifurca Vermoolen,1983
- 1620. Tipula (s.str.) orientalis Lackschewitz,1930 (Tipulidae) Synonym(s): orientalis Lackschewitz,1930
- 1621. Tipula (Yamatotipula) guentheri Oosterbroek,1994 (Tipulidae) Synonym(s): guentheri Oosterbroek,1994
- **1622.** Tipula (Yamatotipula) iranensis Theowald,1978 (Tipulidae) Synonym(s): iranensis Theowald,1978; subsoltaria Theowald,1978
- **1623.** Tipula (Yamatotipula) lateralis Meigen, 1804 (Tipulidae) Synonym(s): lateralis Meigen, 1804; itermedia Eiroa, 1990
- 1624. Ceroxys urticae (Linnaeus, 1758) (Ulidiidae) Synonym(s): urticae Linnaeus, 1758; ?baneai Gheorghiu, 1994

1625. Dorycera graminum (Fabricius,1794) (Ulidiidae) Synonym(s): graminum Fabricius,1794; thamnicola R-D.,1830
1626. Timia (Empyelocera) sp. (Ulidiidae).



Fig. 27- Saropogon sp. (Asilidae) from Van Prov., Gevaş, Göründü 1700m 23 6 2010 M Kemal (Cesa)



Fig. 28 - Exoprosopa ahtamara (Bombyliidae) from Van Prov., Gevaş, Atros Mt. 1950m 15 7 2012 M Kemal (Cesa)



Fig.29- Callostoma fascipenne (Bombyliidae) from Van Prov., Kurubaş geçidi 2250m 8 7 2012 M Kemal (Cesa)



Fig.30- Nemestrinus caucasicus (Nemestrinidae) from Van Prov., Kurubaş 2150m M Kemal (Cesa)



Fig.31- Stratiomys ruficornis (det. Beuk) (Stratiomyidae) from Van Prov., Gevaş, Yoldöndü 2070m 16 7 2011 M Kemal (Cesa)



Fig.32- Oplodonta viridula (det. Beuk) (Stratiomyidae) from Van Prov., Gürpınar Başet Mt., Bağrıyanık 2510m 17 7 2011 M Kemal (Cesa)




Fig.33- Nephrotoma nox (det. Oesterbroek) (Tipulidae) from Van Prov., Erek Mt., Kevenli 2100m 8 6 2011 M Kemal (Cesa)

Hymenoptera

Totally 209 species have been listed below (Figs. 34-35).

- 1627. Andrena (Campylogaster) caroli Pérez, 1895 (Andrenidae) Synonym(s): caroli Pérez, 1895
- **1628.** Andrena (Nobandrena) comptaeformis Gusenleitner & Schwarz,2000 (Andrenidae) Synonym(s): comptaeformis Gusenleitner & Schwarz,2000
- **1629.** Andrena (Plastandrena) pilipes Fabricius,1781 (Andrenidae) Synonym(s): pilipes Fabricius,1781; dolorosa Nurse,1904
- **1630.** Andrena (Melandrena) thoracica (Fabricius, 1775) (Andrenidae) Synonym(s): thoracica Fabricius, 1775
- **1631.** Anthophora plumipes (Pallas,1772) (Apidae) Synonym(s): plumipes Pallas,1772; pilipes Fabricius,1775; hirsuta Fabricius,1787; rufipes Christ,1791; sicula Smith,1853; soror Pérez,1905; lisbonensis Cockerell,1922; palaestinensis Hedicke,1936; cypriaca Mavromoustakis,1957
- **1632. Apis (s.str.) mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758*; *mellifica Linnaeus,1761*
- **1633.** Bombus (Subterraneobombus) fragrans (Pallas,1771) (Apidae) Synonym(s): fragrans Pallas,1771
- **1634.** Bombus (Thoracobombus) sylvarum (Linnaeus,1761) (Apidae) Synonym(s): sylvarum Linnaeus,1761
- 1635. Bombus (Thoracobombus) ruderarius (Müller,1776) (Apidae) Synonym(s): ruderarius Müller,1776
- **1636.** Bombus (Thoracobombus) zonatus Smith, 1854 (Apidae) Synonym(s): zonatus Smith, 1854
- **1637.** Bombus (Pyrobombus) niveatus (Kriechbaumer,1870) (Apidae) Synonym(s): niveatus Kriechbaumer,1870
- **1638.** Bombus (Pyrobombus) brodmannicus Vogt,1909 (Apidae) Synonym(s): brodmannicus Vogt,1909
- **1639.** Bombus (Megabombus) argillaceus (Scopoli,1763) (Apidae) Synonym(s): argillaceus Scopoli,1763; sichelii Radoszkowski,1859
- **1640.** Bombus (Megabombus) mesomelas (Gerstaecker,1869) (Apidae) Synonym(s): mesomelas Gerstaecker,1869; elegans Seidl,1837
- **1641.** Tetralonia acutangula Morawitz (Apidae).
- 1642. Tetralonia alternans Br. (Apidae).
- 1643. Tetralonia compacta Morawitz (Apidae).
- **1644.** Tetralonia ruficornis (F.) (Apidae).
- 1645. Tetralonia vicina F. (Apidae).
- 1646. Xylocopa (Copoxyla) armeniaca Warncke,1982 (Apidae) Synonym(s): armeniaca Warncke,1982
- 1647. Xylocopa (Proxylocopa) nitidiventris Smith, 1878 (Apidae) Synonym(s): nitidiventris Smith, 1878
- **1648. Xylocopa (s.str.) valga Gerstaecker,1872** (Apidae) Synonym(s): *valga Gerstaecker,1872*; *ramulorum Rondani,1874*; *convexa Smith,1878*
- 1649. Xylocopa (Proxylocopa) olivieri Lepeletier,1841 (Apidae) Synonym(s): olivieri Lepeletier,1841
- **1650.** Allodape libanensis (Friese, 1899) (Apidae) Synonym(s): libanensis Friese, 1899
- **1651.** Ceratina rasmonti Terzo,1998 (Apidae) Synonym(s): rasmonti Terzo,1998
- 1652. Ceratina sakagamii Terzo,1998 (Apidae) Synonym(s): sakagamii Terzo,1998
- 1653. Ceratina zwakhalsi Terzo & Rasmont,1997 (Apidae) Synonym(s): zwakhalsi Terzo & Rasmont,1997
- **1654.** Eucera clypeata Erichson, 1835 (Apidae) Synonym(s): clypeata Erichson, 1835; similis Lepeletier, 1841
- 1655. Eucera hispana Lepeletier, 1841 (Apidae) Synonym(s): hispana Lepeletier, 1841
- **1656.** Eucera interrupta Bär,1850 (Apidae) Synonym(s): interrupta Bär,1850
- **1657.** Arge ochropus (Gmelin,1790) (Argidae) Synonym(s): ochropus Gmelin,1790
- 1658. Bassus rugulosus (Nees ab Esenbeck,1834) (Braconidae) Synonym(s): rugulosus Nees ab Esenbeck,1834
- **1659.** Foesteria longicauda Achterberg,1990 (Braconidae) Synonym(s): longicauda Achterberg,1990
- 1660. Meteorus versicolor (Wesmael,1835) (Braconidae) Synonym(s): versicolor Wesmael,1835; bimaculatus Wesmael,1835; unicolor Hartig,1838 nec Wesm.,1835; brevicornis Ratzeburg,1844; rugator Razteburg,1852; decoloratus Ruthe,1862; camptolomae Watanabe,1939; ikonomovi M.Fischer,1959; hartigi Shenefelt,1969
- 1661. Meteorus rubens (Nees ab Esenbeck,1811) (Braconidae) Synonym(s): rubens Nees ab Esenbeck,1811; leviventris Wesmael,1835; islandicus Ruthe,1859; medianus Ruthe,1862; scutatus Costa,1884; heteroneurus Thomson,1895; szechuanensis Fahringer,1935; mesopotamicus M.Fischer,1957
- **1662.** Calameuta (s.str.) haemorrhoidalis (Fabricius,1781) (Cephidae) Synonym(s): haemorrhoidalis Fabricius,1781
- **1663.** Trachelus libanensis (André,1881) (Cephidae) Synonym(s): libanensis André,1881; armenius Konow,1896
- **1664.** Brachymeria femorata (Panzer,1801) (Chalcididae) Synonym(s): femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951
- 1665. Colletes (caspicus gr.) anceps Radoszkowski,1891 (Colletidae) Synonym(s): anceps Radoszkowski,1891
- 1666. Colletes (caspicus gr.) lebedewi Noskiewicz,1936 (Colletidae) Synonym(s): lebedewi Noskiewicz,1936
- 1667. Colletes (fodiens gr.) daviesanus Smith,1846 (Colletidae) Synonym(s): daviesanus Smith,1846
- 1668. Colletes (senilis gr.) hiekeseniori Kuhlmann,2003 (Colletidae) Synonym(s): hiekeseniori Kuhlmann,2003
- **1669. Ammoplanus marathroicus (De Stefani Pérez,1887)** (Crabronidae) Synonym(s): *marathroicus De Stefani Pérez,1887*
- 1670. Gorytes albidulus (Lepeletier, 1832) (Crabronidae) Synonym(s): albidulus Lepeletier, 1832

- **1671.** Gorytes pleuripunctatus (A.Costa,1859) (Crabronidae) Synonym(s): pleuripunctatus A.Costa,1859
- 1672. Gorytes quinquecinctus (Fabricius,1793) (Crabronidae) Synonym(s): quinquecinctus Fabricius,1793
- 1673. Gorytes sulcifrons (A.Costa,1867) (Crabronidae) Synonym(s): sulcifrons A.Costa,1867
- **1674. Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950*
- 1675. Bembecinus acanthomerus (Morice,1911) (Crabronidae) Synonym(s): acanthomerus Morice,1911
- **1676. Bembecinus nigrolabrum Schmid-Egger,2004** (Crabronidae) Synonym(s): *nigrolabrum Schmid-Egger,2004*
- **1677. Bembecinus peregrinus (Smith,1856)** (Crabronidae) Synonym(s): peregrinus Smith,1856; erberi Mocsary,1881; biarmatus Mocsary,1883
- **1678. Ectemnius (Thyreocerus) massiliensis (Kohl,1883)** (Crabronidae) Synonym(s): *massiliensis Kohl,1883;* #mossiliensis Tezcan & Yıldırım,2004
- **1679. Ectemnius (Thyreocerus) crassicornis (Spinola,1838)** (Crabronidae) Synonym(s): *crassicornis Spinola,1838*
- **1680.** Philanthus triangulum (Fabricius,1775) (Crabronidae) Synonym(s): triangulum Fabricius,1775
- **1681.** Andricus aries (Giraud,1859) (Cynipidae) Synonym(s): aries Giraud,1859
- 1682. Andricus askewi Melika & Stone, 2001 (Cynipidae) Synonym(s): askewi Melika & Stone, 2001
- **1683.** Andricus caputmedusae (Hartig,1843) (Cynipidae) Synonym(s): caputmedusae Hartig,1843; gallaecristatae Henschel,1876
- **1684.** Andricus curtisii (Müller,1870) (Cynipidae) Synonym(s): curtisii Müller,1870; mediterraneae Trotter,1901
- **1685.** Andricus insanus (Westwood,1837) (Cynipidae) Synonym(s): insanus Westwood,1837
- **1686.** Andricus lucidus (Hartig,1843) (Cynipidae) Synonym(s): lucidus Hartig,1843; aestivalis Giraud,1859; lucidoserinaceus Kieffer,1901
- **1687.** Andricus megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae) Synonym(s): megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004
- 1688. Andricus moreae (Graeffe,1905) (Cynipidae) Synonym(s): moreae Graeffe,1905
- 1689. Andricus multiplicatus Giraud, 1859 (Cynipidae) Synonym(s): multiplicatus Giraud, 1859
- **1690.** Andricus megatruncicolus Melika, 2008 (Cynipidae) Synonym(s): megatruncicolus Melika, 2008
- **1691.** Andricus polycerus (Giraud,1859) (Cynipidae) Synonym(s): polycerus Giraud,1859; subterranea Giraud,1859; transversa Kieffer,1897; trinacriae Stefani,1906
- **1692.** Andricus quercuscalicis (Burgsdorf,1783) (Cynipidae) Synonym(s): quercuscalicis Burgsdorf,1783; calicis Hartig,1843; cerri Beyerinck,1895; beyerincki Trotter,1899
- **1693.** Andricus sternlichti Bellido, Pujade-Villar & Melika,2003 (Cynipidae) Synonym(s): sternlichti Bellido, Pujade-Villar & Melika,2003
- 1694. Andricus tomentosus (Trotter,1901) (Cynipidae) Synonym(s): tomentosus Trotter,1901
- 1695. Andricus truncicola (Giraud, 1859) (Cynipidae) Synonym(s): truncicola Giraud, 1859
- **1696.** Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae) Synonym(s): persica Melika, Stone, Sadeghi & Pujade-Villar,2004
- **1697.** Cynips quercus (Fourcroy,1785) (Cynipidae) Synonym(s): quercus Fourcroy,1785; pubescentis Mayr,1881; ilicis Kieffer,1896; geminus Belizin & Maisuradze,1962; rusanovae Belizin & Maisuradze,1962
- **1698.** Cynips quercusfolii (Linnaeus,1758) (Cynipidae) Synonym(s): quercusfolii Linnaeus,1758; scutellaris Olivier,1791; gallaecerasiformis Anthoine,1794; gallaeunidoniformis Anthoine,1794; folii Hartig,1840; flosculi Giraud,1868; giraudi Tschek,1869; taschenbergi Schlechtendal,1870
- **1699.** Neuroterus anthracinus (Curtis,1838) (Cynipidae) Synonym(s): anthracinus Curtis,1838; ostreus Giraud,1859; ostria Hartig,1840; pallicornis Hartig,1840; furunculus Bayerinck,1882
- 1700. Neuroterus quercusbaccarum (Linnaeus,1758) (Cynipidae) Synonym(s): quercusbaccarum Linnaeus,1758; baccarumquercus Fourcroy,1785; flavipes Fourcroy,1785; pedunculiquercus Fourcroy,1785; lenticularis Olivier,1791; longipennis Fabricius,1793; gallaelenticulatae Anthoine,1794; malpighii Hartig,1840; interruptor Hartig,1841; interruptrix Hartig,1841; baccarum Blanchard,1849; pedunculi Dumeril,1860; striatus Schenck,1863; attenuatus Schenck,1863; giraudi Tschek,1869; histrio Kieffer,1901; hispanicus Tavares,1916; intermedius Tavares,1916
- 1701. Diplolepis fructuum (Rübsaamen, 1895) (Cynipidae) Synonym(s): fructuum Rübsaamen, 1895
- 1702. Cerapterocerus mirabilis Westwood,1833 (Encyrtidae) Synonym(s): mirabilis Westwood,1833; anebus Walker,1837; platicera Costa,1839; mirabilicornis Förster,1841; maculipennis Ratzeburg,1848; multiradiatus Thomson,1876
- 1703. Camponotus fallax (Nylander, 1856) (Formicidae) Synonym(s): fallax Nylander, 1856
- 1704. Pseudapis (s.str.) rufescens (Morawitz,1876) (Halictidae) Synonym(s): rufescens Morawitz,1876
- **1705.** Lasioglossum (Evylaeus) mesosclerum (Pérez,1903) (Halictidae) Synonym(s): mesosclerum Pérez,1903; rhodosianus Strand,1909; balneorum Ebmer,1974; bubulcus Warncke,1982
- 1706. Lasioglossum (s.str.) tadschicum (Blüthgen,1929) (Halictidae) Synonym(s): tadschicum Blüthgen,1929
- 1707. Sphecodes alternatus Smith,1853 (Halictidae) Synonym(s): alternatus Smith,1853; punctiventris Hagens,1882; gracilior Morawitz,1894; antigae Tournier,1901; lindbergi Pittioni,1950
- 1708. Dufourea (s.str.) caelestis Ebmer,1987 (Halictidae) Synonym(s): caelestis Ebmer,1987
- 1709. Dufourea (Halictoides) schmiedeknechtii (Kohl,1905) (Halictidae) Synonym(s): schmiedeknechtii Kohl,1905
- 1710. Halictus (Vestitohalictus) pollinosus Sichel, 1860 (Halictidae) Synonym(s): pollinosus Sichel, 1860
- 1711. Halictus (Hexataenites) scabiosae (Rossi,1790) (Halictidae) Synonym(s): scabiosae Rossi,1790; alternans Fabricius,1793; zebrus Walckenaer,1817; griseozonatus Dours,1872; powelli Cockerell,1931

- 1712. Ceratophygadeuon anurus (Thomson, 1884) (Ichneumonidae) Synonym(s): anurus Thomson, 1884
- 1713. Perilissus rufoniger (Gravenhorst,1829) (Ichneumonidae) Synonym(s): rufoniger Gravenhorst,1829
- 1714. Ichneumon proletarius Wesmael, 1848 (Ichneumonidae) Synonym(s): proletarius Wesmael, 1848
- 1715. Fileanta flavolaeta (Berthoumieu,1892) (Ichneumonidae) Synonym(s): flavolaeta Berthoumieu,1892
- **1716. Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis Holmgren,1860*; *gracilipes Thomson,1888*
- 1717. Leucospis biguetina Jurine, 1807 (Leucopsidae) Synonym(s): biguetina Jurine, 1807
- 1718. Leucospis dorsigera (Fabricius,1775) (Leucopsidae) Synonym(s): dorsigera Fabricius,1775
- 1719. Leucospis gigas (Fabricius,1793) (Leucopsidae) Synonym(s): gigas Fabricius,1793; grandis Klug,1814; varia Klug,1814; shuckardi Westwood,1834; rufonotata Westwood,1839; quaettaensis Cameron,1906; nursei Cameron,1906
- 1720. Leucospis intermedia llliger, 1807 (Leucopsidae) Synonym(s): intermedia llliger, 1807
- **1721. Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae) Synonym(s): *superbum Radoszkowski,1876*; *christophi Morawitz,1884*; *grande Friese,1897*
- 1722. Anthidium (Icteranthidium) cimbiciforme (Smith,1854) (Megachilidae) Synonym(s): cimbiciforme Smith,1854; bartholomei Radoszkowski,1862
- 1723. Anthidium (Icteranthidium) ovasi Warncke,1980 (Megachilidae) Synonym(s): ovasi Warncke,1980
- 1724. Anthidium (s.str.) punctatum Latreille,1809 (Megachilidae) Synonym(s): punctatum Latreille,1809; minus Nylander,1848; senile Eversmann,1852; greyi Radoszkowski,1862; albidulum Chevrier,1872; nigrinum Morawitz,1875; nitidulum Morawitz,1894; mayeti Pérez,1895; albofasciatum Friese,1897; fulvipes Friese,1897; kohlii Friese,1897; bequaerti Alfken,1914; amanusense Dusmet,1915; ariasi Dusmet,1915; nigritulum Friese,1917; suecicum Alfken,1927
- 1725. Anthidium (s.str.) diadema Latreille,1809 (Megachilidae) Synonym(s): diadema Latreille,1809; ornatum Lepeletier,1841; albiventre Lepeletier,1841; radoszowskyi Mocsary,1887; seraxense Radoszowski,1893; terminale Morawitz,1894; caucasicum Friese,1897
- 1726. Anthidium (s.str.) cingulatum Latreille, 1809 (Megachilidae) Synonym(s): cingulatum Latreille, 1809
- 1727. Stelis aculeata Morawitz,1880 (Megachilidae) Synonym(s): aculeata Morawitz,1880
- 1728. Coelioxys (Allocoelioxys) afra Lepeletier,1841 (Megachilidae) Synonym(s): afra Lepeletier,1841; erzurumensis Tkalcu
- 1729. Coelioxys (s.str.) aurolimbata Förster,1853 (Megachilidae) Synonym(s): aurolimbata Förster,1853
- 1730. Megachile (Eutricharaea) pilidens Alfken,1924 (Megachilidae) Synonym(s): pilidens Alfken,1924
- 1731. Chelostoma (Foveosmia) maidli (Benoist,1935) (Megachilidae) Synonym(s): maidli Benoist,1935; seidenstueckeri Mavromoustakis,1954
- **1732. Chelostoma (Foveosmia) torquillum Warncke,1991** (Megachilidae) Synonym(s): *torquillum Warncke,1991*
- 1733. Hoplitis (Annosmia) fulica (Warncke,1991) (Megachilidae) Synonym(s): fulica Warncke,1991
- 1734. Hoplitis (Anthocopa) anipuncta (Alfken,1935) (Megachilidae) Synonym(s): anipuncta Alfken,1935
- 1735. Hoplitis (Pentadentosmia) pomarina (Warncke,1991) (Megachilidae) Synonym(s): pomarina Warncke,1991
- 1736. Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840) (Megachilidae) Synonym(s): acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994
- 1737. Hoplitis (Alcidamea) caularis (Morawitz,1875) (Megachilidae) Synonym(s): caularis Morawitz,1875; proxima Morawitz,1875 nec Cress.,1864; turcestanica Dalla Torre,1896
- 1738. Hoplitis (Alcidamea) decaocta (Warncke,1991) (Megachilidae) Synonym(s): decaocta Warncke,1991
- 1739. Hoplitis (Alcidamea) stellaris (Warncke,1991) (Megachilidae) Synonym(s): stellaris Warncke,1991
- 1740. Osmia (Helicosmia) dimidiata Morawitz,1870 (Megachilidae) Synonym(s): dimidiata Morawitz,1870; taurica Radoszkowski,1874; rossica Friese,1899
- 1741. Osmia (Hemiosmia) difficilis Morawitz,1875 (Megachilidae) Synonym(s): difficilis Morawitz,1875; falcata Morawitz,1875; alborufa Alfken,1935
- **1742. Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata Morawitz,1876*; *affinis Frivaldsky,1877*; *pallens Tkalcu,1979*
- 1743. Osmia (Ozbekosmia) avosetta Warncke,1988 (Megachilidae) Synonym(s): avosetta Warncke,1988
- 1744. Osmia (Tergosmia) glareola Warncke,1988 (Megachilidae) Synonym(s): glareola Warncke,1988
- 1745. Megalodontes eversmanni (Freymuth,1870) (Megalodontesidae) Synonym(s): eversmanni Freymuth,1870; loewii Stein,1876; multicincta Mocsary,1891
- **1746. Megalodontes crassicornis Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): crassicornis Springate, Burckardt & Springate,2011
- 1747. Megalodontes flavicornis Klug, 1824 (Megalodontesidae) Synonym(s): flavicornis Klug, 1824
- 1748. Ronisia brutia (Petagna,1787) (Mutillidae) Synonym(s): brutia Petagna,1787; sexmaculata Cyrillo,1787; hungarica Fabricius,1793; confusa Lepeletier,1845; monspeliensis Lepeletier,1845; robusta Smith,1855; torosa Costa,1858; sericeiventris Costa,1864; duplex Radoszkowski,1885; discoidalis Radoszkowski,1885 morawitzii Dalla Torre,1897
- 1749. Dentilla curtiventris (André,1901) (Mutillidae) Synonym(s): curtiventris André,1901
- 1750. Ceropales albicincta (Rossi,1790) (Pompilidae) Synonym(s): albicincta Rossi,1790; wolfi Moczar,1978
- 1751. Ceropales helvetica Tournier,1889 (Pompilidae) Synonym(s): helvetica Tournier,1889
- **1752. Cryptocheilus alternatus (Lepeletier,1845)** (Pompilidae) Synonym(s): alternatus Lepeletier,1845; caspius Gussakowskii,1952
- 1753. Cryptocheilus discolor (Fabricius,1793) (Pompilidae) Synonym(s): discolor Fabricius,1793

- 1754. Cryptocheilus egregius (Lepeletier,1845) (Pompilidae) Synonym(s): egregius Lepeletier,1845
- 1755. Cryptocheilus exiguus Sustera,1924 (Pompilidae) Synonym(s): exiguus Sustera,1924
- 1756. Cryptocheilus fabricii (Van der Linden,1827) (Pompilidae) Synonym(s): fabricii Van der Linden,1827; meridionalis Junco,1943
- 1757. Cryptocheilus octomaculatus (Rossi,1790) (Pompilidae) Synonym(s): octomaculatus Rossi,1790; eatoni Saunders,1901
- 1758. Cryptocheilus rubellus (Eversmann, 1846) (Pompilidae) Synonym(s): rubellus Eversmann, 1846
- 1759. Cryptocheilus stygium Priesner,1967 (Pompilidae) Synonym(s): stygium Priesner,1967
- 1760. Cryptocheilus variipennis Sustera,1924 (Pompilidae) Synonym(s): variipennis Sustera,1924
- 1761. Priocnemis vulgaris (Dufour,1841) (Pompilidae) Synonym(s): vulgaris Dufour,1841
- 1762. Auplopus carbonarius (Scopoli,1763) (Pompilidae) Synonym(s): carbonarius Scopoli,1763
- 1763. Auplopus rectus (Haupt,1927) (Pompilidae) Synonym(s): rectus Haupt,1927; ater Haupt,1930
- 1764. Eoferreola anatolica Piesner,1973 (Pompilidae) Synonym(s): anatolica Piesner,1973
- 1765. Agenioideus apicalis (Van der Linden, 1827) (Pompilidae) Synonym(s): apicalis Van der Linden, 1827
- 1766. Agenioideus ciliatus (Lepeletier,1845) (Pompilidae) Synonym(s): ciliatus Lepeletier,1845; acrobates Ferton.1911
- 1767. Agenioideus excisus (Morawitz,1890) (Pompilidae) Synonym(s): excisus Morawitz,1890; emarginatus Haupt
- 1768. Agenioideus ruficeps (Eversmann,1849) (Pompilidae) Synonym(s): ruficeps Eversmann,1849
- 1769. Agenioideus sericeus (Van der Linden, 1827) (Pompilidae) Synonym(s): sericeus Van der Linden, 1827
- 1770. Agenioideus vesanus (Kohl,1907) (Pompilidae) Synonym(s): vesanus Kohl,1907
- 1771. Anoplius concinnus (Dahlbom,1845) (Pompilidae) Synonym(s): concinnus Dahlbom,1845
- 1772. Anoplius infuscatus (Van der Linden,1827) (Pompilidae) Synonym(s): infuscatus Van der Linden,1827; meticulosus Costa.1882
- 1773. Anoplius samariensis (Pallas,1771) (Pompilidae) Synonym(s): samariensis Pallas,1771
- 1774. Anoplius schlettereri (Radoszkowski,1888) (Pompilidae) Synonym(s): schlettereri Radoszkowski,1888; niger Priesner,1967
- 1775. Anoplius viaticus (Linnaeus,1758) (Pompilidae) Synonym(s): viaticus Linnaeus,1758; fusca Linnaeus,1761; paganus Dahlbom,1843; propinquus SWmith,1879; delatorius Tournier,1890; immixtus Tournier,1890; macrurus Tournier,1890; pleuropicus Tournier,1890; tibialis Tournier,1890; valesicus Tournier,1890; holomelas Mantero,1905
- **1776. Aporinellus sexmaculatus (Spinola,1805)** (Pompilidae) Synonym(s): sexmaculatus Spinola,1805; asiaticus Gussakowskii,1935
- 1777. Arachnospila fumipennis (Zetterstedt,1838) (Pompilidae) Synonym(s): fumipennis Zetterstedt,1838
- 1778. Arachnospila hedickei (Haupt,1929) (Pompilidae) Synonym(s): hedickei Haupt,1929
- 1779. Arachnospila osmana (Wolf,1999) (Pompilidae) Synonym(s): osmana Wolf,1999
- 1780. Arachnospila rufa (Haupt,1927) (Pompilidae) Synonym(s): rufa Haupt,1927
- 1781. Batozonellus lacerticida (Pallas,1771) (Pompilidae) Synonym(s): lacerticida Pallas,1771
- 1782. Elaphrosyron paglianoi Wolf,1999 (Pompilidae) Synonym(s): paglianoi Wolf,1999
- 1783. Episyron candiotum Wahis,1966 (Pompilidae) Synonym(s): candiotum Wahis,1966
- 1784. Episyron gallicum (Tournier,1889) (Pompilidae) Synonym(s): gallicum Tournier,1889; intermedium Haupt,1930
- 1785. Episyron rufipes (Linnaeus, 1758) (Pompilidae) Synonym(s): rufipes Linnaeus, 1758
- 1786. Evagetes dubius (Van der Linden,1827) (Pompilidae) Synonym(s): dubius Van der Linden,1827; obscurodubius Wolf & Diniz,1970
- 1787. Evagetes gibbulus Lepeletier, 1845 (Pompilidae) Synonym(s): gibbulus Lepeletier, 1845
- 1788. Evagetes pontomoravicus (Sustera,1938) (Pompilidae) Synonym(s): pontomoravicus Sustera,1938
- 1789. Evagetes tumidosus (Tournier,1890) (Pompilidae) Synonym(s): tumidosus Tournier,1890
- 1790. Pompilus cinereus (Fabricius,1787) (Pompilidae) Synonym(s): cinereus Fabricius,1787
- 1791. Tachyagetes bytinskii Haupt, 1962 (Pompilidae) Synonym(s): bytinskii Haupt, 1962
- 1792. Tachyagetes konyanus Wolf, 1987 (Pompilidae) Synonym(s): konyanus Wolf, 1987
- 1793. Tachyagetes turcoturanicus Wolf,1986 (Pompilidae) Synonym(s): turcoturanicus Wolf,1986
- 1794. Telostegus cretensis Priesner,1965 (Pompilidae) Synonym(s): cretensis Priesner,1965
- 1795. Telostegus excisus (Haupt,1930) (Pompilidae) Synonym(s): excisus Haupt,1930
- 1796. Telostegus fumigatus (Klug,1834) (Pompilidae) Synonym(s): fumigatus Klug,1834
- 1797. Telostegus inermis (Brullé,1832) (Pompilidae) Synonym(s): inermis Brullé,1832; ater Haupt,1930
- 1798. Sapyga (s.str.) caucasica Radoszkowski,1880 (Sapygidae) Synonym(s): caucasica Radoszkowski,1880
- 1799. Sapyga (s.str.) morawitzi Turner,1911 (Sapygidae) Synonym(s): morawitzi Turner,1911; gussakovskii Kurzenko,1986
- 1800. Sapyga (s.str.) pulcherrima Morawitz,1894 (Sapygidae) Synonym(s): pulcherrima Morawitz,1894
- 1801. Sapyga (s.str.) quinquepunctata (Fabricius,1781) (Sapygidae) Synonym(s): quinquepunctata Fabricius,1781
- **1802.** Sapyga (s.str.) similis (Fabricius,1793) (Sapygidae) Synonym(s): similis Fabricius,1793; variegata Dahlbom,1844; exornata Gerstraecker,1861; pedestris Gerstraecker,1861; rufipes A.Costa,1864
- **1803.** Colpa quinquecincta (Fabricius,1775) (Scoliidae) Synonym(s): villosa Fabricius,1775; quinquecincta Fabricius,1775; abdominalis Spinola,1806; continua Leeletier,1845
- **1804.** Scolia (s.str.) sexmaculata (Müller,1766) (Scoliidae) Synonym(s): sexmaculata Müller,1766; biguttata Fabricius,1804; violacea Panzer,1799; syriaca Klug,1832; hispanica Betrem,1935; beiruti Betrem,1935; montana Steinberg,1962; orientalis Steinberg,1962; dionysopolis Tkalcu,1988

- **1805.** Scolia (s.str.) fallax Eversmann, 1849 (Scoliidae) Synonym(s): fallax Eversmann, 1849; syriacola Betrem, 1935; moreana Muche, 1962; tricolor Bradley, 1972
- **1806.** Scolia (s.str.) fuciformis Scopoli,1786 (Scoliidae) Synonym(s): fuciformis Scopoli,1786; insubrica Scopoli,1786
- 1807. Ammophila heydeni Dahlbom,1845 (Sphecidae) Synonym(s): heydeni Dahlbom,1845
- 1808. Podalonia hirsuta (Scopoli,1763) (Sphecidae) Synonym(s): hirsuta Scopoli,1763
- **1809.** Sceliphron (s.str.) destillatorium (Illiger,1807) (Sphecidae) Synonym(s): flavipes Christ,1791 nec Fabr.,1781; destillatorium Illiger,1807; pensilis Illiger,1807; sardonius Lepeletier,1845; sardous Caruccio,1872; trinacriensis De Stefani Perez,1889
- 1810. Macrophya cyrus Benson,1954 (Tenthredinidae) Synonym(s): cyrus Benson,1954
- **1811.** Macrophya diversipes (Schrank,1782) (Tenthredinidae) Synonym(s): diversipes Schrank,1782; flavipes Tischbein,1852; haematopus Costa,1866; eximia Moscary,1877; caucasica André,1881; rubripes André,1881; saundersi Kirby,1886; sanguinipes Moscary,1891; dalmatina Gasparini,1891; haematopus Villers,1789; ochreata Panzer,
- **1812.** Macrophya suberba Tischbein, 1852 (Tenthredinidae) Synonym(s): erythropus Brullé, 1832; suberba Tischbein, 1852; flavipennis Kriechbaumer, 1891
- **1813.** Tenthredo (Zonuledo) flavipennis (Brullé,1832) (Tenthredinidae) Synonym(s): flavipennis Brullé,1832; frivaldszkyi Mocsary,1879; lautus Konow,1891
- **1814.** Tenthredo marginella Fabricius, 1793 (Tenthredinidae) Synonym(s): marginella Fabricius, 1793; fuscipennis Konow, 1886; hakkariensis Blank, 1991
- **1815. Tenthredo vespa Retzius,1783** (Tenthredinidae) Synonym(s): vespa Retzius,1783; multifasciata Geoffroy,1785; sexannulata Schrank,1802; tricincta Fabricius,1804 nec Christ,1791; quadricincta Fallén,1808; vespiformis Audinet-Serville,1823; multicinctus Rudow,1872; nigrilabris Frivaldszky,1877
- **1816. Tenthredo (Zonuledo) zonula Klug,1817** (Tenthredinidae) Synonym(s): fasciata Scopoli,1763 nec Linn.,1758; bifasciata Geoffroy,1785 nec Müll.,1766; bicictaflava Christ,1791; zonula Klug,1817; similis Mocsary,1880; nazareensis André; serena Konow; calcaratus André,1881; scutellaris Konow,1898
- **1817.** Cladius pectinicornis (Geoffroy,1785) (Tenthredinidae) Synonym(s): pectinicornis Geoffroy,1785
- **1818.** Ludita fulvipennis (Smith, 1879) (Tiphiidae) Synonym(s): fulvipennis Smith, 1879
- **1819. Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): orientalis Linnaeus,1771; turcica Drury,1773; quadripunctata Forskal,1775; fusca Christ,1791; aegyptiaca Vallot,1802; nilotica Vallot,1802; jurinei Sauusure,1854; zavattarii Guiglia & Capra,1933; somalica Giordani Soika,1934; arabica Giordani Soika,1957
- 1820. Quartinia popovi Gussakovskii,1936 (Vespidae) Synonym(s): popovi Gussakovskii,1936
- 1821. Ceramius caucasicus André, 1884 (Vespidae) Synonym(s): caucasicus André, 1884
- 1822. Jugurtia escalerae Meade-Waldo,1910 (Vespidae) Synonym(s): escalerae Meade-Waldo,1910
- 1823. Ancistrocerus oviventris (Wesmael,1836) (Vespidae) Synonym(s): oviventris Wesmael,1836
- 1824. Antepipona cribrata (Morawitz,1885) (Vespidae) Synonym(s): cribrata Morawitz,1885
- 1825. Antepipona insana (Giordani Soika,1943) (Vespidae) Synonym(s): insana Giordani Soika,1943; calva Gusenleitner,1988
- 1826. Cephalochilus draco Giordani Soika,1970 (Vespidae) Synonym(s): draco Giordani Soika,1970
- **1827. Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *mediterraneus Kriechbaumer,1879; housaki Giordani Soika,1952; anatolicus Giordani Soika,1952*
- 1828. Euodynerus (s.str.) clathratus Blüthgen,1951 (Vespidae) Synonym(s): clathratus Blüthgen,1951
- **1829.** Euodynerus (s.str.) curictensis Blüthgen,1940 (Vespidae) Synonym(s): curictensis Blüthgen,1940; comosellus Gusenleitner,1971
- 1830. Psiliglossa anatolica Giordani Soika,1979 (Vespidae) Synonym(s): anatolica Giordani Soika,1979
- **1831.** Pseudepipona (Deuterepipona) ankarensis Giordani Soika,1970 (Vespidae) Synonym(s): ankarensis Giordani Soika,1970
- **1832.** Polistes (s.str.) dominulus (Christ,1791) (Vespidae) Synonym(s): dominulus Christ,1791; bucharensis Erichson,1949; muchei Gusenleitner,1976
- **1833.** Polistes (s.str.) gallicus (Linnaeus,1767) (Vespidae) Synonym(s): gallicus Linnaeus,1767; foederatus Kohl,1898; omissus Weyrauch,1939
- **1834.** Dolichovespula sylvestris (Scopoli,1763) (Vespidae) Synonym(s): sylvestris Scopoli,1763; parietum Harris,1776 nec Linn.,1758; holsatica Fabricius,1793; frontalis Latreille,1802; campanaria Fowler,1833; pilosella Costa,1858; sumptuosa Du Buysson,1905; xinjiangensis Lee,1986
- 1835. Vespula germanica (Fabricius,1793) (Vespidae) Synonym(s): germanica Fabricius,1793



Fig. 34- Anthophora plumipes (Apidae) from Van Prov., Zeve 1700m 6 5 2012 M Kemal (Cesa)



Fig. 35- Anthophora sp (Apidae) from Van Prov., Ermişler 1675m 3 8 2012 M Kemal (Cesa)

Coleoptera

Totally 165 species have been listed below (Figs. 36-37).

- **1836.** Rhynchites hungaricus (Herbst,1784) (Attelabidae) Synonym(s): hungaricus Herbst,1784; marginatus Schrank,1798; ursus Gebler,1830; anatolicus Schilsky,1903; marginicollis Schilsky,1903; maculicollis Reitter,1916; suturifer Reitter,1916
- **1837.** Attelabus nitens (Scopoli,1763) (Attelabidae) Synonym(s): nitens Scopoli,1763; curculionoides Linnaeus,1767; coryli Müller,1776; maculipes Rondani,1833
- **1838. Bostrichus capucinus (Linnaeus,1758)** (Bostrichidae) Synonym(s): capucinus Linnaeus,1758; ruber Geoffroy,1785; luctuosus Olivier,1790; nigriventris Lucas,1843; rubriventris Zoufal,1894
- **1839.** Brachycerus quadrisulcatus Fischer v.Waldheim,1830 (Brachyceridae) Synonym(s): quadrisulcatus Fischer v.Waldheim,1830; difformis Faldermann,1837
- **1840.** Caryedon halperini Anton & Delobel,2004 (Bruchidae) Synonym(s): #akdamaricus Decelle & Lodos,1989; halperini Anton & Delobel,2004
- 1841. Capnodis marquardti Reitter,1913 (Buprestidae) Synonym(s): marquardti Reitter,1913
- 1842. Anthaxia (s.str.) bicolor Faldermann,1835 (Buprestidae) Synonym(s): bicolor Faldermann,1835
- 1843. Anthaxia (Cratomerus) nupta Kiesenwetter, 1857 (Buprestidae) Synonym(s): nupta Kiesenwetter, 1857
- **1844.** Harpalus (s.str.) affinis (Schrank,1781) (Carabidae) Synonym(s): aeneus Fabricius,1775; affinis Schrank,1781; bifoveolatus Kuster,1846; paganettii Flach,1907
- **1845.** Harpalus (s.str.) rubripes Duftschmid,1812 (Carabidae) Synonym(s): rubripes Duftschmid,1812; sobrinus Dejean,1829; serdicanus Apfelbeck,1904
- **1846.** Agonum viridicupreum (Goeze,1777) (Carabidae) Synonym(s): viridicupreum Goeze,1777
- **1847.** Calosoma sycophanta (Linnaeus,1758) (Carabidae) Synonym(s): sycophanta Linnaeus,1758; severum Chaudoir,1850
- **1848.** Carabus (Lamprostus) calleyi Fischer von Waldheim,1823 (Carabidae) Synonym(s): calleyi Fischer von Waldheim,1823
- **1849.** Carabus (Procrustes) chevrolati Cristoforis & Jan,1837 (Carabidae) Synonym(s): chevrolati Cristoforis & Jan,1837; assimilis Cristoforis & Jan,1837; persimilis Csiki,1927
- **1850.** Cicindela asiatica Audouin & Brullé, 1839 (Carabidae) Synonym(s): asiatica Audouin & Brullé, 1839
- **1851.** Cicindela desertorum Dejean,1825 (Carabidae) Synonym(s): desertorum Dejean,1825
- 1852. Cicindela turkestanicoides W.Horn,1938 (Carabidae) Synonym(s): turkestanicoides W.Horn,1938
- **1853.** Lophyridia fischeri (Adams, 1817) (Carabidae) Synonym(s): fischeri Adams, 1817
- 1854. Lophyridia littoralis (Fabricius,1787) (Carabidae) Synonym(s): littoralis Fabricius,1787
- **1855.** Aromia moschata (Linnaeus,1758) (Cerambycidae) Synonym(s): moschata Linnaeus,1758
- **1856.** Osphranteria coerulescens Redtenbacher,[1849] (Cerambycidae) Synonym(s): coerulescens Redtenbacher,[1849]
- **1857.** Cerambyx dux (Faldermann, 1837) (Cerambycidae) Synonym(s): dux Faldermann, 1837
- **1858. Xylotrechus rusticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *rusticus Linnaeus,1758*
- 1859. Paraplagionotus floralis (Pallas,1773) (Cerambycidae) Synonym(s): floralis Pallas,1773
- **1860.** Purpuricenus tommasoi Sama,2001 (Cerambycidae) Synonym(s): tommasoi Sama,2001
- **1861.** Purpuricenus wachanrui Levrat, **1858** (Cerambycidae) Synonym(s): wachanrui Levrat, **1858**
- **1862.** Lampropterus femoratus (Germar, 1824) (Cerambycidae) Synonym(s): femoratus Germar, 1824
- 1863. Vadonia bitlisiensis (Chevrolat, 1882) (Cerambycidae) Synonym(s): bitlisiensis Chevrolat, 1882
- **1864.** Stictoleptura tripartita (Heyden, 1889) (Cerambycidae) Synonym(s): tripartita Heyden, 1889
- 1865. Agapanthia kirbyi (Gyllenhal, 1817) (Cerambycidae) Synonym(s): kirbyi Gyllenhal, 1817
- 1866. Pedestredorcadion beckeri (Kraatz,1873) (Cerambycidae) Synonym(s): beckeri Kraatz,1873
- **1867. Pedestredorcadion deyrollei (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *deyrollei Ganglbauer,1883*
- **1868.** Pedestredorcadion wagneri (Küster,1846) (Cerambycidae) Synonym(s): wagneri Küster,1846
- **1869.** Coptosia ganglbaueri (Pic,1951) (Cerambycidae) Synonym(s): ganglbaueri Pic,1951
- **1870.** Helladia armeniaca Frivaldsky,1878 (Cerambycidae) (Fig. 36) Synonym(s): armeniaca Frivaldsky,1878; testaceovittata Pic,1934; iranica Villers,1960; natali Lobanov,1994; holzschuchi Özdikmen,2008.
- **1871.** Musaria astarte (Ganglbauer, 1885) (Cerambycidae) Synonym(s): astarte Ganglbauer, 1885
- 1872. Musaria kurdistana (Ganglbauer, 1884) (Cerambycidae) Synonym(s): kurdistana Ganglbauer, 1884
- 1873. Musaria puncticollis (Faldermann, 1837) (Cerambycidae) Synonym(s): puncticollis Faldermann, 1837
- **1874.** Opsilia coerulescens (Scopoli,1763) (Cerambycidae) Synonym(s): coerulescens Scopoli,1763
- 1875. Semnosia herminae (Reitter,1890) (Cerambycidae) Synonym(s): herminae Reitter,1890; gobustanica Danilevsky,1990
- **1876.** Semnosia imperatrix (Abeille de Perrin,1885) (Cerambycidae) Synonym(s): imperatrix Abeille de Perrin,1885
- **1877. Semnosia interrupta (Pic,1905)** (Cerambycidae) Synonym(s): *interrupta Pic,1905*
- **1878.** Chrysolina sanguinolenta (Linnaeus,1758) (Chrysomelidae) Synonym(s): sanguinolenta Linnaeus,1758; marginalis Duftschmidt,1825
- **1879.** Chrysolina gypsophilae (Küster,1845) (Chrysomelidae) Synonym(s): gypsophilae Küster,1845; lucidicollis Küster,1845
- **1880.** Chrysolina marginata (Linnaeus,1758) (Chrysomelidae) Synonym(s): marginata Linnaeus,1758; unificans Bechyne,1950

- Centre for Entomological Studies Ankara
- Chrysolina orientalis (Olivier,1807) (Chrysomelidae) Synonym(s): orientalis Olivier,1807; campicola 1881. Gistl,1857; palaestina Bechyne,1950; thraeissa Bechyne,1950
- Chrysomela populi Linnaeus,1758 (Chrysomelidae) Synonym(s): populi Linnaeus,1758
- Prasocuris junci (Brahm,1790) (Chrysomelidae) Synonym(s): 1883. junci Brahm,1790; beccabungae Küster,1846; minutus Markovic,1909
- **1884.** Phyllobrotica binotata Ogloblin,1936 (Chrysomelidae) Synonym(s): binotata Ogloblin,1936; aslani Warchalowski,1998
- 1885. Pachybrachis (s.str.) anatolicus Lopatin,1985 (Chrysomelidae) Synonym(s): anatolicus Lopatin,1985
- Pachybrachis (s.str.) fimbriolatus (Suffrian, 1848) (Chrysomelidae) Synonym(s): tristis Olivier, 1808 nec Laich.,1781; fimbriolatus Suffrian,1848; mulsanti Perris,1852
- **1887.** Pachybrachis (s.str.) tessellatus (Olivier,1791) (Chrysomelidae) Synonym(s): tessellatus Olivier,1791; tauricus Suffrian, 1848; bisignatus Redtenbacher, 1849; aethiops Weise, 1882; picturatus Rey, 1883; orientalis Weise,1894; syriacus Weise,1900; melanopygus Müller,1953
- Stylosomus flavus Marseul, 1875 (Chrysomelidae) Synonym(s): flavus Marseul, 1875
- Labidostomis (s.str.) subfasciata Weise,1885 (Chrysomelidae) Synonym(s): subfasciata Weise,1885; trigemina Weise,1898
- 1890. Clytra atraphaxidis (Pallas,1773) (Chrysomelidae) Synonym(s): atraphaxidis Pallas,1773; deficens Weise,1900
- Clytra aliena Weise, 1897 (Chrysomelidae) Synonym(s): aliena Weise, 1897 1891.
- Clytra cingulata Weise, 1898 (Chrysomelidae) Synonym(s): cingulata Weise, 1898
- 1893. Clytra valeriana Ménétriés, 1832 (Chrysomelidae) Synonym(s): valeriana Ménétriés, 1832; tetrastigma Schmidt,1841; #valerianae Aydın & Kısmalı,1990
- **1894.** Smaragdina limbata (Steven, 1806) (Chrysomelidae) Synonym(s): limbata Steven,1806; dorsalis Olivier.1808
- 1895. Aphthona crassicornis Lopatin,1990 (Chrysomelidae) Synonym(s): crassicornis Lopatin,1990
- Longitarsus anatolicus Weise,1900 (Chrysomelidae) Synonym(s): anatolicus Weise,1900
- Hispa atra Linnaeus,1767 (Chrysomelidae) Synonym(s): atra Linnaeus,1767; cariosa Reiche & Saulcy, 1858; algira Motschoulsky, 1860; aptera Motschoulsky, 1860; minuta Balbi, 1892; balbii Donckier, 1899
- **1898.** Trichodes reichei Mulsant & Rey,1863 (Cleridae) (Fig. 37) Synonym(s): reichei Mulsant & Rey,1863; klugi Kraatz,1873; conjunctus Escherich,1892
- Trichodes ephippiger Chevrolat, 1874 (Cleridae) Synonym(s): ephippiger Chevrolat, 1874
- Trichodes sexpustulatus Chevrolat,1874 (Cleridae) Synonym(s): sexpustulatus Chevrolat,1874; erratus Champenois,1898
- Trichodes pulcherrimus Escherich, 1892 (Cleridae) Synonym(s): pulcherrimus Escherich, 1892 1901.
- 1902. Trichodes sipylus (Linnaeus,1758) (Cleridae) Synonym(s): sipylus Linnaeus,1758; subfasciatus Kraatz,1873; frater Kraatz,1893; fraterculus Zaitzev,1915
- Trichodes laminatus Chevrolat,1843 (Cleridae) Synonym(s): laminatus Chevrolat,1843 1903.
- Bulaea lichatschovi (Hummel,1827) (Coccinellidae) Synonym(s): lichatschovi Hummel,1827 1904.
- Brumus octosignatus (Gebler, 1830) (Coccinellidae) Synonym(s): octosignatus Gebler, 1830 1905.
- 1906. Hippodamia (Adonia) variegata (Goeze,1777) (Coccinellidae) Synonym(s): variegata Goeze,1777
- (Semiadalia) (Schneider,1792) 1907. Hippodamia undecimnotata (Coccinellidae) Synonym(s): undecimnotata Schneider,1792
- 1908. Coccinella (s.str.) septempunctata Linnaeus,1758 (Coccinellidae) Synonym(s): Linnaeus,1758; brucki Mulsant,1866
- 1909. Coccinella (s.str.) distincta Falderman (Coccinellidae) Synonym(s): distincta Falderman; #distinctu Özbek & Çetin,1991
- Exochomus quadripustulatus (Linnaeus,1758) (Coccinellidae) Synonym(s): 1910. quadripustulatus Linnaeus,1758
- Harmonia axyridis (Pallas,1773) (Coccinellidae) Synonym(s): axyridis Pallas,1773 1911.
- Scymnus apetzi Mulsant, 1846 (Coccinellidae) Synonym(s): apetzi Mulsant, 1846 1912.
- Scymnus quadriguttatus Capra,1924 (Coccinellidae) Synonym(s): quadriquttatus Capra,1924 1913.
- Platynaspis luteorubra (Goeze,1777) (Coccinellidae) Synonym(s): luteorubra Goeze,1777 1914.
- Oenopia oncina (Olivier, 1808) (Coccinellidae) Synonym(s): oncina Olivier, 1808 1915.
- 1916. Larinus minutus Gyllenhall,1836 (Curculionidae) Synonym(s): minutus Gyllenhall,1836
- Larinus onopordi (Fabricius,1787) (Curculionidae) Synonym(s): onopordi Fabricius,1787 1917.
- Larinus turbinatus Gyllenhal, 1836 (Curculionidae) Synonym(s): turbinatus Gyllenhal, 1836 1918.
- Lixus bardanae (Fabricius,1787) (Curculionidae) Synonym(s): bardanae Fabricius,1787 1919.
- Lixus cardui Olivier,1807 (Curculionidae) Synonym(s): cardui Olivier,1807 1920.
- Lixus elegantulus Boheman, 1843 (Curculionidae) Synonym(s): elegantulus Boheman, 1843 1921.
- 1922. Lixus scolapax Boheman,1836 (Curculionidae) Synonym(s): scolapax Boheman,1836
- Hypera farinosa Boheman, 1842 (Curculionidae) Synonym(s): farinosa Boheman, 1842 1923.
- Hypera jucundus Capiomont, 1868 (Curculionidae) Synonym(s): jucundus Capiomont, 1868 1924.
- 1925. Hypera meles (Fabricius, 1792) (Curculionidae) Synonym(s): meles Fabricius, 1792
- 1926. Hypera variabilis (Herbst,1795) (Curculionidae) Synonym(s): variabilis Herbst,1795
- Hypera viciae (Gyllenhal, 1813) (Curculionidae) Synonym(s): viciae Gyllenhal, 1813 1927.
- Cionus olivieri Rosenschöld,1838 (Curculionidae) Synonym(s): olivieri Rosenschöld,1838 1928.
- Anthrenus (s.str.) pimpinellae (Fabricius,1775) (Dermestidae) Synonym(s): pimpinellae Fabricius,1775; 1929. scrophulariae Fourcroy,1785 nec Linn.,1758

- **1930. Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *bipustulatus Linnaeus,1767*
- 1931. Agabus (Gaurodytes) dilatatus (Brullé,1832) (Dytiscidae) Synonym(s): dilatatus Brullé,1832
- **1932.** Platambus lunulatus (Fischer von Waldheim,1829) (Dytiscidae) Synonym(s): lunulatus Fischer von Waldheim,1829
- **1933.** Cybister (Scaphinectes) lateralimarginalis (De Geer,1774) (Dytiscidae) Synonym(s): lateralimarginalis De Geer,1774
- 1934. Deronectes parvicollis (Schaum, 1864) (Dytiscidae) Synonym(s): parvicollis Schaum, 1864
- 1935. Nebrioporus airumlus (Kolenati,1845) (Dytiscidae) Synonym(s): airumlus Kolenati,1845
- **1936.** Scarodytes halensis (Fabricius,1787) (Dytiscidae) Synonym(s): halensis Fabricius,1787
- 1937. Stictotarsus griseostriatus (De Geer,1774) (Dytiscidae) Synonym(s): griseostriatus De Geer,1774
- 1938. Hygrotus (Coelambus) lernaeus (Schaum, 1857) (Dytiscidae) Synonym(s): lernaeus Schaum, 1857
- 1939. Zorochros alysidotus (Kiesenwetter, 1858) (Elateridae) Synonym(s): alysidotus Kiesenwetter, 1858
- **1940. Amphicoma (Pygopleurus) koniae Petrovitz,1957** (Glaphyridae) Synonym(s): *koniae Petrovitz,1957*; *vulpoides Petrovitz,1968*
- **1941. Amphicoma (Pygopleurus) sexualis Petrovitz,1968** (Glaphyridae) Synonym(s): sexualis Petrovitz,1968; muliebris Petrovitz,1968
- **1942. Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae) Synonym(s): *hybrida Reitter,1890; agricola Reitter,1890; ithae Reitter,1903*
- **1943. Amphicoma (Rudeulasia) pulchra (Reitter,1890)** (Glaphyridae) Synonym(s): pulchra Reitter,1890; kurdistana Petrovitz,1968
- 1944. Amphicoma (Vittateulasia) vittata (Fabricius,1775) (Glaphyridae) Synonym(s): vittata Fabricius,1775; lineata Faldermann,1835; strigata Waltl,1838; smyrnensis Castelnau,1840; syriaca Kollar & Redtenbacher,1843; africana Reitter,1890; chrysura Reitter,1890; decorata Reitter,1890; semifulva Reitter,1890; lateritia Reitter,1903; pseudochrysura Miksic,1960; persica Petrovitz,1963
- **1945. Helophorus aquaticus (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus Linnaeus,1758*
- 1946. Helophorus micans Falderman,1835 (Helophoridae) Synonym(s): micans Falderman,1835
- 1947. Helophorus brevipalipis Bedel, 1881 (Helophoridae) Synonym(s): brevipalipis Bedel, 1881
- 1948. Helophorus abeillei Guillebeau,1896 (Helophoridae) Synonym(s): abeillei Guillebeau,1896
- 1949. Helophorus brevipalpis Bedel,1881 (Helophoridae) Synonym(s): brevipalpis Bedel,1881
- 1950. Helophorus maculatus Motschoulsky,1860 (Helophoridae) Synonym(s): maculatus Motschoulsky,1860
- 1951. Helophorus discrepans Rey,1885 (Helophoridae) Synonym(s): discrepans Rey,1885
- 1952. Helophorus frater Orchymont,1926 (Helophoridae) Synonym(s): frater Orchymont,1926
- **1953. Hister quadrimaculatus Linnaeus,1758** (Histeridae) Synonym(s): quadrimaculatus Linnaeus,1758; gagates Illiger,1807; aethiops Heer,1841
- 1954. Laccobius (Microlaccobius) gracilis Motschoulsky,1855 (Hydrophilidae) Synonym(s): gracilis Motschoulsky,1855
- **1955.** Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874 (Hydrophilidae) Synonym(s): obscuratus Rottenberg,1874
- **1956.** Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932 (Hydrophilidae) Synonym(s): simulatrix Orchymont,1932
- **1957.** Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801) (Hydrophilidae) Synonym(s): striatulus Fabricius,1801
- **1958.** Laccobius (Dimorpholaccobius) sulcatulus Reitter,1909 (Hydrophilidae) Synonym(s): sulcatulus Reitter,1909
- **1959.** Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896 (Hydrophilidae) Synonym(s): syriacus Guillebeau,1896
- 1960. Berosus (Enoplurus) spinosus (Steven, 1808) (Hydrophilidae) Synonym(s): spinosus Steven, 1808
- **1961.** Enochrus (Lumetus) bicolor (Fabricius, 1792) (Hydrophilidae) Synonym(s): bicolor Fabricius, 1792
- 1962. Lucanus (s.str.) ibericus Motschoulsky,1845 (Lucanidae) Synonym(s): ibericus Motschoulsky,1845; curtulus Motschoulsky,1845; barbarossa Burmeister,1847 nec Fabr.,1801; minor Burmeister,1847; orientalis Kraatz,1860; piger Motschoulsky,1870; syriacus Motschoulsky,1870; tenebrosus Motschoulsky,1870; intermedius Motschoulsky,1870; caspica Semenov,1901; ravasinii Schatzmayr,1923; #hibericus Sabatinelli,1977
- 1963. Hycleus scabiosae (Olivier,1811) (Meloidae) Synonym(s): scabiosae Olivier,1811; euphratica Marseul,1870; marseuli Ballion,1878; alienigera Heyden,1883; maracadensis Dokhtouroff,1889; auliensis Pic,1901; sicheri Fleischer,1921;eichleri Mader,1927;transcaspiensis Pic,1928;delta Sumakov,1930;epsilon Sumakov,1930
- **1964. Mylabris (Eumylabris) cincta Olivier,1811** (Meloidae) Synonym(s): cincta Olivier,1811; tiflensis Billberg,1813; matthesi Faldermann,1837; bicolor Waltl,1838; taeniata Waltl,1838; tricingulata Redtenbacher,1850; jugatoria Reiche,1865; soubironi Pic,1921; #cincat Kaszab,1968
- **1965. Mylabris (Eumylabris) fabricii Sumakov,1924** (Meloidae) Synonym(s): decimpunctata Petagna,1787 nec Fabr.,1781; forti Mulsant,1857; fabricii Sumakov,1924
- 1966. Mylabris (s.str.) quadripunctata (Linnaeus,1767) (Meloidae) Synonym(s): quadripunctata Linnaeus,1767; melanura Pallas,1781; decimpunctata Fabricius,1781; octopunctata Olivier,1811; adamsi Fischer von Waldheim,1824; armeniaca Faldermann,1837; restricta Motschoulsky,1849; maldinesi Chevrolat,1865
- 1967. Mylabris (s.str.) variabilis (Pallas,1781) (Meloidae) Synonym(s): cichorii Linnaeus,1767; variabilis Pallas,1781; lacera Fischer von Waldheim,1827; mutans Guérin de Ménéville,1834; hypocrita Mulsant,1857; similaris Mulsant,1857; disrupta Baudi,1878; erivanica Pic,1901
- 1968. Teratolytta kulzeri Kaszab,1958 (Meloidae) Synonym(s): kulzeri Kaszab,1958

- 1969. Teratolytta vanensis Kaszab,1968 (Meloidae) Synonym(s): vanensis Kaszab,1968
- 1970. Meloe mediterraneus Müller,1925 (Meloidae) Synonym(s): mediterraneus Müller,1925
- 1971. Scarabaeus pius (Illiger, 1803) (Scarabaeidae) Synonym(s): pius Illiger, 1803
- **1972. Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934*
- 1973. Sisyphus schaefferi (Linnaeus,1758) (Scarabaeidae) Synonym(s): schaefferi Linnaeus,1758
- 1974. Polyphylla (s.str.) fullo (Linnaeus,1758) (Scarabaeidae) Synonym(s): fullo Linnaeus,1758; luctuosa Mulsant,1842; marmorata Mulsant,1847; macrocera Reitter,1891
- **1975. Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri Laporte de Castelnau,1840; abhasica Motschoulsky,1845; caucasica Heyden,1864; persica Brenske,1902*
- 1976. Tanyproctus carbonarius Faldermann,1835 (Scarabaeidae) Synonym(s): carbonarius Faldermann,1835
 1977. Oxythyrea cinctella (Schaum,1841) (Scarabaeidae) Synonym(s): albella Illiger,1802 (praeocc.); cinctella Schaum,1841; natalia Olsufiev,1917
- 1978. Cetonia (s.str.) aurata (Linnaeus,1761) (Scarabaeidae) Synonym(s): aurata Linnaeus,1761; smaragdus De Geer,1774; aenea Fuessly,1778; chlorochrysa Schrank,1776; viridicoruscus Voet,1779; maculata Scriba,1790; variabilis Preyss.,1790; piligera Mulsant & Rey,1842; praeclara Mulsant & Rey,1842; clermonti Bourgin,1948
- 1979. Protaetia (Potosia) cuprea (Fabricius,1775) (Scarabaeidae) Synonym(s): cuprea Fabricius,1775
- 1980. Protaetia (Potosia) funebris (Gory & Percheron,1833) (Scarabaeidae) Synonym(s): funebris Gory & Percheron,1833; exclamationlis Faldermann,1835; funesta Ménétriés,1836; aethiessoides Reitter,1898; lambillionea Alexis & Delphont,2000
- 1981. Protaetia (Netocia) trojana (Gory & Percheron,1833) (Scarabaeidae) Synonym(s): trojana Gory & Percheron,1833
- 1982. Protaetia (Netocia) hungarica (Herbst,1790) (Scarabaeidae) Synonym(s): hungarica Herbst,1790
- **1983.** Chromovalgus peyroni (Mulsant & Wachanru,1852) (Scarabaeidae) Synonym(s): peyroni Mulsant & Wachanru,1852
- 1984. Oryctes (Oryctes) nasicornis (Linnaeus,1758) (Scarabaeidae) Synonym(s): nasicornis Linnaeus,1758
- 1985. Anisoplia (Chaetopteroplia) segetum (Herbst,1783) (Scarabaeidae) Synonym(s): segetum Herbst,1783
- 1986. Elodes flavoangularis Klausnitzer, 1990 (Scirtidae) Synonym(s): flavoangularis Klausnitzer, 1990
- **1987.** Cyphon euoplus Nyholm,1970 (Scirtidae) Synonym(s): euoplus Nyholm,1970
- 1988. Cyphon laevipennis Tournier, 1868 (Scirtidae) Synonym(s): laevipennis Tournier, 1868
- 1989. Cyphon palustris Thomson, 1855 (Scirtidae) Synonym(s): palustris Thomson, 1855
- 1990. Silpha obscura Linnaeus, 1758 (Silphidae) Synonym(s): obscura Linnaeus, 1758
- 1991. Omalium turcicum Smetana,1967 (Staphylinidae) Synonym(s): turcicum Smetana,1967
- 1992. Zophosis osmanlis Deyrolle,1872 (Tenebrionidae) Synonym(s): osmanlis Deyrolle,1872
- 1993. Tentyria tessulata Tauscher, 1812 (Tenebrionidae) Synonym(s): tessulata Tauscher, 1812
- 1994. Adesmia (s.str.) fischeri Faldermann,1837 (Tenebrionidae) Synonym(s): fischeri Faldermann,1837
- 1995. Blaps tibialis Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): tibialis Reiche & Saulcy,1857
- 1996. Dissonomus substriatus Reitter, 1898 (Tenebrionidae) Synonym(s): substriatus Reitter, 1898
- 1997. Gonocephalum granulatum (Fabricius,1791) (Tenebrionidae) Synonym(s): granulatum Fabricius,1791
- 1998. Lobodera (Penthomegus) iners Ménétriés, 1832 (Tenebrionidae) Synonym(s): iners Ménétriés, 1832
- **1999.** Nalassus (Helopondrus) szalokii Nabozhenko,2011 (Tenebrionidae) Synonym(s): szalokii Nabozhenko,2011
- **2000.** Nalassus (Helopondrus) schmalfussi Nabozhenko,2011 (Tenebrionidae) Synonym(s): schmalfussi Nabozhenko,2011



Fig. 36 - Helladia armeniaca (Cerambycidae) from Van Prov., Çatak Dalbastı 1650m 29 4 2012 M Kemal (Cesa)



Fig. 37- Trichodes reichei (Cleridae) Van Prov., Ermişler 1675m 3 8 2012 M Kemal (Cesa)

References

Selected 361 publications are listed below as author index.

- Achterberg, C.van, 1990, Revision of the genera Foersteria Szepligeti and Polydegmon Foester (Hymenoptera, Braconidae). Zool. Verh. 257: 1-32, figs.
- Aktaş,M. & A.Hasbenli, 1994, Bat Flies of Eastern Turkey (Diptera, Nycteribiidae). J. Inst. Sci. Techn. Gazi Univ. 7: 48-51. Alberti,B., 1955, Zur Kenntnis der Gattung Carcharodus Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. Z. Lepid. 3: 105-142, figs.
- Amsel, H.G., 1953, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16): 255-326, figs.
- Amsel, H.G., 1955, Irakische Kleinschmetterlinge. Beitr. naturk. Forsch. SWDtl. 14 (2): 119-129, pl.
- Amsel, H.G., 1959, Irakische Kleinschmetterlinge II. Bull. Soc. ent. Egypte 43: 41-83, Taf.
- Amsel, H.G., 1959, Microlepidoptera aus Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 Nr.25). Stuttg. Beitr. Naturk. 28: 1-47, Abb., 5 Taf.
- Amsel, H.G., 1961, Die Microlepidopteren der Brandt'schen Iran Ausbeute V. Ark. Zool. 13 (17): 323-445, figs.
- Amsel, H.G., 1970, Afghanische Pyraustinae (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 29: 25-66, 27 textfigs., 4 pls.
- Amsel, H.G., 1979, Zur Unterartbildung bei Axia theresiae (Korb, 1900) (Lepidoptera, Axiidae). Atalanta 10 (1): 70-77, pl.
- Anton, K.-W. & A.Delobel, 2004, Description of five new species in the genus Caryedon Schoenherr with a taxonomical note on C. angeri (Semenov) (Coleoptera, Bruchidae, Pachymerinae). Genus 15 (1): 65-90, figs.
- Atlıhan,R., Yardım,E.N., Özgökçe,M.S. & M.B.Kaydan, 2003, Van ili ve çevresinde papates ekiliş alanlarındaki zararlı böcek türleri ve doğal düşmanları. Tarım bilimleri dergisi 9 (3): 291-295.
- Ayten,Y. & M.S.Özgökçe, 2009, Van ve çevresinde bulunan Odonata türleri yayılışları ve habitatları. YYÜ Tarım Bil. Derg. 10 (1): 1-0.
- Baisch, G., Beshkov, S.V., Gelbrecht, J., Hacker, H., Huber, K., Kallies, A. et al., 1998, Bausteine zur Fauna der Noctuoidea der Türkei mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). Esperiana 6: 213-373.
- **Baldizzone, G.**, 2007, Contribuzioni alla conoscenza dei Coleophoridae CXV. Su alcune interessanti specie di Coleophoridae della Turchia e regioni limitrofe (Lepidoptera, Coleophoridae). Shilap Revta. lepid. 35 (139): 355-367, figs.
- Bang-Haas, A., 1913, Neue oder wenig bekannte palaearktische Macrolepidopteren VII. Dt. ent. Z., Iris 27: 108.
- **Behounek,G. & H.Hacker**, 1986, Lygephila schachti n.sp., eine neue Noctuidenart aus der Ost-Türkei, nebst faunistischen Angaben für neunundzwanzig weitere Noctuiden Arten aus der Ost-Türkei (Lepidoptera, Noctuidae). Entomofauna 7 (3): 41-53, 8 Abb.
- Bengtsson, B.A., 1997, Scythrididae, [in] Huemer, P. Karsholt, O. & L. Lyneborg, Microlepidoptera of Europe 2: 1-301, Pls.
- Benyamini, D. & M. Avni, 2001, Muschampia proteides stepporum subsp.nov. from the steppe belts of eastern Israel and western Jordan (Lepidoptera, Hesperiidae). Linneana Belgica 18 (1): 45-54, figs.
- Bernardi, G., 1970, La Variation géographique de l'Anthocharis grüneri H.S. Lambillionea 70: 1-13, figs.
- Bernardi, G., 1970, Note sur la Variation géographique d'Allancastria cerisyi Godart (Papilionidae). Lambillionea 70: 55-64.
- Betti, G., 1977, Nouvelles sous-especes des Lycaenidae paléarctiques. Alexanor 10 (2): 87-95, Tab.i-iv.
- **Betti,G.**, 1989, Contribution a la connaissance des Parnassius d'Anatolie (Lepidoptera, Papilionidae). Linneana Belg. 12 (2): 67-76, 3 figs.
- Beuret, H., 1952, Palaeochrysophanus candens H.S., eine bisher verkannte Art (Lycaenidae). Mitt. ent. Ges. Basel 2: 57-64, figs.
- Beyarslan, A., Aydoğdu, M. & F.İnanç, 2004, A survey of Meteorus Haliday, 1835 of Turkey (Hymenoptera, Braconidae, Euphorinae). Entomofauna 25 (1): 1-20, figs. [with remnant Turkish text].
- Bezdek, J., 2002, Phyllobrotica aslani Warchalowski, 1998, a new synonym of P. binotata Ogloblin, 1936 (Coleoptera, Chrysomelidae, Galerucinae). Genus 13 (3): 351-352.
- **Blank,S.M.**, 1991, Tenthredo marginella hakkariensis ssp.nov. aus der Türkei (Hymenoptera, Symphyta,Tenthredinidae). Entomofauna 12 (19): 321-327, figs.
- Bleszynski,S., 1965, Crambinae, [In] Amsel,H.G., Reisser,H. & F.Gregor: Microlepidoptera Palaearctica 1: xlvii + 533pp. 133 pls., Wien
- Boursin, C., 1932, Zwei neue Athetis us dem Libanon. Int. ent. Z. 26: 245-248, Pl.
- **Boursin, C.**, 1952, Beiträge zur Kenntnis der Agrotidae-Trifinae, XLIX. Synonymie Notizen nebst verschiedenen Bemerkungen, III. Z. f. Lepidopt. 2 (1): 49-68.
- Boursin, C., 1967, Eine neue Mythimna O. aus Ostanatolien. Z. wien. ent. Ges. 52: 90-91, pl.
- Bramson, K.L., 1910, Analytische Uebersicht der Formen von Melitaea didyma O. Horae Soc. ent. ross. 39: 391-410.
- **Bridges, C.A.**, 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A.Bridges, Urbana, Illinois.
- **Bryk,F.**, 1912-1914, Parnassiana v. Zur Synopsis der asiatischen Mnemosyne. Societas Ent. 27 (1912): 24-25, 38-40, 48-50, 52-53, 61-62, 87-89, 99-101, 106-107, 25 figs.; ibid. 28 (1913): 14-16; 29 (1914): 42-44, 66-71, figs.
- **Burgeff,H.**, 1914, Kommentar zum paläarktischen Teil der Gattung Zygaena des von Chr. Aurivillius und H. Wagner herausgegebenen Catalogue Lepidopterorum. Mitt. münch. ent. Ges. 5 (5/8): 35-70; (9/12): 77-78, Taf.ii-vi.
- Carbonell, F., 1991, Contribution a la connaissance du genre Archon Hübner, 1822. Découverte de zones de sympatrie pour Archon apollinus (Herbst) et A. apollinaris Staudinger (Lepidoptera, Papilionidae). Linneana Belgica 13 (1): 3-12, figs.
- Carbonell, F., 1991, Contribution a la connaissance du genre Polyommatus en Turquie orientale (Lepidoptera, Lycaenidae). Linneana Belgica 13 (4): 221-235, figs.

- Carbonell,F., 1991, Une espèce jumelle méconue du genre Polyommatus (Neolysandra) Koçak,1977. Linneana Belgica 13 (1): 35-45, figs.
- Carbonell, F., 1993, Contribution a la connaissance du genre Agrodiaetus Hübner (1822): le complexe ultraspécifique d'A. transcaspica Staudinger (1899) (Lepidoptera, Lycaenidae). Linneana Belgica 14 (2): 89-116, 12 figs. Tab.
- Carbonell, F., 1998, Contribution a la connaissance du genre Agrodiaetus Hübner (1822), position taxinomique d'Agrodiaetus anticarmon Koçak, 1983 (Lepidoptera, Lycaenidae). Linneana Belgica 16 (7): 263-265, 6 figs.; 16(8): 349.
- Caspers, N. & F.Reiss, 1989, Die Chironomidae der Türkei Teil I. Podonominae, Diamesinae, Prodiamesinae, Orthocladiinae (Diptera, Nematocera, Chironomidae). Entomofauna 10 (8-1): 105-160, 27 figs.
- Cassola, F., 1999, Studies on Tiger Beetles. CVII. The cicindelid fauna of Anatolia: faunistics and biogeography (Coleoptera, Cicindelidae). Biogeographia 20: 229-276, figs.
- Coutsis, J.G., Prins, W.de & D.v.d. Poorten, 1997, Turanana laspura Evans separated from T.cytis (Christoph) as a distinct species (Lepidoptera, Lycaenidae). Phegea 25 (3): 135-140, 9 figs.
- Çetin Erdoğan,Ö. & A.Beyarslan, 2006, New records of endoparasitoid Bassus Fabricius,1804 (Hymenoptera, Braconidae, Agathidinae) species from Turkey. Phytoparasitica 34 (4): 353-356.
- Değer, S. & M. Yaman, 2005, Van yöresi Phlebotominae (Diptera, Psychodidae) türleri. YYÜ Vet. Fak. Derg. 16 (1): 55-59.
- **Denizhan, E. & B. Yaşar**, 2005, Van ilinde beş farklı şeftali çeşidi üzerindeki Hyalopterus pruni (Geoffroy) (Homoptera, Aphididae)'nin populasyon yoğunluğunun saptanması, YYÜ J. Agric. Sci. 15 (2): 159-166.
- Dils,J. & H.Özbek, 2007, A new species of the genus Exoprosopa (Diptera, Bombyliidae) from Turkey. Phegea 35 (3): 81-84, 5 figs.
- Dollfuss, H., 1995, A worldwide revision of Pemphredon Latreille, 1796 (Hymenoptera, Sphecidae). Linzer biol. Beitr. 27 (2): 905-1019, 322 Abb.
- **Dollfuss, H.**, 2004, The Crabroninae Wasps of "Biologiezentrum Linz" Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae), Part I. Linzer biol. Beitr. 36 (2): 761-784.
- **Dollfuss, H.**, 2004, The Pemphredoninae Wasps of "Biologiezentrum Linz" Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae) Linzer biol. Beitr. 36 (1): 105-129.
- Apoidea, Crabronidae) Linzer biol. Beitr. 36 (1): 105-129. **Dollfuss, H.**, 2006, The Crabronidae Wasps of "Biologiezentrum Linz" Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae), Part 2. Linzer biol. Beitr. 38 (1): 505-532.
- **Ebert,G. & H.Hacker,** 2002, Beitrag zur Fauna der Noctuidae des Iran: Verzeichnis der Bestände im Staatlichen Museum für Naturkunde Karlsruhe, taxonomische Bemerkungen und Beschreibung neuer Taxa (Noctuidae, Lepidoptera). Esperiana 9: 237-409, figs.
- Ebert, G., 1971, Drei neue Macrolepidoptera-Arten aus Iran. Beitr. naturk. Forsch. SWDtl. 30: 65-71, 1 Taf., 9 Abb.
- Eckweiler, W. & C.L. Häuser, 1997, An illustrated checklist of Agrodiaetus Hübner, 1822, a subgenus of Polyommatus Latreille, 1804 (Lepidoptera, Lycaenidae). Nachr ent. Ver. Apollo (N.F.), Suppl. 16: 113-168, figs.
- **Eckweiler,W. & K.G.Schurian**, 1980, Verbreitung und subspezifische Gliederung von Neolysandra coelestina (Eversmann, 1843) (Lep., Lycaenidae). Atalanta 11 (1): 69-78, 8 figs.
- **Eckweiler,W.**, 1978, Eine neue Art der Gattung Hyponephele Muschamp aus der Südosttürkei (Lepidoptera, Satyridae). Atalanta 9 (4a): 375-379, 9 figs.
- Eckweiler, W., 1984, Eine neue Unterart von Turanana cytis (Christoph, 1877) aus Türkisch- Kurdistan (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 5(2/3): 63-70, figs.
- **Eisner,C.**, 1968, Parnassiana nova XLIII. Nachträgliche Betrachtungen zu der Revision der Subfamilie Parnassiinae (Fortsetzung 16). Zool. Meded 43 (2): 9-17, 2 Taf.
- Eitschberger, U. & M.Ströhle, 1987, Eine neue Art der Gattung Isoceras Turati,1924 aus der Türkei (Lepidoptera, Cossidae). Atalanta 18: 93-95, 21 figs.
- **Eitschberger, U.,** [1984], Systematische Untersuchungen am Pieris napi-bryoniae-Komplex (s.l.) (Lepidoptera, Pieridae). Herbipoliana 1 (1): xxii+504pp., 1(2): 601pp. Marktleuthen.
- Eitschberger, U., 2002, Revidierte Checkliste der Gattungen Amorpha Hübner, [1819], Laothoe Fabricius, 1807, Pachysphinx Rothschild & Jordan, 1903 und Phyllosphingia Swinhoe, 1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). Neue ent Nachr. 23: 151-195, figs.
- Eitschberger, U., 2002, Revidierte Checkliste der Gattungen Paonias Hübner, [1819], sowie Smerinthus Latreille, [1802], mit der Beschreibung neuer Paonias-Arten (Lepidoptera, Sphingidae). Neue ent Nachr. 23: 85-149, figs.
- **Fabricius, J.C.**, 1775, Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. 832 pp. Flensburgi et Lipsiae.
- Fabricius, J.C., 1781, Species Insectorum vol. 1, viii+ 552 pp., vol. 2, 494 pp. Hamburgi et Kilonii.
- Fabricius, J.C., 1787, Mantissa Insectorum. vol. 1 xx+348 pp., vol.2, 382pp. Hafniae.
- Fabricius, J.C., 1793, Entomologia systematica. vol.2, viii+519 pp. Hafniae.
- Fabricius, J.C., 1794, Entomologia systematica. vol.3, pars 2, 349 pp. Hafniae.
- Fibiger, M., 1990, Noctuidae Europaeae vol.1 Noctuinae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro.
- Fibiger, M., 1993, Noctuidae Europaeae vol.2 Noctuinae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro.
- **Fibiger,M.**, 2002, A new species in the genus Dichagyris Lederer,1857 hitherto regarded as the Turkish form of D. eremicola (Standfuss,1888); Dichagyris wilsoni sp.n. (Lepidoptera, Noctuidae). Esperiana 9: 511-515, pl.9.
- Forster, W., 1938, Die Lycaena pylaon-Gruppe. Ent. Rdsch. 55: 213-219, 236-239, 334-337, 361-364, 417-420, 485-490, 4 Pls.
- Forster, W., 1956, Bausteine zur Kenntnis der Gattung Agrodiaetus Scudd. (Lep., Lycaen.) I. Z. wien. ent. Ges. 41: 42-61, 70-89, 118-127, Taf. 8-13.
- **Forster, W.**, 1960-1961, Bausteine zur Kenntnis der Gattung Agrodiaetus Scudd. (Lep., Lycaen.) II. Z. wien. ent. Ges. 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15.
- Freina, J. J. de & B. Aussem, 1987, Chazara bischoffi (Herrich-Schäffer, 1846) und ihre nächstverwandten Arten (Lepidoptera, Satyridae). Nachr Bl. bayer. Ent. 36 (1): 1-10, figs.

- Centre for Entomological Studies Ankara
- Freina, J.J.de & B.Aussem, 1987, Hyponephele urartua sp.n., eine neue Satyriden-Art aus Anatolien (Lep., Satyridae). Nota lepid. 9 (3/4): 200-212, 29 Abb.
- Freina, J. J. de & M. Geck, 2003, Studien zur Ökologie, Biologie, Verbreitung und geographischen Variabilität von Akbesia davidi (Oberthür, 1884) (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo (N.F.) 23 (4): 167-180, figs.
- Freina, J.J.de, 1979, Eine beobachtete Massenwanderung von Colias crocea Fourcroy, 1785 in Südost-Anatolien. Atalanta
- Freina, J.J.de, 1983, Papilio alexanor orientalis Romanoff, 1885. Angaben zur Biologie, Verbreitung und zur Frage der Berechtigung dieses Taxons (Lepidoptera, Papilionidae). Atalanta 14: 23-30, figs.
- Freina, J.J.de, 1985, Zur Verbreitung von Euapatura mirza Ebert, 1971 in Kleinasien (Lepidoptera, Nymphalidae). Nachr Bl. bayer. Ent. 34(2): 49-51, figs.
- Freina, J. J. de, 1989, Gonepteryx rhamni (Linnaeus, 1758) in Kleinasien. Bemerkungen zur Bionomie und geographischen Variabilität mit Beschreibung einer neuen Unterart (Lepidoptera, Pieridae). Mitt. münch. ent. Ges. 79: 111-117, 7 Abb.
- Freina, J.J.de, 1994, 9. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung von Cossidae, Psychidae, Cochlididae, Syntomidae, Brahmaeidae, Drepanidae, Axiidae, Hepialidae Atalanta 25 (1/2): 317-349, Taf. xiv,xv.
- Freina, J.J.de, 1999, 10. Beitrag zur systematischen Erfassung der Bombyces und Sphinges-Fauna Kleinasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung der Lasiocampidae, Lemoniidae, Notodontidae, Thaumetopoeidae, Lymantriidae, Arctiidae... Atalanta 30 (1/4): 187-257, Taf.xi, xia.
- Fric, Z., Wahlberg, N., Pech, P. & J. Zrzavy, 2007, Phylogeny and classification of the Phengaris-Maculinea clade (Lepidoptera, Lycaenidae): total evidence and phylogenetic species concepts. Syst. Ent. 32: 558-567.
- Garrevoet, T., Garrevoet, W. & H. Özbek, 2005, A contribution to the knowledge of the Sesiidae of Turkey (Lepidoptera). Turk J. Zool. 29: 27-38.
- Geyer, C. [in] Hübner, J., [1819]-[1832], Sammlung exotischer Schmetterlinge 2: [5] pp., [225] Pls. Augsburg.
- Geyer, C., [in] Hübner, J., 1832, Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. 4: 1-48, figs.601-800. Augsburg.
- Gielis, C., 1996, Pterophoridae, [in] Huemer, P., Karsholt, O. & L. Lyneborg (eds.), Microlepidoptera of Europe 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup.
- Giray, H., 1979, Türkiye Trypetidae (Diptera) faunasına ait ilk liste. Türk. Bitki Kor. Derg. 3 (1): 35-46.
- Görgner, E., 1984, Beitrag zur Biologie von Euapatura mirza Ebert, 1971 (Lep., Nymphalidae). Nachr. ent. Ver. Apollo (N.F.) 5(1): 7-17, figs. [Corrigendum: ibid., 5 (2/3): 42].
- Grace, A., 2010, Introductory biogeography to Bees of the Eastern Mediterranean and Near East. 285pp. Bexhill Museum, Sussex, U.K. [ISBN 978-0-9537091-9-9] [online] [access 31 December 2010] [some taxa repeated at specific and subspecific categories].
- Gross, F.J., 1977, Über Hyponephele narica und H. naricina und deren Verbreitung in der Türkei (Lep., Satyridae). Atalanta 8 (2): 123-125.
- Gross, F.J., 1978, Beitrag zur Systematik von Pseudochazara-Arten (Lep., Satyridae). Atalanta 9(1): 41-103, figs.
- Guglielmi, A. & G. Platia, 1985, Contributo alla conoscenza degli elateridi di Grecia e Turchia (Coleoptera). Fragm. ent., Roma 18 (1): 169-224, figs.
- Gusenleitner, F. & M.Schwarz, 2000, Nomenklatorische Aktualisierungen in der Bienengattung Andrena sowie Beschreibung einer neuen Art (Hymenoptera, Apidae, Andreninae). Entomofauna 21 (10): 105-116, Abb.
- Gusenleitner, J., 1986, Beitrag zur Kenntnis der paläarktischen Antepipona-Arten (Hymenoptera, Eumenidae). Annln naturh. Mus. Wien 88/89B: 565-577, 7 Abb.
- Gusenleitner, J., 1988, Neue und bemerkenswerte Faltenwespen aus der Türkei (Hymenoptera, Vespoidea). Linzer biol. Beitr. 20 (2): 713-737, 5 Abb.
- Gusenleitner, J., 2000, Neue Eumenidae aus Syrien, der Türkei und dem Iran (Hymenoptera, Vespoidea). Linzer biol. Beitr. 32 (2): 927-938, Abb.
- Gusenleitner, J., 2002, Neue oder bemerkenswerte Vespoidea aus dem Nahen Osten (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 34 (1): 335-343.
- Gyulai, P., Hreblay, M. & L. Ronkay, 1992, New taxa and synonyms in the Oncocnemis exacta Christoph, 1887 Group (Lepidoptera, Noctuidae). Acta zool. Hung. 38: 33-46, figs.
- Hacker, H. & A. Moberg, 1988, Zwei neue Dasypolia Guenée, 1852 Arten aus der östlichen Türkei (Lepidoptera, Noctuidae, Cuculliinae). Mitt. münch. ent. Ges. 78: 179-185, figs.
- Hacker, H. & L.Ronkay, 1988, Cucullia behouneki sp.nov., Cucullia armena Ronkay & Ronkay, 1986 und Cucullia prenanthis Boisduval, 1840, in der Türkei (Lepidoptera, Cuculliinae). Nota lepid. 11 (1): 39-44, figs.
- Hacker, H. & P.Kuhna, 1986, Drei neue Noctuidae-Arten aus der Türkei (Lepidoptera). Nota lepid. 9 (3/4): 179-188, Taf.1, 3 Abb.
- Hacker, H. & R.Pinker, 1987, Cucullia mixta ronkayi n.ssp. aus der Osttürkei (Lep., Noctuidae). Z. ArbGem. öst. Ent. 38 (3/4): 107-109, 1 Abb.
- Hacker, H., [1987], Fünfter Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus der Aufsammlungen von Wolf und Hacker aus dem Jahr 1985 sowie Ergänzungen zu früheren Arbeiten (Lepidoptera). Atalanta 17 (1/4) (1986): 27-83, 13 Taf.
- Hacker, H., 1985, Dritter Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Hacker und Wolf aus dem Jahr 1984 (Lepidoptera). Neue Ent. Nachr. 15: 1-65, Taf.
- Hacker, H., 1986, 2. Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von de Freina aus den Jahren 1976-1983 (Lepidoptera). Spixiana 9 (1): 25-81, figs.
- Hacker, H., 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. Herbipoliana 2: 1-590, Taf.

- Hacker, H., 1990, Die Noctuidae Vorderasiens (Lepidoptera). Neue ent. Nachr. 27: 1-707, 16 Taf.
- Hacker, H., 1992, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei Lepidoptera). Esperiana 3: 409-446, Abb.
- Hacker, H., 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera). Esperiana 4: 273-330, Abb. **Hacker,H.**, 1998, Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). Esperiana 6: 185-212, figs.
- Hacker, H., 2004, Revision of the genus Caradrina Ochsenheimer, 1816, with notes on oher genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls.
- Hasbenli, A., 1997, Contributions to Bat Flies of Turkey (Diptera, Nycteribiidae, Streblidae). J. Inst. Sci. Techn. Gazi Univ. 10 (4): 533-544, 4 figs.
- Häuser, C.L. & W. Eckweiler, 1997, A catalogue of the species-group taxa in Agrodiaetus Hübner, 1822, a subgenus of Polyommatus Latreille, 1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the Polyommatus (Agrodiaetus) species-group (Lep.). Nachr. Ent. Ver. Apollo, Suppl. 16: 53-112.
- Heiss, E. & J. Péricart, 1983, Revision of Palaearctic Piesmatidae (Heteroptera). Mitt. münch. ent. Ges. 73: 61-171, figs.
- Hellmich, W., 1969, Bemerkungen zur Tiergeographie und Ökologie des Vansee-Beckens in Ostanatolien. Veröff. Zool. Staatssamml. München 13: 143-154.
- Herrich-Schäffer, G.A.W., 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg.
- Hesselbarth, G., Oorschot, H.v. & S. Wagener, 1995, Die Tagfalter der Türkei unter Berücksichtigung der angrenzenden Länder. Bde. 1 & 2: 1354 S. 75 Abb., 21 Tab., 2 fb. Karte, 36 fb. Tab. Bd.3: 847 S., 128 fb. Tab., 13 sw Tab., vi+342 Karte. Selbstverlag S.Wagener, Bocholt.
- Heyne, A., 1897, Polyommatus virgaureae L. nov. var. aureomicans Heyne. Societas ent. 12: 9.
- Higgins, L.G., 1941, An illustrated catalogue of the Palaearctic Melitaea (Lep., Rhopalocera). Trans. R. ent. Soc. Lond. 91 (7): 175-354, 16 Pls, 214 figs., 7 maps.
- Higgins, L.G., 1950, A descriptive catalogue of the Palaearctic Euphydryas (Lepidoptera, Rhopalocera). Trans. R. ent. Soc. Lond. 101 (2): 435-489, 7 maps, 44 figs.
- Higgins, L.G., 1966, Check-List of Turkish Butterflies. Entomologist 99: 209-222, 1 map.
- Higgins, L.G., 1975, The classification of European butterflies. 320 pp., 402 text-figs. Collins, London.
- Higgins, L.G., 1978, A Revision of the genus Euphydryas Scudder (Lep., Nymphalidae). Entomologist's Gaz. 29: 109-115, 19
- Hofmann, A., 2005, Neue Zygaena-Taxa aus Südosteuropa, Vorder- und Zentralasien (Lepidoptera, Zygaenidae). Bonn. zool. Beitr. 53 (1/2) (2004): 81-97, 63 figs.
- Holik,O. & L. Sheljuzhko, 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 44/45: 26-158.
- Holik,O. & L. Sheljuzhko, 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 46: 93-239.
- Holik,O. & L. Sheljuzhko, 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 47: 143-185.
- Hreblay, M., 1992, Neue Taxa und Synonyme der Gattung Conistra Hübner, [1821] (Lepidoptera, Noctuidae). Esperiana 3: 531-544, figs.
- Hreblay, M., 1992, Revision der Gattung Valerietta Draudt, 1938. Esperiana 3: 235-241, 14 Abb.
- Hübner, J., 1793, Sammlung auserlesener Vögel und Schmetterlinge. 16pp., 100 Pls., Augsburg.
- Hübner, J., 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg.
- Hübner, J., 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg.
- Hübner, J., 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg.
- Hübner, J., 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg.
- Hübner, J., 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg.
- Hübner, J., 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg.
- Hübner, J., 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg.
- Hübner, J., 1800-[1836], Sammlung europäischer Schmetterlinge, vol. 9, Alucitae: 7 Pls., Augsburg.
- Hübner, J., 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg.
- Hübner, J., 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg.
- Hübner, J., 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburgscher Gattungen. 81 pp. Augsburg.
- Igarashi, S., 1971, Protapatura iwasei; a new Nymphalid butterfly from Kurdistan, the Northern Iraq (Nymphalidae). Tyo to Ga 22 (1/2): 14-17, 6 figs.
- Ignatyev, N.N. & V.V.Zolotuhin, 2005, A review of syntomids (Lepidoptera, Syntomidae) of Russia and adjacent territories. Part 1. Genus Syntomis Ochsenheimer, 1808. Eversmannia 2005 (3/4): 28-54, figs.
- Jong, R.de, 1978, Monograph of the genus Spialia Swinhoe (Lepidoptera, Hesperiidae). Tijdschr. Ent. 121: 23-146.
- Jong, R.de, 1984, Notes on the genus Thymelicus Hübner (Lepidoptera, Hesperiidae). Nota lepid. 7 (2): 148-163, 31 figs.
- Jordan, K., 1909, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart.
- Kallies, A. & K. Spatenka, 2003, The Clearwing Moths of Iran (Lepidoptera, Sesiidae). Linneana Belg. 19 (2): 81-94; 19 (3): 119-126, 22 figs.
- Kallies, A., 2001, Revision of the Brachodes pumila (Ochsenheimer, 1808) species-group (Sesioidea, Brachodidae). Nota lepid. 24 (1/2): 7-19, figs.
- Kandul, N.P., et al., 2004, Phylogeny of Agrodiaetus Hübner, 1822 (Lepidoptera, Lycaenidae) inferred from mtDNA sequences of COI and COII and nuclear sequences of EF1-alfa: Karyotype diversification and species radiation. Syst. Biol. 53 (2): 278-298.

- Centre for Entomological Studies Ankara
- Karabağ, T., 1958, Türkiye'nin Orthoptera faunası. T.C. Ankara Üniversitesi Fen Fakültesi Yayınları Um.81, Zooloji 4. 198 s., 1 harita. İstanbul.
- Karisch, T., 2003, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau VII. Die Cochylini (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Nachtrag) mit Beschreibung von zwei neuen Arten. Naturw. Beitr. Mus. Dessau 15: 121-129, Taf.8.
- Karsholt,O. & J.Razowski (eds), 1996, The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stentrup.
- Kayci,L. & M.Fidan, 2010, Chazaria incarnata (Freyer,1838) türünün biyolojisi ve yayılış hakkında notlar (Lepidoptera, Noctuidae). Cesa News 59: 55-59, 6 şekil.
- Kayci, L., 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea in Erek Mountain (Van). Cent. ent. Stud., Priamus (suppl.) 6: 1-47.
- Kazancı, N., 2009, Ephemeroptera (Insecta) fauna of Turkey: Records from eastern Anatolia (Turkey). Review Hydrobiol. 2: 187-195.
- Kemal, M. & A.Ö.Koçak, 2005, Annotated Checklist of the Lepidoptera of Çatak Valley (Van Province, Turkey), Part I. Cent. ent. Stud., Priamus 11 (3): 29-58.
- Kemal, M. & A.Ö. Koçak, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, 2 figs.
- Kemal, M. & A.Ö. Koçak, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, figs.
- Kemal,M. & A.Ö.Koçak, 2006, Nemophora eretna n.sp. from Turkey (Adelidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 100: 1-4, 3 figs.
- **Kemal,M. & A.Ö.Koçak,** 2007, South African Noctuidae species in the fauna of Turkey (Lepidoptera). http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view
- Kemal, M. & A.Ö.Koçak, 2008, Conops flavicaudus Bigot in South East Turkey (Conopidae, Diptera). Cesa News 36: 7-9, figs. 9-12.
- Kemal,M. & A.Ö.Koçak, 2008, Further record of pre-imaginal stages of Esperarge (s.str.) clymene ssp. valentinae (Miller) from Van Province (East Turkey). Cesa News 19: 1-5, 5 figs. 1 map.
- **Kemal,M. & A.Ö.Koçak**, 2008, Occurence of Soldier Bug (Spilostethus pandurus) in Van Province (Turkey) (Hemiptera, Lygaeidae). Cesa News 33: 1-3, 3 figs. 1 map.
- **Kemal,M. & A.Ö.Koçak**, 2010, Cicadidae of Turkey and some ecological notes on Tibicina serhadensis Koçak & Kemal from Van Province (East Turkey) (Homoptera). Cesa News 55: 1-19, 1 map, 26 figs.
- Kemal, M. & A.Ö. Koçak, 2010, Illustrated list of the Zygaena Fabr. species in Turkey based upon the Info-system of the Cesa (Lepidoptera, Zygaenidae, Zygaeninae). Cesa News 54: 1-35, 53 figs.
- Kemal,M. & A.Ö.Koçak, 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map.
- Kemal, M. & A.Ö.Koçak, 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map.
- Kemal,M. & A.Ö.Koçak, 2010, Winter trips to South Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs.
- Kemal,M. & A.Ö.Koçak, 2010, Winter trips to south Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs. 1 table, 22 maps.
- Kemal,M. & A.Ö.Koçak, 2011, Teratolytta kulzeri, a little known Blister Beetle from East Turkey (Coleoptera, Meloidae). Cesa News 64: 7-11, 6 figs. 1 map.
- **Kemal,M. & B.Bakan,** 2011, Oxycarenus pallens (H.-S.) in Van Province (East Turkey) (Hemiptera, Lygaeidae). Cesa News 71: 1-5, 6 figs. 1 map.
- **Kemal,M. & M.Mükemre**, 2011, New larval food-plant and pupa of the species Satyrium abdominalis in East Turkey (Lepidoptera, Lycaenidae). Cesa News 64: 1-3, 3 figs.; corrigendum: ibid. 66: 37.
- Kemal, M. & O.Karabacak, 2008, Ephelis cruentalis'in Biyolojisi Hakkında (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 139-140: 6-10, 9 şekil.
- Kemal, M. & Özkol, H. & L.Kayci, 2008, Xylena Ochsenheimer in East Turkey with new provincial records and larval food-plants (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 139-140: 10-14, 12 figs.
- Kemal, M., 2006, Bilimsel gezilerimden anılar I-Norduz Yaylası. Cent. ent. Stud., Priamus Suppl. 4: 1-25, 52 figs.
- Kemal, M., 2008, A hunting Camel Spider at Çatak, Van Province, East Turkey (Galeodidae, Solifugae). Icon. Arachn. (A), http://www.archive.org/details/IconographiaArachnidorumSeriesAByTheCesa
- **Kemal,M.**, 2008, Pieris ergane [in] Butterflies at Artos Mountain, Van Province, East Turkey. Icon. Insect. (A), http://www.archive.org/details/PierisErganeInButterfliesAtArtosMountVanProvinceEastTurkey
- **Kemal,M.**, 2008, Van Gölü havzasında kelebek çeşitliliği (Diversity of the butterflies in Van Lake Basin East Turkey). Cesa News 9: 1-6, 5 figs.
- **Kemal,M.**, 2009, Biodiversity in Erek Mountain and its rarest butterfly Callophrys mystaphia (Lepidoptera, Lycaenidae). http://www.archive.org/details/BiodiversityInErekMountainAndItsRarestButterflyCallophrysMystaphiaeg
- Kemal, M., Özkol, H. & L.Kayci, 2008, Diurnal Lepidoptera of Sarmaç village Erek Mountain (Van Province, East Turkey). Cesa News 19: 5-17, 20 figs.
- **Kitching,I.J. & J.E.Rawlins**, 1999, The Noctuoidea, [in] N.P.Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M.Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York.
- Koçak, A.Ö. & M.Kemal, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopolocera) volume 2" edited by Tusov, V.K. et al., Sofia Moscow, 2000. Cent. ent. Stud., Misc. Pap. 75: 1-3.

- Centre for Entomological Studies Ankara
- Koçak, A.Ö. & M.Kemal, 2001, Türkiye kelebeklerinin anadillerdeki isimlerinin listesi. Cent. ent. Stud., Misc. Pap. 72/73:
- Kocak, A.Ö. & M. Kemal, 2002, Bazı taksonomik ve zoocoğrafik notlarla birlikte Hyponephele Muschamp cinsinin kataloğu (Lepidoptera, Satyridae). Cent. ent. Stud., Misc. Pap. 80/81: 1-15, 1 Tab.
- Koçak, A.Ö. & M.Kemal, 2002, Euapatura mirza'nın besin bitkisi hakkında (Lepidoptera, Argynnidae). Cent. ent. Stud., Misc. Pap. 86: 5-7, figs.
- Koçak, A.Ö. & M.Kemal, 2002, Faunistik taksonomik ve zoocoğrafik notlarla Çatak kelebekleri (Papilionoidea, Hesperioidea, Lepidoptera). Cent. ent. Stud., Misc. Pap. 82/85: 1-32, figs.
- Koçak, A.Ö. & M.Kemal, 2002, Türkiye'de bir Karakuşaklı Güzel Colobochyla platyzona (Lederer, 1870) (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 86: 2-5, figs.
- Koçak, A.Ö. & M.Kemal, 2002, Van'da üç nadir Sinirkanatlı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae). Cent. ent. Stud., Misc. Pap. 87: 5-8, 6 figs.
- Koçak, A.Ö. & M.Kemal, 2002, Van'da üç nadir sinirkanatlı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae). Cent. ent. Stud., Misc. Pap. 87: 5-8, figs.

 Koçak, A.Ö. & M.Kemal, 2006, Checklist of Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 1: 1-196.
- Koçak, A.Ö. & M.Kemal, 2007, Preliminary checklist of Loxostege Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 136: 2-8.
- Koçak, A.Ö. & M.Kemal, 2007, Revised and annotated checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 8: 1-150, 2 Tables.
- Koçak, A.Ö. & M.Kemal, 2008, Announcement with illustrations: "Studies on the Lepidoptera Fauna of Artos Mountain (Van Province, East Turkey)". Cesa News 27: 1-10, 18 figs.
- Koçak, A.Ö. & M.Kemal, 2008, Checklist of the diurnal Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 15: 1-41.
- Koçak, A.Ö. & M.Kemal, 2008, Notes on some rare Planipennia species in East Turkey (Neuroptera, Planipennia, Myrmeleonidae, Ascalaphidae, Nemopteridae). Cesa News 18: 1-5, 5 figs. 2 maps.
- Koçak, A.Ö. & M.Kemal, 2008, On the late summer butterflies of Artos Mountain (Van Province, East Turkey). Cesa News 29: 1-11, 17 figs.
- Koçak, A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Turkey" 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. Cesa News 41: 4-46, 2 figs.
- Koçak, A.Ö. & M.Kemal, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149.
- Kocak, A.Ö. & M.Kemal, 2010, Synonymic and distributional list of the pterygot insects of Turkey (Results of the Entomofauna of the World based upon info-system of the Cesa) - 26. Cent. ent. Stud., Priamus (Suppl.) 18: 1004-1724.
- Koçak, A.Ö. & M.Kemal, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey III. Cesa News 68: 1-17, 21 figs.
- Koçak, A.Ö. & M. Kemal, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey II. Cesa News 67:
- Koçak, A.Ö. & M.Kemal, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey I. Cesa News 66: 1-
- Koçak, A.Ö. & S.Seven, 1994, Türkiye Lepidoptera Bibliyografyası. Cent. ent. Stud., Memoirs 2: 1-141.
- Koçak, A.Ö. & S.Seven, 1994, Türkiye Lepidoptera faunasına katkılar-II. Cent. ent. Stud., Misc. Pap. 21: 1-8.
- Koçak, A.Ö. & S.Seven, 1994, Türkiye Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 20: 1-8.
- Koçak, A.Ö. & S.Seven, 1998, A tentative list of the threatened butterflies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 3-8.
- Koçak, A.Ö., 1975, New Lepidoptera from Turkey-I. Atalanta 6 (1): 24-30, figs.
- Koçak, A.Ö., 1976, A new subspecies of Melanargia larissa from Turkey (Lepidoptera, Satyridae). Atalanta 7 (1): 40-41, 2 figs.
- Koçak, A.Ö., 1977, Studies on the family Lycaenidae (Lep.) I. New taxa and records from East Turkey. Atalanta 8 (1): 41-62, 24 figs
- Koçak, A.Ö., 1980, Studies on the family Lycaenidae III. A review of the subspecies of Agrodiaetus (Sublysandra) myrrhus (H.-S.,1852). Atalanta 11 (4): 262-272, 14 figs.
- Koçak, A.Ö., 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. Cent. ent. Stud., Priamus 1 (2): 93-96.
- Koçak, A.Ö., 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). Cent. ent. Stud., Priamus 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37.
- Koçak, A.Ö., 1982, Notes on Archon apollinus (Herbst, 1798) (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 2 (1): 44-63, figs., map.
- Koçak, A.Ö., 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
- Koçak, A.Ö., 1983, On the nomenclature of the genus Hipparchia Fabricius, 1807 (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 2 (4): 166-169.
- Koçak, A.Ö., 1983, On the nomenclature of Thersamonia thersamon (Esper, 1784) from the West Palaearctic Region (Lycaenidae, Lepidoptera). Cent. ent. Stud., Priamus 3 (1): 3-5.
- Koçak, A.Ö., 1987, Sultania lophotalis (Hampson) Koçak in Turkey, with a description of a new genus (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 4 (3): 117-120, figs.
- Koçak, A.Ö., 1992, Lycaenidae familyasında yeni bir altcins Alciphronia'nın tanımı ve Türkiyede'ki taksonlarına ait bazı taksonomik notlar (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 16: 1-5.
- Koçak, A.Ö., 2000, Revisional notes on the taxonomy of 'eurypilos Gerhard' and 'surakovi Dantchenko & Lukhtanov' in the genus Latreille (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 8-10.

Koçak, A.Ö., 2008, Description of Choreutis muhabbet sp.n. (Choreutidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 6-

Kocak, A.Ö., 2008, Illustration of Choreutis muhabbet Kocak, 2008 described in Miscellaneous Papers Nr. 142 pages 6-7 of the Cesa. Cesa News 30: 17, fig.1.

Koçak, A.Ö., Kemal, M. & L.Kayci, 2011, List of the species of the Lepidoptera of Van Province (East Turkey). Cent. ent. Stud., Priamus (Suppl.) 23: 1-43, 9 figs.

Koçak, A.Ö., Seven, S. & Y. Hüseyinoğlu, 1997, Eucharia festiva ssp. nivea (Bang-Haas, 1927)'nın taksonomisi ve dağılışı Hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 5-8, 2 harita.

Korb, M., 1900, Epicimelia theresiae nov. spec. Dt. ent. Z., Iris 12: 300-302, Taf.7.

Korneyev, V.A., 2006, A revision of the quadratula group of the genus Terellia Robineau-Desvoidy (Diptera, Tephritidae). Israel J. Ent. 35-36: 341-366, figs.

Kostrowicki, A.S., 1961, Studies on the Palaearctic species of the subfamily Plusiinae (Lepidoptera). Acta zool. cracov. 6: 367-472, pls.

Kostrowicki, A.S., 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warschaw.

Kozhantschikov, I.V., 1928, Beitrag zur Kenntnis der Agrotiden. Übersicht der Gattung Triphaena Hb. Encycl. ent. (B3) 3: 67-87, 7 figs.

Lattin, G.de, 1950, Türkische Lepidopteren -I. Ist. Univ. Fen Fak. Mec. (Ser B) 15 (4): 301-328, Taf. I,II.

Lattin, G.de, 1951, Türkische Lepidopteren - II. Ist. Univ. Fen Fak. Mec. (Ser B) 16 (1): 45-73, Taf. III.

Leach, W.E., [1815], Entomology [In] Brewster, D., Edinburgh Encyclopaedie 9.vol., pt.1. 57-172 pp., Edinburgh.

Leach, W.E., 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London.

Lederer, J., 1855, Beitrag zur Schmetterlings-Fauna von Cypern, Beirut und einem Theile Klein-Asiens. Verh. zool.- bot. Ver. Wien 5: 177-254, 5 Taf.

Lederer, J., 1858, Noch einige syrische Schmetterlinge. Wien. ent. Monatschr. 2 (5): 135-152, 3 Taf.

Lederer, J., 1861, Ueber Alb. Kindermanns letzte lepidopterologische Ausbeute. Wien. ent. Monatschr. 5: 144-155, 2 Taf.

Lederer, J., 1863, Beitrag zur Kenntnis der Pyraliden. Wien. ent. Monatschr. 7(8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18.

Lederer, J., 1870, Contributions a la Faune des Lépidoptères de la Transcaucasie, Annls. Soc. ent. Belg. 13: 17-54, 2 Taf.

Lefèbvre, M.A., 1927, Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl.5.

Leraut, P.J.A., 1997, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse (deuxième édition). 526pp. Paris.

Lesse, H.de, 1959, Charactères externes et formule chromosomique d'Agrodiaetus baytopi n.sp. (Lep., Lycaenidae). Bull. Soc. ent. Mulhouse 1959: 44-48, 6 figs.

Lesse, H.de, 1959, Note sur deux especes d'Agrodiaetus (Lep., Lycaenidae) récemment séparées d'après leurs formules chromosomiques. Bull. Soc. ent. Mulhouse 1959 (1/2): 5-10, 9 figs.

Lesse, H.de, 1961, Les nombres de chromosomes chez Agrodiaetus dolus Hübner et les especes voisines (Lycaenidae). Alexanor 2 (2): 57-63; 2 (3): 72; Tab. 3, figs.1-6.

Lesse, H.de, 1963, Variation chromosomique chez Agrodiaetus carmon H.S. et A. cyanea Stgr. (Lep., Lycaenidae). Revue fr. Ent. 30 (3): 177-181, 2 figs. 2 tab.

Lesse, H.de, 1963, Variation chromosomique chez les Agrodiaetus (Lep., Lycaenidae). Revue fr. Ent. 30 (3): 182-189, 4 figs. Lienig, F. & P.C.Zeller, 1846, Anmerkungen, [in] Lienig, F., Lepidopterologische Fauna von Livland und Kurland. Isis 1846 (3): 175-302.

Linnaeus, C., 1758, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae.

Linnaeus, C., 1761, Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ... 578pp. Stockholmiae.

Linnaeus, C., 1767, Systema Naturae per regna tria naturae secumdum classes, ordinus, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae.

Lodos, N. & F. Önder, 1978, Contribution to the study of Turkish Pentatomoidea (Heteroptera). Türk. Bitki kor, derg. 2 (1): 15-29, figs.

Lukhtanov, V.A. & A.V.Dantchenko, 2003, Two new chromosome races of Agrodiaetus altivagans-wagneri complex (Lepidoptera, Lycaenidae) Atalanta 34 (3/4): 421-428, pl. xxviii.

Lukhtanov, V.A., 1989, Karyotypes of some blue butterflies of the Agrodiaetus species groups (Lepidoptera, Lycaenidae). Ann. ent. fenn. 55: 137-144, 6 figs.

Lukhtanov, V.A., Kandul, N.P., Prins, W.O.de & D.v.d. Poorten, 1998, Karyology of species of Polyommatus (Agrodiaetus) from Turkey: new data and their taxonomic consequences (Lepidoptera, Lycaenidae). Holarct. Lepid. 5 (1): 1-8, 15 figs.

Madl, M., 1997, Über Vespiden, Pompiliden, Scoliiden und Tiphiiden der Türkei (Hymenoptera). Linzer biol. Beitr. 29 (2):

Marion, H., 1957, Classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 75-87.

Marion, H., 1957, Complément à la classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 129-130.

Meigen, J.W., 1829-1832, Systematische Bearbeitung der europäische Schmetterlinge.

Melika, G., Stone, G.N., Sadeghi, S.E. & Pujade-Villar, J., 2004, New species of cynipid gall wasps from Iran and Turkey (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 50 (2): 139-151, figs.

Morton, K.J., 1914, Notes on a collection of Odonata from Van, Turkey in Asia. Entomologist's mon. Mag. 50: 56-59, pl.viii.

Müller, G.C., Kravchenko, V.D., Witt, T.J., Junnila, A., Mooser, J., Saldaitis, A., Reshöft, K., Ivinskis, P., Zahiri, R. & W.Speidel, 2008, New underwing taxa of the section of Catocala lesbia Christoph, 1887 (Lepidoptera, Noctuidae). Acta zool. Lituanica 18 (1): 30-49, figs.

- Centre for Entomological Studies Ankara
- Naumann, C.M. & S.Naumann, 1985, Zur morphologischen Differenzierung asiatischer Populationen des Zygaena purpuralis -Komplexes (Lepidoptera, Zygaenidae). Entomofauna 6 (20): 265-358, 286 figs.
- Naumann, C.M., Tarmann, G.M. & W.G.Tremewan, 1999, The western Palaearctic Zygaenidae. 304pp., 12 pls. Apollo Books. [see review: Koçak, A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7].
- Nekrutenko, Y.P., 1983, Neolysandra alticola (Christoph, 1893) comb. et stat.n. = Albulina alexander Higgins, 1981, syn.n. Vestn. Zool. 1: 52.
- Oberthür, C., 1869, Thais deyrollei. Petites Nouv. Ent. 1869: 7.
- **Oberthür,C.,** 1872, Catalogue raisonné des Lépidoptères rapportés par M. Théophile Deyrolle de son exploration scientifique en Asie Mineure. Revue Mag. 2001. 23: 480-488.
- Oorschot, H.v., Brink, H.v.d. & B.v.Oorschot, 1987, Rhopalocera of Turkey. 3. Geographical variation of Pseudochazara anthelea (Hübner) and description of P.anthelea selcuki n.ssp. (Lepidoptera, Satyridae). Ent. Ber., Amst. 47 (6): 91-95, figs.
- Oosterbroek, P., 1978-1979, The western Palaearctic species of Nephrotoma Meigen, 1803 (Diptera, Tipulidae) Parts 1-4. Beaufortia 27: 1-137; ibid. 28: 57-111, 157-203; ibid. 29: 129-197.
- Oosterbroek, P., 1994, Notes on western Palaearctic species of the Tipula (Yamatotipula) lateralis group, with the description of a new species from Turkey (Diptera, Tipulidae). Eur. J. Ent. 91: 429-435, figs.
- Önder, F., Karsavuran, Y., Tezcan, S. & M. Fent, 2006, Türkiye Heteroptera (Insecta) Kataloğu. 164 s. Izmir.
- Özbek,H., 1983, Doğu Anadolu'nun bazı yörelerindeki Eucera Scop. ve Tetralonia Spin. (Anthophoridae, Hymenoptera) cinslerine mensup arılar. Atatürk Univ. Zir. Fak. Derg. 14 (3-4): 35-40.
- Özkol,H. & A.Sefalı, 2009, New data on the biology of Pieris (Artogeia) persis Verity (Pieridae, Lepidoptera). Cesa News 42: 38-44, 7 figs.
- Özkol,H. & Kayci,L. & S.M.Pınar, 2009, Notes on the biology of Zygaena (Mesembrynus) tamara placida A.Bang-Haas (Lepidoptera, Zygaenidae). Cesa News 41: 47-50, 5 figs.
- Özkol, H. & L. Kayci, 2009, Some diurnal Lepidoptera species attracted to the light trap in East Anatolia (Papilionoidea, Zygaenoidea). Cesa News 40: 1-4, 6 figs.
- Özkol,H., 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea of Gevaş district (Van). Cent. ent. Stud., Priamus (suppl.) 5: 1-55.
- Özkol,H., 2009, Van Gölü Havzası Noctuinae, Hadeninae, Cuculliinae, Acronictinae, Bryophilinae ve Heliothininae faunası ve ekolojisiüzerine araştırmalar (Noctuidae, Lepidoptera). 417s., şekil, harita. Yükseköğretim Kurulu Ulusal Tez Merkezi, 179409[1]pdf http://tez2.yok.gov.tr/ [accessed 15.9.2009].
- Pages, J., 1994, Description d'un Lycène nouveau de Turquie: Agrodiaetus charmeuxi sp.n. (Lepidoptera, Lycaenidae). Alexanor 18(4): 194-196, 8 figs.
- **Pittino,R.**, 2004, New or nothworthy taxa of the genus Onthophagus (Subg. Palaeonthophagus) from South-estern [sic!] Europe and the Near East (Coleoptera, Scarabaeidae). Fragm. ent. Roma 36 (2): 145-214, figs.
- Poda, N., 1761, Insecta Musei Graecensis. 139 pp., 2 pls. Graz.
- Rajaei, H. & D. Stüning, 2012, Scotopteryx kuznetzovi (Wardikkian, 1957) (Lepidoptera, Geometridae, Larentiinae), a new species for the fauna of Iran and Turkey. Bonn zool. Bull. 61 (1): 135-139, figs.
- Rakosy, L., 1997, Die Noctuiden Rumäniens (Lepidoptera, Noctuidae). 648 pp., 821 Abb., 651 Karte, 30 Taf.
- Razowski, J., 1970, Cochylidae, [in] Amsel, H.E. et al., Microlepidoptera Palaearctica 3: xiv + 529 pp., 161 Taf., Wien.
- Razowski, J., 1984, Tortricini, [in] Amsel, H.E. et al., Microlepidoptera Palaearctica 6: xvi + 376 pp., 101 Taf., Wien.
- **Rebel,H.**, 1901, Über eine neue von Herrn Max Korb in Westasien gesammelte Lepidopterenformen. Annln naturh. Mus. Wien 16: 165-169.
- Reh, L., 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
- Robinson, G.S. & E.S. Nielsen, 1983, The Microlepidoptera described by Linnaeus and Clerck. Syst. Ent. 8: 191-242.
- Roesler,R.-U., 1973, Trifine Acrobasiina (1. Teilband der Phycitinae). [in] Amsel,H.G. et al., Microlepidoptera Palaearctica vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien.
- Roesler,R.-U., 1993, Quadrifine Acrobasiina Erster Teil (2. Teilband der Phycitinae). [in] Amsel,H.G., Microlepidoptera Palaearctica vol.8 (Text & Tafeln). Verlag G.Braun, Karlsruhe.
- Romanoff, N.M., 1884-1887, Les Lépidoptères de la Transcaucasie I-III. [in] Romanoff, Mém. lépid. 1: 1-92, Pls.; 2: 1-118, Pls.; 3: 1-49, Pls.
- Rozen, J.G., Özbek, H., Asher, J.S., Claudio, S., Praz, C., Alireza, M. & M. Andreas, 2010, Nests, petal usage, floral preferences, and immatures of Osmia (Ozbekosmia) avosetta (Megachilidae, Megachilinae, Osmiini), including biological comparisons with other osmiine bees. Am. Mus. Novit. 3680: 1-22, figs.
- Röber, J., 1907, 2. Familie Pieridae Weisslinge, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf.
- **Salman,S.**, 1978, Ağrı Kars ve Artvin illerinin Orthoptera (Insecta) faunası üzerine taksonomik araştırmalar. 184 sayfa, şekil, Atatürk Üniv. Yay. no.490. Erzurum.
- Sattler, K., 1967, Ethmiidae, [in] Amsel, H.G., Gregor, F. H.Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien.
- Schacht, W., 1984, Beitrag zu einigen palaearktischen Bremsenarten vornehmlich aus der Türkei (Diptera, Tabanidae). Entomofauna 5 (35): 483-498.
- Schacht, W., 1985, Kleiner Beitrag zur Bremsenarten der Türkei (Diptera, Tabanidae). Entomofauna 6 (21): 501-506, 8 Abb. Schacht, W., 1987, Ein weiterer Beitrag zur Bremsenfauna der Türkei (Diptera, Tabanidae). Entomofauna 8 (33): 485-494, 1
- Taf.

 Schmid-Egger,C., 2002, Key and new records for the western palaearktic species of Gorytes Latreille 1804 with description
- **Schmid-Egger, C.,** 2002, Key and new records for the western palaearktic species of Gorytes Latrelle 1804 with descriptio of a new species (Hymenoptera, Sphecidae, Bembicinae). Linzer biol. Beitr. 34 (1): 167-190, figs.
- Scholz, A., 1997, Zwei neue, paläarktische Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 20(1): 51-58, 13 figs.

- Centre for Entomological Studies Ankara
- Schurian, K.G. & C. Häuser, 1981, Zoogeographie uns subspezifische Gliederung der zentral- uns ostanatolischen, sowie der iranischen Meleageria-Formen (Lepidoptera, Lycaenidae). Atalanta 12 (2): 101-111, 4 Abb.
- Schurian, K.G., 1989, Revision der Lysandra-Gruppe des Genus Polyommatus Latr. (Lepidoptera, Lycaenidae). Neue ent. Nachr. 24: 1-181, 29 Taf.
- Schurian, K.G., 1996, A contribution to the biology of Brenthis mofidii (Wyatt, 1968). Linneana Belgica 15(8): 311-314, 8
- Schurian, K.G., Oorschot, H.v. & H.v.d. Brink, 1992, Polyommatus (Agrodiaetus) poseidon (H.-S.) und Polyommatus (Agrodiaetus) theresiae sp. nov. aus der Türkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 12 (4): 217-232, Pl.1, Abb.9-10.
- Scopoli, J.A., 1763, Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner.
- Seitz, A., 1909, Familie: Syntomidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart.
- Seitz, A., 1910, Familie: Arctiidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart.
- Seven,S., 1997, Papilio machaon Linnaeus,1758 türüyle ilgili bazı nomenklatür sorunları hakkında (Lepidoptera, Papilionidae). Cent. ent. Stud., Misc. Pap. 37: 1-3.
- Sheljuzhko, L., 1931, Einige Randbemerkungen zum "Supplement" zu den "Gross-Schmetterlingen der Erde" herausgegeben von Dr.A.Seitz. Papilionidae und Pieridae. Int. ent. Z. 25: 69-74.
- Skala, P., 2003, A new species of the genus Satyrus Latreille, 1810 from Iran (Lepidoptera, Nymphalidae). Linneana Belg. 19 (1): 35-40, figs.
- Skala, P., 2003, New taxa of the genus Hyponephele Muschamp, 1915 from Iran and Turkey (Lepidoptera, Nymphalidae). Linneana Belg. 19 (1): 41-50, figs.
- Staudinger, O., 1860, Pieris krueperi. Ein neuer europäischer Tagfalter. Wien. ent. Monatschr. 4: 19-20.
- Staudinger, O., 1878-1881, Lepidopteren-Fauna Kleinasien's. Horae Soc. ent. ross. 14: 176-482; 15: 159-435; 16: 65-135.
- Staudinger, O., 1900, Neue Lepidopteren des palaearktischen Faunengebiets. Dt. ent. Z., Iris 12: 352-403, Taf. [wrong citation by Hausmann (1994: 78) as "paläarktischen Faunengebietes"]
- Stradomsky, B.V., 2006, Polyommatus shchurovi sp.n. (Lepidoptera, Lycaenidae) from the altitude areas of Western Caucasus. Caucasian Ent. Bull. 2 (2): 215-216, figs.
- Strand, E., 1910, Familie: Lymantriidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart.
- Strand, E., 1911, Familie: Thaumetopoeidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart.
- Swainson, W., 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. Phil. Mag. (n.s.) 1(1): 180-188.
- Sahin, Y., 1984, Doğu ve Güney Doğu Anadolu Bölgeleri Akarsu ve Göllerindeki Chironomidae (Diptera) larvalarının teshisi ve dağılışları. Anadolu Üniversitesi Yayınları no 57. 145s., 359 şek.
- Tarmann, G., 1977, Neue Funde von Procris (Lucasiterna) horni Alberti, 1937 (Lepidoptera, Zygaenidae). Mitt. münch. ent. Ges. 67: 91-94, 5 Abb.
- Ten Hagen, W. & K.G. Schurian, 2009, Polyommatus (Aricia) crassipunctus varicolor ssp.n., eine neue Unterart aus Iran (Lepidoptera, Lycaenidae). Nchr. ent. Ver. Apollo (N.F.) 30 (1/2): 9-17, figs.
- Ten Hagen, W. & W. Eckweiler, 2000, Zur Taxonomie von Lycaena (Thersamonia) lampon (Lederer, 1870) und L. (T.) lamponides (Staudinger, 1901) stat. nov. (Lepidoptera, Lycaenidae). Nachr ent. Ver. Apollo (N.F.) 21 (2): 49-54, 19 Abb.
- Ten Hagen, W., 2008, Taxonomie von Cupido staudingeri (Christoph, 1873) in Iran (Lepidoptera, Lycaenidae). Nachr ent. Ver. Apollo (N.F.) 28 (3/4): 165-171, figs.
- Terzo, M. & P.Rasmont, 1997, Ceratina zwakhalsi et Ceratina verhoeffi, deux nouvelles especes de la région ouestpaléarctique (Hymenoptera, Apoidea, Xylocopinae). Tijdschr. Ent. 140: 221-236, 58 figs. 6 Tab.
- Tezcan, S., Karsavuran, Y., Pehlivan, E., Anlas, S. & E. Yıldırım, 2005, Contribution to the knowledge of Vespidae (Hymenoptera, Aculeata) fauna of Turkey. Türk. ent. Derg. 29 (2): 101-110.
- Thomas, W., 1988, Callimorpha splendidior Tams eine eigene Art (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 9(3): 177-186, 4 Abb.
- Tokar, Z. & L. Gozmany, 2004, Review of the palaearctic species of Dirhinosia Rebel, 1905 (Lepidoptera, Gelechiidae). Acta zool. hung. 50 (1): 63-74, figs.
- Tomov, V., 1984, Cryptocephalinae and Galerucinae from Turkey (Coleoptera, Chrysomelidae). Fragm. ent. Roma 17 (2):
- Tremewan, W.G., 1961, A Catalogue of the types and other specimens in the British Museum (Natural History) of the genus Zygaena Fabricius, Lepidoptera: Zygaenidae. Bull. Brit. Mus. (Nat. Hist.) Ent. 10 (7): 239-314, Pls. 50-64.
- Varga, Z. & L. Ronkay, 1991, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I. New taxa from Asia. Acta zool. hung. 37(3/4): 263-312, 113 figs. Pls.1-3.
- Varga, Z. & L. Ronkay, 2007, On the taxonomy of the genus Diarsia Hübner, [1821] 1816 (Lepidoptera, Noctuidae): The Holarctic species group of the genus. Acta zool. hung. 53 (Suppl.1): 141-209, figs.
- Varga, Z., 1975, Eine Noctuiden-Ausbeute aus Ost-Anatolien (Lep.). Ent. Z., Frankf. a. M. 85: 172-174.
- Varga, Z., 1989, Zweiter Beitrag zur Kenntnis der Gattung Xenophysa Boursin, 1969 (Lepidoptera, Noctuidae), mit der Beschreibung fünf neuer Arten. Z. ArbGem. öst. Ent. 41 (1/2): 1-18, figs.
- Varga, Z., 1996, New species and subspecies of Dichagyris, Chersotis and Rhyacia (Lepidoptera, Noctuidae) from Central Asia. Acta zool. hung. 42 (3): 195-230, figs.
- Vujic, A., Marcos-Garcia, M.A., Sarıbıyık, S. & A.Ricarte, 2011, New data on the Merodon Meigen, 1803 fauna (Diptera, Syrphidae) of Turkey including description of a new species and changes in the nomenclatural status of several taxa. Annls Soc. ent. Fr. (n.s.) 47 (1/2): 78-88, figs.
- Wagener, S. & F.J. Gross, 1976, Eine neue Unterart von Melitaea arduinna aus Ostanatolien (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 86 (20): 229-232, 1 Abb.
- Wagener, S., 1975, 4. Beitrag. Die vorderasiatischen Formen der Melanargia russiae (Esper, 1784), [in] Ebert, G. et al., Beitraege zur Kenntnis der Rhopaloceren Irans. J. ent. Soc. Iran, Suppl. 1: 47-62, figs.
- Warncke, K., 1982, Die Holzbienen des Vorderen Orients (Hym., Apidae). Linzer biol. Beitr. 14 (1): 23-37.

- Warncke, K., 1983, Über die einzige Allodape-Art in de Westpaläarktis, einem Vertreter einer sonst rein tropischen Bienengattung (Hymenoptera, Apidae). NachrBl. bayer. Ent. 32: 77-80, Abb.
- Warncke, K., 1988, Die Bienengattung Osmia Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei, 2. und 3. Die Untergattungen Tergosmia und Exosmia. Entomofauna 9 (20): 389-403, 21 figs.
- Warncke, K., 1991, Die Bienengattung Osmia Panzer 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei 10. Die Untergattung Alidamea Cress. Linzer biol. Beitr. 23 (2): 701-751, 46 Abb.
- Warncke, K., 1991, Die Bienengattung Osmia Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei. 5. Die Untergattung Pentadentosmia subgen. nov. Entomofauna 12 (2): 13-28, figs.
- Warncke, K., 1992, 2. Beitrag zur Systematik und Verbreitung der Bienengattung Prosopis F. in der Westpalaarktis (Hym., Apidae). Linzer biol. Beitr. 24 (2): 747-801, figs.
- Warncke, K., 1992, Die westpalaearktischen Arten der Bienengattung Sphecodes Latr. (Hymenoptera, Apidae, Halictinae). Ber. Naturf. Ges. Augsburg 52: 9-64, figs. maps.
- Warren, B.C.S., 1926, Monograph of the tribe Hesperiidi (European species) with revised classification of the subfamily Hesperiinae (Palaearctic species) based on the genital armatures of the males. Trans. ent. Soc. Lond. 74: 1-170, Pls.
- **Warren,B.C.S.**, 1944, Review of the classification of the Argynnidi: with a systematic revision of the genus Boloria. Trans. R. ent. Soc. Lond. 94: 1-101, Pls.
- Warren, W., 1909-1913, Familia Noctuidae, [in] Seitz, A., Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart.
- Wehrli, E., 1936, Einige neue Arten und Rassen aus den Ausbeuten des Herrn Ernst Pfeiffer, München. Mitt. münch. ent. Ges. 26: 33-37, Taf.ii.
- Wehrli, E., 1936, Nouvelles especes et races de Geometridae peuvenant des monts Elburs, du Caucase et de l'Asie Mineure. Amat. Papillons 1936: 151-155.
- Weidenhoffer, Z. & J.Klir, 2000, A new species of Plebejus Kluk, 1780 from Iran (Lepidoptera, Lycaenidae). Linneana Belg. 17 (7): 289-292, figs.
- Weise, J., 1898, Über neue und bekannte Chrysomeliden. Ark. Naturg. 64 (1/2): 177-224.
- Weiss, D. & P.Skala, 2000, A new subspecies of Hyponephele Muschamp, 1915 from western Turkey (Lepidoptera, Satyridae). Atalanta 31 (1/2): 129-133, pls.viii-ix.
- **Wiemers,M.**, 2003, Chromosome differentiation and the radiation of the butterfly subgenus Agrodiaetus (Lepidoptera, Lycaenidae, Polyommatus) a molecular phylogenetic approach. Dissertation. Bonn.
- Willmann, R., 1974, Panorpa tatvana n.sp. (Mecoptera). Ent. Mitt. Zool. Mus. Hamburg 4: 465-469, fig.
- Woznica, A.J. & A.Ö.Koçak, 2009, New records of Turkish Heleomyzid flies (Diptera, Heleomyzidae). Dipteron 25: 77-81, 1 fig.
- Wyatt, C.W., 1968, Eine neue Rasse von Brenthis hecate W.V. aus Iran. Z. wien. ent. Ges. 53: 29-30, 4 figs.
- Yen,S.-H. & J.Minet, 2007, Cimelioidea: A new superfamily name for the Gold Moths (Lepidoptera, Glossata). Zoological Studies 46 (3): 262-271, figs.
- Yıldırım, E., Çalmaşur, Ö. & M.Madl, 2002, Leucospidae of Turkey (Hymenoptera, Chalcidoidea). Linzer biol. Beitr. 34 (2): 1185-1189.
- Zeegers, T., 2005, Taxonomy and distribution of the horsefly-genus Therioplectes Zeller (Diptera, Tabanidae). Stud. dipterol. 12: 337-355, figs.
- Zeller, P.C., 1841, Vorläufer einer vollständigen Naturgeschichte der Pterophoriden. Isis 1841: 755-795, 827-893.
- Zeller, P.C., 1844, Monographie des Genus Hyponomeuta. Isis 1844 (3): 198-238, 2 Pls.
- Zeller, P.C., 1851, Drei Schabengattungen: Incurvaria, Micropteryx und Nemophora. Linn. Ent. 5: 301-362.
- Zeller, P.C., 1854, Die Depressarien und einige ihnen nahe stehenden Gattungen. Linn. Ent. 9: 189-403, Tab.2.
- Zimmermann, V.S., 1973, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung Trichodes Herbst (Cleridae, Coleoptera). Annln naturhn. Mus. Wien 77: 409-419.

Contents: Koçak,A.Ö. & M. Kemal, List of the two thousand species of pterygot insects in Van province (East Turkey) (Results of the entomofauna project of Turkey – 7, p. 1- **Editorial**, p.87.



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: http://www.cesa-tr.org/

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)³, Miscellaneous Papers (ISSN 1015-8235)⁴, Memoirs (ISSN-8227)⁵ DVD Films⁶, Iconographia Insectorum⁷ Cesa Publications on African Lepidoptera (series)⁸, Cesa News [online]⁹, Cesa Books ¹⁰ Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistent: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskreçki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom ts-emea-york.dcsadmins@thomson.com

³ http://www.cesa-tr.org/Pri.htm - pdf available after corresponding

⁴ http://www.cesa-tr.org/Miscell.htm - pdf available after corresponding

⁵ http://www.cesa-tr.org/Memoirs.htm

⁶ http://www.cesa-tr.org/CDF.htm

⁷ http://www.cesa-tr.org/Icon.htm

⁸ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

http://www.cesa-tr.org/Cesanews.htm

http://www.cesa-tr.org/Cesabooks.htm